
Index on page 23 Guaranteed Lowest Price Policy Explained Page 69

The World's most complete bicycling catalog





This beautiful signed, limited edition Derivagraphic lithograph by famous artist Kenneth Stone produced on hand made rag paper is available to our mail customers.

See page 76.

COLNAGO

Our most important new bicycle development for 1978 is our recent appointment as the U.S. exclusive catalog representative of the world's Number One racing bicycle, Ernesto Colnago.

Signor Colnago was building handmade custom racing cycles for about twenty years at his small factory near Milano, when a young man from Belgium caught the world racing community by surprise. The racer was Eddy Merckx and the designer/builder with him during so many European triumphs and the one-hour record in Mexico was Ernesto Colnago. As a result of his enduring dedication to winning racing, Colnago bicycles are in use by more winning racers than any other make in the world today. Even many more of the famous winners of mass-producer-brand teams are also riding Colnagos with paint and decal disguises of their sponsor's brand.

The entire operation is 100% devoted to racing bicycles of every possible type and design. There's no retail store, no touring models, no strippeddown cheaple model; nothing to disrupt the goal of remaining number one in the world of racing.

Like a pure extra bonus, Colnago bicycles look as good as they perform. In spite of the fact that a builder as famous as Colnago could get away with cutting corners on appearance details, these frames reveal the highest degree of painstaking finishing detail.

All tubes are mitered and pre-fitted with hand-placed pins in the lugs and tubes before being silver soldered. The pins are visible in the bottom bracket. This assures flawless alignment without cold-setting. While it's possible to make a good frame with simpler methods, Colnago believes that perfection cannot be achieved in the presence of compromising techniques. Ernesto personally supervises every phase of production, all of which is done under one roof. There is no detail which escapes his attention.

Features on both Super and Mexico

Models

Colnago only builds 2 road racing bicycles, the Super and Mexico. The bike you will receive from Bikecology is identical in every respect to those used by some of the world's greatest racers. We stock every size from 49-64cm in a variety of the most popular colors for the Super and gold metallic only in Mexico.

Materials

Super: Columbus 510 Double Butted Cro-Mo "SL" throughout. Special Colnago investment cast crown and bottom bracket. Campy Super Record dropouts.

Mexico: Columbus Super Record ultra-light racing tubing. Entire frame & fork weighs only approx. 1.85 kilos (4 lbs.)

Special introductory bonus with every frameset

Colnago frame-fit pump 🧭 and water bottle in special color to match each frame.

\$10.00 Value FREE



Campy BB cable tunnels and chain stay housing stop. Dropout adjusting screws included with both models. Water bottle bosses.

Standards

Italian threaded. Seat tube 27.2mm. BB - 70mm.

Fork: Italian thread - 22.2mm Inside diameter steer tube. Milled for Campy, OMAS or Colnago headset. Dropout width -Fr. 100mm, Rr. 125mm (accepts 5 or 6speeds)

Finish

Classic Italian design. Chrome crown with painted pantagraphata. Chrome fork tips and dropouts.

Paint is durable oven-baked multi-stage flambouyant or metallic.

Price

Sup

Mex

We feel our prices are a real bargain considering what this frame represents. Furthermore, a Colnago brings a higher resale value than any other brand in existence.

Freight free Continental U.S.A.

er frameset	\$339.00
ico frameset	439.00

Colors, Sizes


No special orders or changes accepted. We stock every centimeter size from 49-64 in Super and 54-57 in Mexico. **Colors in our inventory:** Silver metallic SCIC blue (silver-blue) metallic Colnago lavender Gloss black lacquer Anthracite metallic (dark silver) Blue nouvo (Colnago's classic dark blue lacquer). All time #1 seller Gold metallic Fire engine red Pearl yellow Plus: A few other colors such as green, orange, white, purple, yellow enamel and others may be available through our

Santa Monica store.





Investment cast BB shell, cut-out with Colnago clover logo, Campy cable guides, massive Columbus chain stay, both models with wheel indention.





Chainstay ends are diagonally filed. Campy Super Record dropouts. Stays indented on wheel and chainring sides is standard on all italian racers.

Copyright® March 1978 by Bikecology Inc. All rights reserved. Reproduction of any part or all of this publication by any means or for any purpose whatsoever without the prior written consent of Bikecology, Inc., is prohibited and will result in Immediate legal action against the violator. Published by BIKECOLOGY, INC., Santa Monica California, 7th Edition. This edition supersedes all previous editions and prices. Manufactured in California, U.S.A.

Design and Production: Bullsaye, Inc., Venice, Ca.; Photography: Don Lauritzen, W. Los Angeles, Ca.; Typography: Dee Dee Palacio, Santc Monica, and Thomas & Assoc., Santa Monica; Written and Edited: Alan Goldsmith.







Complete **Bicycles**

Freight free Continental USA.



Famous fluted seat stay: a delicate, hollow end with razor fine edges, brake bridge reinforcements. Note fine-

edged lug. Both models, color: silver

Super with Campy Nuovo Record Gruppo and pantagraphic seat post with 53/42 170 and small flange hubs PLUS: · Regina Oro freewheel

- Regina Oro chain
 TTT stem with Colnago pantagraphata
 TTT bar cloth tape
- NISI Contach 350 gr rims 36-hole
- Clement cotton tubulars of your choice
- Colnago Buffalo seat
- Colnago headset
- Colnago toe clips and laminated straps
 Colnago pump & bottle









Chromed investment cast crown with fancy panta. 2-point fork rake with blade reinforcements, braze-on Campy lever bosses. Famous Colnago lugs. Top tube cable guides. Both models color: SCIC blue

Headset not included.





Mexico with Campagnolo Super Record Gruppo with SF hubs, and pantagraphata seat post, levers, chainring and stem, 53/42T 170mm, remainder as above plus Clement silks — your choice



Bottom bracket Famous Colnago clover cut-out in BB shell of both models. Fine smooth finish is result of costly casting method.



Allegro Corviglia

Made in Neuchatel, Switzerland.

First introduced in our 1977

to first place among our touring catalog, Allegro immediately jumped cycles. The world-famous reputation of this great factory apparently preceded our catalog praise, because there were hundreds of people who were ready and willing to order as soon as they saw the page with last year's low introductory price. Now, working with Allegro, we have been able to elicit several important changes which further enhance the bike's appeal. The one point we want to stress is that this bicycle is a true connosieur's machine. There is no other frame in the world, with the exception of our Mercian Vincitore, which rivals the Allegro Corviglia in beauty and distinction. It is a true collector's item.

Tange Levin headset and new fork **Royal blue** flambouyant

Fork:

The new Reynolds 531 Continental-section fork blade was added. This large oval blade closely resembles the Columbus. A new Cinelli crown, plus fork blade stiffeners were also added. The fork bend is completely new. It features 2-point bending, a process the Italians use to create a graceful, even crescent shape instead of the 1-point type of bend on last year's model. The fork rake has been increased to 50mm for more forgiving and easier touring.

Fork Section Comparison **Reynolds 531** Columbus Continental Round/ style '78 oval taper 18/21 g 18/21 g Crown end 28.7 x 16.6 28.3 x 20.2 27.4 x 20.4 13.6 13.6 12.1 Drop (in millimeters) out end

Lugs:

Another all-new feature for '78 is the elegant Bocama lugs made of extra-thin 1mm hightensile steel with large cut-outs. Despite their delicate appearance, these lugs were tested on the team-issue racing bikes all during 76 & 77 with excellent results. It's the prettiest production lug we've ever seen.

Bottom bracket:

In order to save weight (114 grams) and eliminate all French threading, the Corviglia has a conventional pressed steel bottom bracket shell with 68mm BSC threads. This is the same type used on many of the frames we sell and it is a lot more attractive.

Specifications:

Based on popular demand, the Corviglia's angles (57 cm) are approximately 72° parallel with minor variations in other sizes. It's an extremely pleasant-handling touring machine-stiff and light enough for response, yet comfortable enough for very long rides. The Corviglia has special U.S. oriented specs to make it compatible with the most popular components here. Thread: English Steerer tube:

Inside dia: 22.2mm Eng (see pg. 44) Thread: English Seat tube I.D.:

26.8mm

Bottom bracket:

Width: 68mm

Brake clearance: 27" or 700c w/short reach side pull & fender clearance. **Everything is English**



Price: \$299.00

Freight Free Continental U.S.A.





Finish:

As usual, Allegro easily wins this category. It may be hard to visualize this in today's marketplace, but it is true that each frame is processed as follows:

- 1. Entire frame shot-blasted to remove all debris.
- 2. Primer.
- 3. Base-color coat.
- Top-color coat. Sometimes these are mixed with pearlescents or metallics.
- Two separate hand pin-striped colors, performed freehand by a woman with magic hands.
- 6. Clear protective coat.

If you are the type of person who appreciates style and beauty as well as performance, this is one of the few cycles for you on the market today.

Materials:

Tubing: Reynolds 531 butted tubes, forks, stays, steerer tube.

Lugs: Bocama

Dropouts: Campagnolo adjustable w/eyelets, incl. adjuster screws

Specific elements:

Raised serial number:

A neat rectangular area just below the left seat stay rises about ¼ inch above the seat tube. The serial number is deeply engraved here then painted white for instant visibility. Sizes (in cm):

We stock only the following: 50, 52, 54, 56, 57, 58, 59, 60, 62, 64.

Our stock sizes are available in the colors shown, plus others which were not available at the time photos were taken. However, certain size/color combinations may be out of stock from time to time.

Special Fittings:

TA water-bottle cage-bosses: on downtube.

Tip adjusting screws. Seat binder bolt:

Chromed Allen type.

New Tange Levin headset: We use this excellent set on many of our bikes because it fits, works and lasts excellently, looks just like Campy Record and is still a bargain. Its races are precisionground and the crown cone has the same inside diameter as Campy and Dura Ace, thereby permitting easy changeover if desired. Lock nut 22.2mm for Italian and Japanese stems.

Color combinations in our inventory:

Frame	Pin striping	Decal
Fire engine red	white/black	white
Royal blue flam.	red/white	white
Silver blue metallic	red/white	white
Silver metallic	red/blue	red
Orange pearlescent	blue/white	white
Yellow pearlescent	blue/red	blue
Creme de menthe green		white
Black enamel	gold/white	white
Candy apple red	blue/white	white
	Didd/ minto	minico

Important note:

It is almost impossible for us to have every color above in every frame size at all times. We urge you to consider several alternatives.

The combinations above are only a guide. Changes are frequently made in decals and trim in order to limit duplicates. We want each bike to be as unique as possible.

Price

(Or: A lesson in international economics) In 1977 we charged \$209.88 for the Allegro as a special low introductory price. Since 1/1/77, the Swiss Franc—the currency we must purchase to pay for our bikes—rose 42.5% against our weak dollar. That would translate into \$300.00 today just for the same bike. Therefore, at \$299.00, this bike is an even better bargain than it was last year. Now the Allegro features better and more expensive Cinelli crown; cut out lugs; bottom bracket; and better painting and workmanship. \$299.00

Bocama lugs and

raised serial number















As the most personal item in our catalog, clothing always receives our most critical scrutiny. For 1978, we wanted to take all the guesswork and worry out of mail ordering clothing. The approach was simple-give you the best quality, best known brand in the world-Sergal of Milano, Italy. Unlike most of the other catalogs which promote private label or off-brand clothes, we recognize that famous brands like Sergal in clothing, Colnago, Allegro, Bob Jackson in bicycles and so forth are the customer's best chance of being satisfied. Old imers need no introduction to Sergal. Newer ficionados will be pleased to learn that Sergal has been making cycle clothing for over 40 years and has probably supplied more famous racers than any other ailor. The clothing on these pages is not the cheapest ou can buy but it is the best.

Fabrics:

After selling thousands of garments over the years, we have concluded that the most sensible and popular shirt fabric for cycling is pure, soft virgin wool. Wool is he only fabric with a "wicking action" which maintains oody comfort by moving heat and moisture away from he body into the atmosphere. In cold temperatures, wool wicks away sweat without an undesirable loss of neat. Unlike acrylic and polyester which do not release neat and moisture, wool never feels hot and clammy. For those who worry that wool might feel "itchy" you ust have not experienced the incredibly soft and uxurious Sergal wool. Remember, natural fibres like vool are still the world's standard for quality and that s why they are the most expensive. These are the easons why all of our Sergal road jerseys are the very lighest grade 100% pure virgin wool. The fabrics are mitted in these attractive styles right in the Sergal actory on sophisticated tubular knitting machines. The lifferent colors are knitted, rather than patched ogether. The spectacular, modern new styles and colors were designed exclusively for us. During the ast few years, many new companies have introduced cycle clothing but only Sergal remains the consumer's juide to the best. We urge you to compare our low prices to those of competitive brands. Then you will ealize what a value-packed selection we offer.

The Sergal wool jersey

3 rear pockets with buttons **Zippered** collar Elastic effect on collar and cuff Designed to fit men lelgium (1) hort sleeve. Bright red, white, lack \$23.50 weden (2) hort sleeve. Royal blue and \$24.50 ellow. Iontreal (3) hort sleeve. Orange, turquoise, lack, white. \$23.50

rance (4) ong sleeve wool	\$25.50
00% nylon track /o pockets ed, white, blue	\$18.50
lunich (5)	

iunicn (: hort sleeve. Navy blue, \$23.50 ellow-gold, red

Milano (6) Short sleeve. Burgundy, blue, gray w/5 stripe cuff

Shpg Wt 1 lb

\$23.50

Sergal jersey sizes Sizes USA Italian X-Sm 34" 1 Sizes: USA Italian M-L 40" 4 Lg 42" X-Lg 44" Med 38"

Sergal pants

& collar

Wool cycling shorts (7) with extra fina chamois

The industry standard of excellence for over 40 years, Sergal shorts need no further introduction than to state that these are Sergal's very best, 100% virgin wool, doubleknit with the most expensive chamois obtainable Don't be fooled by the fact that most cycling shorts look the same. There is a world-wide

shortage of premium chamois and only the old, big-timers like Sergal can obtain it! One rear pocket. Elastic waistband. Black only. Shpg wt 10 oz. Sizes: 1-6 G650W \$24.50

Bikecok

cvcle

clothin

Wool tights (8)

with extra fina chamois Designed for cold weather, identical to shorts but full length with snug fitting cuffs. Sizes: 1-6 Black. Shpg Wt 1 lb G651 -

\$28.50

Cotton Shorts (9) Same famous fit and quality as wool shorts. Rugged Egyptian cotton knit that looks just like wool. Easy care, cool and

comfortable in hot climates. Holds up best of all the cotton shorts we tested. Normal grade chamois. One rear pocket. Black. Available May-October only. Sizes: 1-6. SW 10 oz G650C only \$17.50

Knickers (10)

This popular European article is really catching on here now. Well tailored and roomy knickers offer a nice compromise between cycle shorts and slacks. Seat is reinforced, without chamois. Made of soft cotton flannel, velcro knee closures, 4 normal pockets. Attractive black and white houndstooth pattern. Should be worn with knee socks

Siz G-9 Serg SM C to Far 100 соп pat allo con

wai

terr


the

10 0=

18

5

4



allow free pedalling, zipper fly, combination elastic drawstring waist for unisex sizing; and soft terry cloth cotton that replaces the traditional chamois seat.

pocket or water bottle cage when not in use. SW 10 oz

Leg warmers (12) \$13.50/pr. Short (fits up to 32" inseam) G90S Long (fits over 32" inseam) G90L

Arm	warmers	(13)	\$6.50/pr
	G91S		
Long	G91L		

Cycling gloves

Gant cycling glove (14) Always our biggest seller year after year! The classic French hand-made glove of soft tan suede and elegant cotton crochet. Very comfortable padding, impeccable quality and fit. Sizes: 61/2, 7, 8, 9, 10. G-10 Shpg. Wt. 3 oz. \$13.95

Winter cycling glove (15)

Specially designed to overcome one of the most annoying and unnecessary problems associated with cold weather riding-frozen hands. Fabric is special thermaltype synthetic with snug knitted guantlet that fits well up on the arm. The genuine deer skin portion is elegant, soft and sensitive to the touch. Palm is foam cushioned, U.S. Colors: fabric-red/leather-cream. Sizes: Sm, M, Lg. Sizes tend to be large. S.W. 5 oz. \$13.50

Bikecology deluxe glove (16) Most customers are surprised at the nice quality and comfort of such a low priced glove. It's hand-made with cotton crocheted back, smooth, thick leather and velcro closure. The palm is thickly padded. Leather is light beige. Easier to clean than suede. Sizes: 6, 7, 8, 9, 10 G-11 Wt. 3 oz. \$8.95



Sergal caps Wool caps (17)

Tremendously popular in Europe and really designed for cycling because it takes the cold air off your neck and ears. Firm bill. Back can be pulled down over ears and neck. One universal size. Double layers of rich knitted fabric. SW 5 oz 3 beautiful colors: Royal blue SRG-C1 Burgundy SRG-C2 SRG-C3 \$10.88 Light gray


Cotton caps (18)

Best of 3 qualities available. Heavy duty 100% cotton, 5 stripe ribbon on top, reinforced bill. Silk screened. Looks great after many washings! Shpg wt 2 oz.

Campagnolo	G59C	\$2.00
Dura Ace	G59D	2.00
Sun Tour	G59T	2.00
Bikecology Bike Shops	G59B	1.00



Bikecology Bike Packs. (pgs. 16-17)



A.) Cordura Nylon Red B.) Cordura Nylon Blue C.) Oxford Nylon Red D.) Oxford Nylon Blue E.) Brown F.) Red

Handlebar Tapes (pg.68)





G.) Yellow J.) Orange H.) Green K.) Dark Blue I.) Light Blue



Silca Impero Pumps



Page 61

8

Cycling helmets The Bell cycling helmet

Bell has a tradition dating back 20 years for uncompromised excellence in head protection. The cycling helmet endured months of testing and evaluation in the laboratory and in the field. It's been proven under every possible type of cycling use.

It's light, provides outstanding shock absorption, is well ventilated, and protects against intrusion of foreign objects. Its red nylon retention system is fully adjustable and keeps the helmet squarely centered with no annoying slip. The system features an improved positive-locking D Ring with an integral quick-pull tab for fast removal.

Sizing is achieved by means of quick-attaching Velcro fasteners on each pad. Various lengths are available to enable us to give you a perfect fit.

Construction

The outer shell is high impact Lexan, chosen for its high strength-to-weight characteristic. Beaded polyester polystyrene forms the shock absorbing inner liner and is soft and washable. Wide angle, uninterrupted vision and red reflective racing stripes add to the safety.

Comfort

Wide-tunnel tested air scoops induce a constant flow of fresh air through the helmet, keeping rider cool even on the hottest day Guarantee

Any Bell cycling helmet found to be defective by the Bell factory within one year from date of sale to the original purchaser for use will be repaired or replaced at the option of Bell and returned to you without charge.



\$32.50 How to Determine Your Correct Bell Helmet Size You'll need a fabric tape measure like the kind tailors use. Place the tape at the center of your forehead and measure all the way around. It's best to have a friend do this for you. 2. Note the TOTAL number of inches showing at the point where the tape meets.

3. Use the SIZING CHART to convert the total inches to the nearest helmet size. 4. Detailed fitting information, cleaning, strap adjustment, quick release, and other pertinent information will be included with purchase.

COMPETITIVE CYCLING

A UNIQUE SPORTS PUBLICATION FOR THE RACER AND THE TOURIST.

*TOURING ARTICLES (bike maintenance, safety features, "CHP vs. Cyclists") *PRO-DUCT EVALUATIONS (read our upcoming component evaluation series) *TRAINING ADVICE *FULL COLOR COVER & CENTER-SPREAD *INSIGHTFUL, IN-DEPTH RACE COMMENTARY (U.S. & European) *RAU-COUS CYCLING HUMOR *COLUMNISTS (from the wacky to the informative).

RATES:

1 year (12 issues) \$7.00 2 years, \$13.00 3 years, \$18.00

Send to: **Competitive Cycling** P.O. Box 2066 Carson City, NV 89701




This model has undergone numerous design changes to provide you with the very utmost in comfort, ease of use, and safety in a soft type helmet. Our new helmet features pre-

cisely sized injected foam padding in every section. Thus, there are no floppy unfilled or baggy portions. You get foam protection on these important parts:

- Forehead · Ear piece
- · Side-to-side piece and occipital
- Temple bond · 3 front to back pieces

Construction is with rugged sewing and reinforcement with two piece rivets in stress areas. Our rivets are completely smooth on both sides as opposed to star rivets which can scratch your skin. Chin strap attaches with snap on one side and double D rings on the other side, permitting the kind of exact micro-adjustment necessary for safety. There's no belt buckle to mess with. And the attachment points are on the ear piece-not under the chin. Made in leather-like vinyl. Black. Sizes 55-60 cm. A.W. 229 gr/S.W. 12 oz.



To order helmet:

Sold in Metric size. Multiply your head circumference in inches by 2.5. Example: head arc of 22 inches x 2.5 = 55 centimeters (metric size). Naturally, we'll accept either figure.

Write: G51_

your size

Cool Gear Superhelmet

- STRAP

ADJUSTIN

INNER

Moreprotectionthanour Superhelmet but less than Bell Made in molded ABS plastic with fully adjustable web suspension. Extremely cool to ride in warm weather. Lightweight at 17 ounces. Sizes: fits size 67/8-71/2" or 21%"-231/2" head circumference. White or orange. S.W. 3 lbs.

CGH265 \$19.88



Ordering instructions page 37 Order form page 63

Eclipse bicycle packs for 1978

1976 was the first year we offered Eclipse packs in our catalog. The consumer response was incredible as the brand became our top seller almost immediately. The Eclipse designers deserve a lot of credit because unlike all the other bag makers, they started from "scratch" and copied nobody. The attention to minute detail and perfection is unlike anything



we have seen before and the result was zero defects for 1976. With all the other bags we have sold, many customers have written to us about their ideas for changes but this is not the case with Eclipse. We work closely with Eclipse to remain well informed and well stocked throughout the model year so you are assured of fast delivery.

Eclipse Slide Mount System on all Eclipse Panniers

Here's why we advertise Eclipse as the "State of the Art"

Upper Attachment

All Eclipse panniers attach to a rack by means of an eight inch long fabric encased lightweight fiberglass rod which is securely and permanently attached at the top of each pannier. This rod exactly corresponds to a tubular "female" fitting made of lightweight extruded aluminum which attaches easily and securely to any existing bike rack, or is an integrated part of the revolutionary new Eclipse Rack (see rack section for further details) which is available from us for \$24.95.

Once the rods are in place in their channels (photo), the panniers are prevented from shifting by means of 2 durable steel snaps. Thus, the pannier is supported over the entire 8" length of the rod. This method is far superior to other designs in which the pannier's entire weight is supported at one or two small hooks.

Lower Attachment

The system doesn't really require any method of lower attachment; however the new Eclipse rack has a short horizontal rod which corresponds to a webbing receptacle located at the bottom of all panniers. It becomes engaged at the same time that the pannier is inserted into the top support channel. One quick easy operation. No moving parts, nothing to go wrong.

The unique wedge shape fits neatly into the rear geometry of the bicycle. The center of gravity is lower, thus increasing stability. Protruding lower corners can't get into the spokes because they have been eliminated.

All panniers use the new polyproylene stiffeners for added rigidity. It's also removable so that the bags can be laundered. But since most brands have some kind of stiffener you might ask, what's the big deal. Well, this stiffener is just like the corrugated board used in boxes. It bends on the vertical, but not the horizonatal plane. Therefore, if you are carrying one pack on your back, the stiffener will comfortably conform to the contour of your body. And, unlike metal which has sharp edges, this stiffener cannot cut the nylon in the pack. Best of all, it's virtually weightless.

All panniers have double sewn or bartacked reinforcements at all stress and abrasion points.

All YKK coil zippers are covered for protection from moisture and abrasion. Every zipper has two sliders for extra accessability and zipper ends are double stitched and protected by a double layer flap.

A handle is built into the top of each pack so the packs can be snapped together and carried like a suitcase when they are off the bike. Or either pack pack can be dismounted and carried separately. In addition, two "D" rings are fitted to the top of each pack for lashing down cargo carried on top of the rack. These rings are also used with the optional (except for Professional which features straps as standard equipment) shoulder strap for carrying the pack as a backpack (see photo).

An 8 inch long fabric encased lightweight fiberglass rod is permanently attached at the top of each pannier.

See p. 18 for more rack info

Materials

Fabric: 6 oz. nylon Oxford and 8 oz. Cordura nylon both with waterproof coating.

Thread: Size 36/13 cotton wrapped polyester with 8 stitches per inch and bartacked reinforcements at high stress locations.

Zippers: #5 polyester coil with 2 sliders, treated with water and mildew resistent material. All zipper ends are double stitched and the zipper itself is protected by a double layer flap.

Strap webbing: Strictly nylon, bar-tacked at all points of stress.

Other materials: Velcro fasteners, chrome plated hardware, and expanded polyfoam sheet shapers.


Colors: Royal Blue, Dark Red, Safety Orange.

The Standard Panniers

The standard panniers meet the requirements of most bicycle tourists. Their size and shape are well suited to both weekend tours or extended trips. Constructed of durable waterproof 8 oz. Cordura® Their large main compartment has a generous 24 inch YKK #5 nylon coil zipper

with the exclusive hooded closure for added weather and abrasion resistance. The standard panniers have a spacious outside pocket mounted low for optimum weight distribution. As with all eclipse panniers, they convert to a functional day pack with the addition of the optional shoulder straps.

Weight: (per pair) 24.64 oz. 698.54 gr. \$49.95 pair Shpg. Wt. 29oz. E-STP



Eclipse panniers

Professional

The Professional Panniers (formerly Transcontinental)

The Professional Panniers were conceived from the onset to represent the state of the art in pannier design. Their exlusive features and superb detailing will satisfy the most discriminating bicycle tourist. Eclipse has spared absolutely nothing to make them the finest rear panniers available anywhere in the world.

Each pannier has 6 individual compartments, including a unique divided main compartment with a versatile zip-out divider. This divider allows the main compartment to be used as a single large compartment or two smaller ones. Access to the bottom compartment is provided by a 20 inch YKK #7 coil zipper which zips around 3 sides of the bag.

These features combined with the Slide Mount System® and traditional Eclipse quality put the Transcontinental panniers in a class by themselves.

Other features:

A three inch extendable sleeve at the top of the main compartment


increases load carrying capacity. The sleeve has a reliable draw string closure. A quick release drawstring slap over the sleeve provides complete weather protection and helps to compress the load.

A 72 cubic inch pocket on the outside of the flap is a great place to carry your first aid kit or toilet articles.

The stiffener pocket on the inside of the pannier is the perfect place to carry extra maps and papers. Weight: (per pair) 34.24 oz. 970.70 gr. Volume: (per pair) 1075 cu. in.

17619.3 cu. cm. Shpg. Wt. 37 oz. E-PROP

\$84.95 pair



The Nomad Panniers

The Nomad panniers were designed for the serious bicycle touring enthusiast with a limited equipment budget. They employ many of the same features found in the other Eclipse panniers, but are constructed of durable 7 oz. nylon pack cloth, rather than cordura. They are the same size as our standard pannier, with the outside pocket eliminated. The Nomads attach to the carrier with the exclusive slide mount system, and snap together to become useful hand luggage. With the addition of our optional shoulder straps they convert to functional day packs. E-NOP Weight: (per pair) 19.84 oz. 562.46 gr.

Volume: (per side) 680 cu. in.



Pedals KKT Pro Ace Road

Our most popular professional racing pedal, the Pro Ace is indistinguishable from a Campy Record in appearance. Several improvements such as the upswept side plate end designed to maintain foot position and the water repellent knurling make it a leader in its own right. Available in French thread at slightly higher cost. Japan.

Features:

- · Forged light alloy body, anodized.
- · Special alloy steel milled, tempered spindle.
- Special knurling to deflect water away from bearings.
- Extra hard chrome plated side plates for
- durability.
- · Stainless steel hardware.
- Completely rebuildable.

Superlight

With aluminum, black anodized side plates. Size: 60mm; Width: 60mm; AW 370 gr/pr. Sold with reflectors. English only.

\$31.89

Pro Ace Road

Steel side plates. Size: 60mm; Width: 60 mm; AW 460 gr/pr. w/English 9/16" × 20 TPI thread

KKT-1E **\$27.89** english w/French thread

\$30.89

KKT Pro Ace Track

Same body and internal components. Only difference from road is lack of wrap around "quill" and reflectors. Steel cage plates. English thread only. Size: 60mm; Width: 60mm; AW 431 gr.

ккт з \$28.89

> Shipping Weights: w/reflectors - 1 lb. w/o reflectors - 1 lb. 5 oz.

KKT Pro Lux

The ultimate

Finally the precision and reliability everyone's been waiting for. This new model features dust and water proof sealed needle bearings instead of the typical semi-shielded balls. The axle is lightweight, strong chromolly. Body is forged aluminum, highly polished and anodized for a beautiful pearl fihish. Frame is aluminum. Light alloy cap. Finest quality in every detail. English silver only. Strap attachable. Includes reflector. AW 320 gr (11.3 oz)

/SW 1 lb. KKT-PL

\$49.89

Sealed needle

bearings

KKT Top Run Aluminum Quill Pedal

Here's a cheap way to give your bike that pro look plus better quality than typical original equipment pedals. Axle is carbon steel with aluminum tube housing. Crossmembers are chromed steel and side plates are aluminum. Better finish and reliability than European pedals costing twice as much. Our biggest seller three years in a row. Includes lightweight reflectors. Slot for toe strap. Size: 60×60mm. AW 360 gr (12.7 oz1/SW 19 oz

		+
English Silver	KKT-4	\$8.90/9.88
English Black	KKT-6	\$9.90/10.88
French Silver	KKT-5	\$8.90/9.88

Pro Vic

There are 2 main differences between the Vic and Ace models. First, the Vic body is cast instead of forged aluminum; and second, the Vic axle is heat-treated carbon steel instead of high chromium content alloy steel. The overall appearance with reflectors is just like the Pro Ace. It's a good intermediate bargain which will last many years with average use. Available with black side plates only. Strap attachable. Size: 61×61mm. AW 350 gr (12.3 oz)/SW 19 oz





Pro Ace Spare Parts

Dust cap - steel S.W. 2 oz. ^{\$}2.00 ea. Ball race S.W. 1 oz. ^{\$}4.50/pr. Axle Specify L or R S.W. 4 oz. ^{\$}7.50 ea. Cinelli M-71

Cinelli M-71 Pedal & Cleat

Original and brilliant design. Eliminates clip and strap and any power loss on upstroke because there's no clip to stretch. Pedal grooves accept only matching Cinelli cleat (included) which nails to shoe. Quick release button locks and releases by push/ pull of easy access button on outboard side of pedal. Recommended for track and road racing but could be dangerous in city traffic. Pedal is forged aluminum, Campy quality. Cleat nylon. **\$75.00**



Campagnolo Record pedals

Every Record model offers excellent materials, craftsmanship, and performance. They cost more

Finest Available

Record Road

Forged aluminum body with chrome steel side plates. 9/16" 20 thread only. W/o reflectors.

C1037 \$39.88/pr. 436 gr.

Record Road Superleggero

Same as #1037 with black anodized aluminum side plates.

C1037/a \$49.88/pr. 337 gr.

Super **Record Road**

Exterior resembles record models but spindle is titanium and other components are superior. Black alloy plates. 9/16" × 20 only.

C4021 \$104.88/pr

Gran Sport

Same appearance as Record but lighter weight and slightly rougher finish. Aluminum side plates, high quality Record chrome molly axle, cones, balls, and dust cap. Pressed inner race is stamped instead of forged as on Record. A.W. 340 gr. \$29.88 C3700

Barelli Pedals Barelli Supreme Aluminum Pedal

Of all the Barelli models we introduced in our 1977 edition, the aluminum Supreme was the winner. All materials, workmanship, and appearance are top class. Features:

- · Removable, replaceable top plate
- Ni-Cr steel heat treated axle
- · Large pick-up projection for easy flipping
- · Deep grooved ball races
- No maintenance, independently sealed bearings
 Actual weight 336 grams. Silver

Replacement Top Plates

Aluminum for Supreme. Includes wrench, screws, etc. S.W. 2 oz. \$13.95

Pedal Dust Cap Wrenches

S.W. 1 oz.

Campy #710 \$1.95 Lyotard Pro Ace

1.95

than the imitations but they are worth it. All Campy pedals have 9/16 x 20 TPI English threading only.

Record Track

Same as #1037 with steel track side plates

C1038 \$39.88

Record Track Superleggero

Same as #1038 with black aluminum plates. C1038/a \$49.88

Super **Record Track**

C679 \$2.85 ea.

Record Road axle only Specify right or left.

Superleggero and Super Record Alloy dust cap. S.W. 2 oz. C679/a \$2.85 ea.

Phil Wood platform

A revolutionary design; forged aluminum platform with integrally mounted sealed ball and roller bearings. Heat treated steel spindle, stainless steel hardware, built in approved reflectors. Extremely efficient and comfortable with or without cleats. English thread only. Wt. 325 gr. Typical Phil Wood innovation and quality.

PW S.W. 1 lb. \$51.00

P-BSA \$49.89

00 00

BARELL

00 00

Artisan Pro Ace/

Campy 2 in 1

1.50

1.95

Cats Eye Pedal Reflector

Fits every make. Clean, trim appearance. No rattles. Superlight. Set of 4 = 21/2 oz! Mounted in gray plastic. Approved by all government and manufacturer officials. S.W. 4 oz. PRF \$1.50/4

S.W. All Makes 1 lb. 5 oz. w/reflector 1 lb. w/o reflector

BIKECOLOGY • Box 1880 • Santa Monica, CA 90406 • Telephone Orders: (213) 829-7681



S.W. 2 OZ.

S.W. 3 oz. \$15.00 ea.

Oogah horns and siren vere popular in the late '30's

-Pedals

Bikecology Nostalgia: Remember when bike looked like this?

Brakes Universal CX Competition

One of the great bargains from Italy: a top quality high performance product with international popularity for about 35% less than competitor's brands. Our Best Buy

The other Campy types look like Campy but the CX is equal in quality, design, and performance. Best of all, price is about 35% less than Campy's average national retail. High polished super duraluminum used in caliper, shoe, lever body, and handle. Steel parts are richly chrome plated. Study the features and compare!

A46 B57 Front A48 B57 Rear A.W. 1 lb. 10 oz/S.W. 2 lb. 5 oz.

CX with non-ornamented levers \$59.88 Art. 700

CX with ornamented levers (pantographata) Art. 701 \$69.88

Universal Super 68 Side Pull

A classic! Still stock on many European racing bikes. Very stiff and fast responding calipers, excellent QR and lightweight. Levers have comfortable hand rest with large soft natural gum hoods and micro adjusting cone

at top. Sold in complete sets 102 front/103 rear. A.W. 1 lb. 8 oz. A41 B54 (close) Front

A50 B63 (long) Rear \$17.88 /set S.W. 2 lbs.

Super 68 gum hood S.W. 3 oz. B68H \$3.50/pr. Super 68 adjuster hood-black S.W. 1 oz. B68AH \$1.00/pr.

Phil Wood Disc Brake

Easily the world's best engineered, best stopping disc-type brake. Requires special Phil hub which is threaded on both sides. The hub can be custom made in widths from 100-140 mm to fit any frame, front or rear. Weighs only 151/2 oz. and has quick release cable for easy wheel removal. This is a very technical item and if you would like more information, send us a stamped, selfaddressed envelope, marked "Phil Disc", for the complete story. S.W. 22 oz.

29.95 ea. PW-DSC

Lever: Handlebar attachment bolt passes through the alubolt passes through the alu-minum lever body rather than through a hollow pivot pin as on Dura Ace and Gran Compe so CX pivot pin operates independently of extreme pressure from attachment bolt. Solid pivot pin is removable allowing concentent when worn replacement when worn. Lever attaches to handlebar Lever attaches to handlebar clamp via big 5 mm, steel allen bolt. Brake set includes the 5 mm, wrench. Absolute-ly no slop or side play in handle.

Final adjustment performed with large diameter screw type adjuster atop level. Hand rest atop lever is comfort-designed.

Cable Attachment: The cable-through-hole method is the surest and safest be-cause there is no way human error in placement

Cable: Stainless steel cable – within a cable. Outer has 12-stands and inner, 7. Each set is wound in opposite direction eliminating un-winding and stretch. Solder-ed and work fork ed ends won't fray.

CX hooded regular lever S.W. 6 oz. \$14.88 pr. СХ700 \$8.50 еа. CX ornamented lever A.W. 3.1 oz./ S.W. 6 oz.

Center Bolt Design: 13 mm. and 14 mm. flats aid easy centering and adjustment. Cone wrench included. Aero-dynamic end nut has remov-able rubber plug for 5 mm. and rear together weight 1% (included) hex wrench. Double sided serrated wash-er keeps brake centered, reducing frequency of ad-

justment

can occur

Calipers: Cold forged from the finest alloy. Highly pol-ished and anodized. Front

oz less than Campag.

Record

and an

Quick Release: A cam lever allows any degree of release. Not just open and close. Won't flop open.

\$5.88/pr. CX gum hood S.W. 2 oz. CX-HD CX adjuster hood S.W. 1 oz. CX-ADJ \$9.95 ea. \$5.00/pr. CX lever handle S.W. 2 oz. CX-HAN for Art. 700 lever

CX rubber replacement pad CX 97/17 \$3.95/4

Univ. Shoe and B68205

pad assembly Short - 36 mm. for Mod. 68 set of four S.W. 4 oz. \$4.39/set

Brake Set

\$11.95/100

Shimano cantilever Mod. BE-100 This is the greatest leverage rim friction brake available. Ideal for tandem and cyclocross. The set includes bosses which must be brazed onto the fork and seat stay. The brake shoes can be adjusted in 3 ways to ensure a

perfect rim contact. Set includes bosses, brake units (4), 2 transverse cables and saddles. Does not include levers and long cables. A.W. 338 gr (11.9 oz.)

S.W. 1 lb. BE-100

Shimano New E-type Disc Brake

Shimano has completely redesigned its popular disc brake for lighter weight, smaller overall size, and greater ease of maintenance. They have added their auto-adjust and self energizing systems. The body weighs 17.7 oz. and the disc only 8 oz. The system fits only Shimano's special 36H steel low flange hub with 123mm overlocknut width. It's a real bargain at this price. S.W. complete set hub and brake 4 lbs.

B-SHEH

Brake \$20.00 Hub \$ 6.00







lampagno

OMAS Brake Bolt Kit Less than half the weight of comparable Campag. parts! Titanium center bolts and light alloy brake shoe nuts. Fits Campag. and Dura Ace. Italy OM-151 S.W. 202. \$25.95

Spare Parts

Record hooded lever Complete S.W. 6 oz. ea. 14 oz/pr. BC2030 \$27.25/29.00/ea

Super Record hooded lever Complete S.W. 6 oz. ea. 14 oz/pr. BC4062 \$63.88 pr. \$33.88 ea.

Record lever handle S.W. 3 oz. BC2032 \$11.40

Super Record lever handle S.W. 3 oz. BC4063 \$14.95

Lever body BC2031 \$11.40

at

et

Gum rubber hood BC2039 \$7.75/8.75/ea

\$22.99

Dia Compe G Finally available in size 730!

A middle-level pro-type set with very highly polished, anodized calipers made of normal

aluminum. Very comfortable lever has drill holes

and natural gum hood but hand rest shape is flat

rather than curved like Gran Compe. Basically

stopping power and quality for the price.

Sensible model for those who don't require the ultimate types.

A.W. 1 lb 6 oz/S.W. 2 lbs.

500 G A43 B57 B-500 G

730 G A52 B72 B-730 G

same brake as original Gran Compe, except for

less modern quick-release mechanism. Excellent

Super Record

Calipers com	plete	a the
BC2000	normal reach fro	
BC2001	normal reach re	the second se
BC2000/1	short reach fro	
BC2001/1	short reach re	ar
S.W. 8 oz.	\$44.95 ea	
Center bolt of	nly adtornel S	
front-S.W.20	oz. BC2012	\$9.25
Rear-S.W.20	z. BC2012/1	\$8.75
Brake shoe a consists of 2 Pair (right ar	nd pad assemble ea: 2014, 2010 nd left)	y complete , 2003, 2022
S.W. 4 oz/pr	Constant and	\$18.95

Brakes

The most copied. Everything in it is brilliantly designed and made of the finest materials. There are two models, record and super record and two versions; normal (A48-B56) and short reach (A43-B51).

The normal rear can be lowered with a drop (offset bolt) to fit most frames designed for long reach brakes. It's rare to need extra short reach so do not order it unless you have carefully checked the measurements. To convert normal to extra short reach, simply order the short stirrup arms involved (#2019/1 [2], 2020/1, 2020/2 below).

Important: Set Doesn't include top tube cable clips, (may be purchased separately for 5.15 /set of 3) A.W. 1 lb. 11 oz.

Record Brake Set

Record	Normal reach S.W. 2 lb. 6 oz. C2040 \$89.88
Lever clamp and nut S.W. 2 oz. BC2033, 2037 \$5.15	S.W. 2 lb. 6 oz. C2040/1 \$89.88
Brake pad (rubber) only S.W.2oz. BC2010 \$2.25ea \$7.40/8.50	Super Record brake set
Constant of the second	drilled handles Normal reach S.W. 2 lb. 6 oz. C4061
Top tube cable clips (3) S.W. 1 oz. \$3.69/5.00/se BC649 For cables and housing see p. 28	\$109.88 short reach S.W. 2 lb. 6 oz. C4061/1 \$109.88



To determine which brake fits your bike:

Most pro type frames will accept most pro brakes such as Campy, Dura Ace, and Gran Compe. But since each frame builder's design results in a slightly different distance between rim and brake mounting hole, the only way to insure the correct brake application is by measuring this distance. Therefore, each brake description in our catalog states a minimum (A) and maximum (B) distance in millimeters which the brake pads reach to contact the rim. Example: A47 B61. If you do not have a metric rule, we'll be glad to convert your inch measurements. Or, use our handy cut-out measurer on the opposite page, making sure to place the correct hole (clincher or tubular) over the brake mounting hole.

(mm) **Metric Measurer** to fit correct brake CAUTION: USE THE DISTANCE TO THE CENTER - NOT TOP OR BOTTOM, OF RIM. NOTE: Clinchers are either 27" or 700C but all tubulars 40tubulars are 700C. Keep 45this in mind if you plan to change wheels after installing new brakes. Δ

TUBULAR

CLINCHER

10-

15-

20-

25-

30 -

35-

50 -

55

75.

80 -

85

B

Dia Compe drop center bolt Fits all Dia Compe rear side pull models.

S.W. 3 oz. \$8.95 B-DC12

Guaranteed .owest Drice

Brakes



performance.

BGC 610

BGC 750

hanger

works w/all brands

Selection

Close Reach Frames:

Long Reach Frames:

Silver only A57 B75

Guaranteed Lowest Price Policy Explained Page 69

Dia Compe Gran Compe Brakes Gran Compe Center Pull Gran Compe Side Pull

Virtually identical to Campy in appearance, geometry, and performance. Even has rubber O-rings to protect downtube when wheel is fully turned. Adjusting barrels on both lever and caliper. Adjusting flats on center bolt make centering calipers simpler than previous model. The levers are first class: super-comfortable shape bending close enough to handlebar for anyone to reach. The hood is thick and luxurious natural pure gum rubber and shaped to protect hand during long rides. An ultramodern conical-shaped allen nut on the end of the center bolt gives the unit an aerodynamic appearance. Every part is individually hand-polished to a very high lustre. Fully anodized. Includes allen wrench and fancy gift box. Supplied with plastic top tube clips. A 45 B 57 A.W. 1 lb 9 oz/S.W. 21/2 lbs. Both versions have silver levers Silver BGC-S Black BGC-B Only \$44.50 Silver

\$47.50 Black

Campy style

DESCOUSENCE

Sidepull hooded lever assembly Silver only, sold each A.W. 41/2 oz./S.W. 9 oz. BGC-SL \$8.50/ea.

Gum hood for S.P. and C.P. old style S. W. 2 oz/pr. BGH162.1 \$3.90 pr/\$4.50 pr

Shoe and pad assemly - se	et of 4
for all S.P. and C.P. models BCG 76 S.W. 2 oz.	\$ \$5.95/4
Cable anchor bolt and nut GC-7e S.W. 1 oz	\$3.25/ea.
Wheel guide - set of 4 GC1601 S.W. 1 oz.	\$2.95 /4
Center bolt complete Front GC 4- S.W. 2	oz. \$5.50 /ea.
Rear GC 42 S.W. 2 oz	\$5.50/ea.
Drop Center bolt	

B-DC12 28.95 26

DURA-ACE

No introduction is needed for this immensely popular model. Extremely hard alloy and good forging make this brake very "quick" or positive reacting. Weight front and rear 194 gr. each. A47 B57 EX not available till late '78

Undisputed champion of center pulls! Same ultra-stiff alloy used in Gran Compe sidepull, hand-polished and anodized to **Dura Ace Silver** same beautiful finish. Front & rear cable hangers have built-in screw type cable \$55.55/59.95 BDA-s S.W. 21/21bs. tension adjusters. Each drilled, hooded lever contains another cable adjuster plus **Dura Ace Black** a quick release device in the lever handle below the hood. An original design trans-\$58.58/64.95 BDA-B S.W. 21/2 lb. verse cable hanger is a pulley instead of Hooded lever - complete (sold each) the usual triangle-shaped aluminum plate. Available only with silver handles For the centerpull afficionado who de-A.W. 150 gr/S.W. 8 oz mands Campagnolo level quality and \$11.35/13.00/ea BLDA Handle only Silver only A47 B61 \$33.00 \$6.90/ea 53-06-051 S.W. 2 oz. Shimano Gum hood \$3.00/ea BDAH S.W. 3oz. D.A. shoe and pad asembly w/o wheel guides \$7.50/four BAA9001 S.W. 3oz. Handlebar clamp assembly \$6.50 ea. 53-06-053 S.W. 2 oz. 2 lengths! Drop bolt for long frames \$8.95/ea 610 & 750 S.W. 2 oz. BDA-DB Top Tube cable clips chromed steel \$3.00/3 set of 3 S.W. 1 oz. BSH-TT Special center pull transverse cable \$3.95/pr. \$5.00/ea. A.W.=Actual Weight/ \$5.00/ea.

S.W. 2 oz. BDC1243 Center Bolt - complete Front GC 1038 S.W. 20z. Rear GD 1039 S.W. 2 oz. Center pull hooded and drilled lever Different from side pull QR in handle. Silver only.

GC 162 S.W. 8oz. Clearance Only \$7.00 ea

Dura Ace EX

New in '78. Extra short reach only. Improved superior design & function. All allen bolts. Positive lock QR, rubber adjuster cover won't damage downtube. Fantastic new levers that disperse sweat, feel more comfortable, and thread cable easier. A39 B49 Silver. Write for price quote. B-EX \$74.88

Ordering instructions page 37 Order form page 63

S.W.=Shipping Weight

Brakes weinm

Weinmann certainly isn't one of the "glamour issues" and you don't hear a lot of hoopla about it. But if you want absolute reliability, light weight, and a good dollar value, this is it. Remember, this is the one that the Japanese copied! Note that Weinman brakes are sold separately in front and rear, not in pairs. You may mix and match anything you like.

Shoe and pad assembly

Red long	Red short
(42 mm.)	(36mm.)
BW20L S.W. 3 oz.	BW205 S.W. 3
\$3.00/4	\$3.00/4
Rubber pad only Sold in set of 4 only	Gum rubber ho Also fits Dia Co
Red short BWRS	won't work with
S.W. 2 oz.	safety lever.
\$1.75/4	BWH
Red long	S.W. 2 oz.
BWRL	(pair only)
S.W. 2 oz. \$1.75/4	\$3.95/pr.

Miscellaneous **Brake Spare Parts**

Mafac brake shoe and pad assembly Fits racer and Competition models BMP S.W. 2 oz. \$3.00//4

Mafac pad-Racer and competition mmp-1 S.W. 1 oz.

\$2.00/4

Dia Compe

Black rubber/alum shoe Fits everything except Mafac BDC 76.1 S.W. 2 oz.

\$2.50/4

Front cable hanger assembly

W/QR & cable tension adjuster to fit all center pull brakes on, frames with notched steerer/ tube. See diagram showing a keyed inside diameter of

hanger. BGC 1254F SW 3 oz

\$2.50

ght

Rear cable hanger assembly

For all center pull brakes to fit frames with conventional seat (tube binder bolt. Universal type, works better than all the

others. BGC 1254R S.W. 2 oz. \$2.25

Chrome Cable Clips (3) For top tube BC649 S.W. 1 oz. \$1.99/3

Mod. 500 Close Reach Side Pull . 500 model

500 Side - Short Reach A48 B54 A.W. 111/2 oz. Front - B500F Rear - B500R 730 model 730 Side - Long Reach A54 B72mm. Front - B730F Rear - B730R

\$1.95

DIA-COMPE

Transverse cable saddle

For Weinmann, Dia Compe,

Universal, Mafac, and all other

C.P. brakes. Sold in complete

32

thee

\$1.95/ea.

oz.

bod

ompe,

assembly

assembly only.

Mafac top hoods

of the lever body.

adjuster. White

available. BMSL

or black as

S.W. 2 oz.

hood

SW 2 oz.

DC-144.7

B-M

covers only the top part

Includes cable tension

Mafac full gum rubber

models. Incl. cable adjuster.

cover for Racer & Competition

\$3.50/pair

At last a comfortable, full

Dia Compe white

also Fits Weinmann

S.W. 2 oz. \$3.20

S.W. 1 oz. 49¢ea.

Brake Lever Straps

For Dia Compe, Weinmann, etc.

B-22.07-For steel bar, touring lever

B-23.57-For alloy bar, touring lever

rubber hoods

BDC 1242

S.W. 2 oz.

S.W. 14 oz., ea. 24 oz. pair \$7.50/7.95/each \$15.00/15.90/pair

Safety levers

To fit all Dia Compe and Weinmann ten speed levers. Set of 2 and all necessary nuts, bolts, etc. BBDSL S.W. 6 oz. \$3.50

Mafac conversion To install safety levers on Mafac levers, knock out main pin and replace with conversion pin and fastener. 0 (Set of 2) S.W. 2 oz 63

\$1.95 **Dia Compe lever** w/o hood, w/o QR. BLD 144

\$2.85/ea.

Mafac tandem brake lever Features two cable holes. Incl. gum hood.

BMT \$3.00/each

Mafac racer and competition lever w/o hood (pictured w/hood-not incl.) BML \$2.59 *=*

Touring lever For upright type handlebar. Specify clamp size of 22.2 or 23.5 mm. BCD 131 \$1.95

> Prices in this catalog: \$3.95/4.50

Sold fron or rea separately

C.P. Vainquer 999 610 model (short reach) A50 B62 A.W. 14 oz. Front - B610F Rear - B-610R

750 model (long reach) A59 B76 S.W. 16 oz. ea., 26 oz. pai Front - B750F Rear - B750R

\$9.00/9.50/each \$16.99/17.99/pair

Mathauser brake shoe

Features: Thin pad of extremely good gripping material permits fast heat dissipation and eliminates spongy feeling with other pads.

Curved to conform to rim shape permits longer pad with more contact surface.

Pad is 100% bonded to shoe for perfect contact-can't pop out of shoe.

Superlight-weighs 1/2 that of Campy shoe & pad assembly.

4 different models: Screw Type: Metric threaded 6mm stud. Fits Campy, Weinmann, Dura Ace, Universal, Dia Compe, Shimano, etc.

Mafac Rod Type: 7mm smooth rod for Mafac Type brakes

Rim Shape: Rims are made in straight sided and angle sided. All tubulars plus these clinchers: (Super Champion, Rigida alloy, Mavic Elan and Mod III) are straight sided.

\$12.59

S.W. 6 oz. MAT-SS screw type, straight side MAT-SA screw type, angled side MAT-MS Mafac type, straight MAT-MA Mafac type, angled si



Mathauser brake pads Same material. Fits these brands of shoes:

\$7.89/set of 4 S.W. 4 oz. MAT-C Campag, Zeus and CLB MAT-M -Mafac and Dura Ace MAT-W- Weinmann, Universal, Gran Compe, Dia Compe

BIKECOLOGY . Box 1880 . Santa Monica, CA 90406 . Telephone Orders: (213) 829-7681

B-22.0R-For steel bar, racing lever B-23.5R-For alloy bar, racing lever Brake lever strap nut and bolt for above B-49 S.W. 1 oz. 49C Dia Compe drop center bolt



-		S Brake Cables — Campage	Dominute control
0	Cable S.W. 2 oz.	Recommended for racing or high- performance use. Fits every popular racing-type lever.	Fits Suntour and Dura Ace C608 72 cm. front \$1.09
Ignoio	0.11.2.02.	C2028 Front - 73 cm. \$1.80 C2029 Rear - 131 cm. \$1.99	C606 118 cm. rear \$1.25 Barcon
pag	A MARINE		C218 Front 150 cm \$2.20 C145 Rear 197 cm \$2.60
Jenuine Campa	Housing S.W. 3 oz.	Grey With 2 ferrules C2026 Front - 63 cm. \$1.95 C2027 Rear - 119 cm. \$2.45	Rear der. stainless steel housing and ferrulesRear der. stainless steel housing and ferrulesFor use with stop #636 and most braze-on chain stay cable stops.Like 622 but with ferrule #620 to fit braze-on 621622 21 cm.\$1.20Stainless steel housing with ferrules For handlebar controls, front and rear connection.For downtube controls, me #622 and two #625 are necessary. #617 replaces #622 where #621 brazed-on cable stop is used.
5	Ferrules S.W. 1 oz.	Replacement ferrule For 2026, 2027 75¢ C2045 75¢	Cable housing end Cable housing end For 622, 625 To fit #621 619 75¢ 620
	atter singer	Brake Cables	Gear Cables
	Cable	"Pear End" Universal 65" (extra long). Fits every "racing" style lever, e.g., Dia Compe, Weinmann, Mafac, Universal, Campy, Shimano. Silicone treated, Campy, Shimano, Silicone treated, Silicone trea	65" original equipment replacement Top quality and reliability Recommended for every use. 79" for both front and rear. HBC 4SS Shimano, Suntour 75c HBC 4X Simplex/Campy 75c HBC 4H Huret 75c
Service Service	S.W. 2 oz.	B5R 75¢ 65" Same cable as above but with barrel end for "touring" level. B57 75¢	Thick braided cable with telion coating Suntour braided Barcon cable Extra thick, braided, treated cable for all Barcon and stem shift.
North Street	Cable Housing S.W. 2 oz./tt.	High quality steel coll housing Suntour stainless steel cable Fancy, vinyl coated, in assorted Suntour stainless steel cable attractive colors, white, black, silver, blue, For gear cable, original equition red, yellow, chocolate brown, burgundy. B6 25¢/toot B6 25¢/toot 50¢/ft.	
rd	Cable/ Housing Sets S.W. 4 oz.	Easy Glide Inner wire slides effortlessly inside a teflon casing, contained inside steel housing. Black vinyl housing, universal double-ended cable-fits both race and tour levers, two extra ferrules. Japan	 Housing is bent. Even though all seems in order, the control is sticky, stiff or sluggish. Cable and housing usually wear at the same rate so it is wise to replace both at the same time!
Standar	End Caps S.W. 1 oz.	Plastic end caps Lead end caps Protects all brake and gear cable ends Crimp on - for all cables. Set of 5. B7F B7F \$1.00/5	I brake and gear \$1.50/5 Always Thread cab. Into aperture to avoid
St	Ferrules S.W. 1 oz.	Weinmann, Dia Compe Image: Strain S	Suntour ferrule For stainless steel housing B7D Suntour cable cutters
	Transverse Cable S.W. 1 oz.	100 mm short For 18-19" frames 95¢ Mafac Racer 95¢ 89-100 95¢ B9-MR 95¢ 110 mm standard 95¢ Mafac Competition For 20-25" frames 95¢ Mafac Competition 89-110 95¢ B9-MCR 95¢ 245 mm extra long 95¢ B9-MCT 95¢ For rear mixte brakes or special applications. B9-MCT 95¢ 89-245 \$1.50	Pro quality tool of heat-treated steel. Viryl coated handles. Also crimps. \$8.50 White Lithium Grease for Cables 10 oz tube \$2.49 LPS 1 Best for cables! \$1.99 7 oz. can
	Tandem Cable	110" thick heavy duty cable Designed for tandem use, pear end for racing lever only, galvanized. BEJ-100 \$2.95	110" Tandem Cable 105" fits frame-mounted and handlebar end shifters, heavy duty HBCS Galvanized. \$2.95



and

2.00

I-on

to:

1.50

able ating and

2.50



These new models represent the state of the art in stem design., All are cold forged from strong, light, 14S duraluminum. Even though SR is the world's largest stem manufacturer, all final milling and polishing operations producing the revolutionary new hollow extension and cut out clamp are individually hand performed for exacting tolerances and faultless beauty. All Royals feature conical rather than wedge-type expander plugs and flush fitting binder bolts. While previously referred to as the "Japanese Cinelli", these stems have earned their own place as industry leaders for originality, style and value. As with all handmade specialities offered in a range of sizes. it helps to specify a back-up or second preference to the first size you order. Be sure to check your bike's stem diameter carefully because French (22.0 mm) is offered in one model only; New Royal.

Stems

New Royal - Extra Super Light (ESL)

Top of the line

Features hollow extension and cut out handlebar clamp. Expander bolt and binder bolt are made ot TITANIUM! Lightest racing quality stem on the market. Dia: 22.2mm. Length: 135mm; Hex bolt: 5mm.

Titanium bolts!

Extension	Cat Number	A.W.	Price
Omm	NRY-70ESL	180gr (6.3 Oz)	\$28.75
Omm	NRY-90ESL	195 gr (6.8 oz)	29.75
10mm	NRY-110ESL	210 gr (7.4 oz)	30.75
30mm	NRY-130ESL	225 gr (7.8 oz)	31.75

New Royal

Available in French

Identical stem without internally bored extension and cut-out clamp. Stainless steel binder bolt and expander bolt with stainless steel cone plug. Simple-beautiful-reasonable. Available in 2 diameters: 22.2mm (Eng-It) and 22.0mm (Fr). For French add \$2.00 to price below. Hex bolt: 5mm.

Extension	Cat Number	A.W.	Price
70mm	NRY-70	235gr (8.2 oz.)	\$12.50
90mm	NRY-90	260gr (9.1 oz.)	\$13.50
110mm	NRY-110	285gr (10 oz.)	\$14.75
	French	: Add \$2.00	

A.W.=Actual Weight S.W.=Shipping Weight

Ordering instructions page 37

Guaranteed Lowest Price Policy Explained Page 69

SR Custom Stem

A very familiar stem with design copied from Cinelli. Meltforged high strength stainless alloy. Recessed hex head expander bolt and recessed plain binder bolt. Without a doubt, the best looking sport bike class stem available. Sorry, not available in French diameter. Available in 2 sizes:


.833 inch: U.S. and a few Japan bikes.	
22.2mm: England, Italy, most Japan.	
Specify the size you require. SR 100AH \$5.29/6.29	
mail order/store	ha-

Stem-Bar Compatability Table

Stem	Bar	Fit
SR (25.4mm)	SR all Cinelli TTT All Japanese	Good No No Good
Cinelli (26.4mm)	Cinelli TTT SR	Good Good O.K.
TTT (26mm)	TTT Cinelli	Good Good
Belri (25mm)	Phillipe * Pivo Belri Mavic	Good Good Good Good

Fit _____ Ferule (center section) diameters are shown

in parentheses in chart.



Bikecology Mail Order, P.O. Box 1880, Santa Monica, CA 90406 Hot line: (213) 829-7681

S.W. all stems 12 oz.

cinelli

Finally available in French 22.0mm

A timeless beauty which is the style inspiration for every other popular stem, a Cinelli stem is as rugged and meticulous as it's beautiful! Now available in 2 prestige models in 22.2mm throughout the popular extension range. French (22.0) is now available. Bolt size: 6mm. S.W. Both models 13 oz.

Cinelli Art. #1/A

Please specify a second size choice in case your first is out of stock.

CIN 1/A \$19.88

Stems

Available in: Extension: 70, 75, 80, 85, 90, 95, 100, 105, 110 22.2 Eng, It, Jap 115, 120, 125, 130, 135, 140 mm 70, 80, 90, 100, 110, 120, 130, 140 mm 22.0 Fren only

\$2.00 Spare Binder Bolt for 1/A CIN 1/A 101 S.W. 3 oz

Stem Bolt Kit by Arnold Industries

Arnold is a specialist in superlight alloy hardware. It has fabricated alloy replacements for many steel parts without any sacrifice in overall strength. Black anodized finish. S.W. 2 oz.

STB-NC Cinelli with allen binder (1/A) \$12.49 STB-OT TTT Record, post-1974 (non-fluted) /either style

Cinelli Art. 1/Record

Six millimeter hex bolt is hidden under the extension giving the binder a more streamlined appearance. This binder bolt actuates an internal grooved clamp which grasps the handlebar grooves. Dia. 22.2, 22.0 mm Extensions: 100, 110, 120, 130,

CIN 1/R \$26.98

\$3.00 Spare Expander Bolt for 1/Record CIN 1/A 201 S.W. 3 oz. \$3.00 Spare Binder Bolt for 1/Record CIN 1/R 102 S.W. 3 oz. Spare Expander Bolt & Cone for 1/R \$4.90 CIN 1/R 202 S.W. 3 oz.

Cinelli Track Stem 65° drop, aluminum, 10-13 cm. \$23.98 CIN 2/A


Allen Wrench To fit expander/binder recessed hex nuts. S.W. 3 oz. 6mm Fits SR, Dia Compe, 1975 TTT and Cinelli HSW-6 50¢ 7mm Fits pre-1975 Cinelli & TTT HSW-7 99¢



Guaranteed Lowest


Explanation page 69





5-33/64

Common Stem Diameters Italian, English, Japanese: 22.2 7/8" French: 21/85 less than 7/8" Japanese (some), and USA: .833 13/16



Specify alternate choices of bend & widths

SR Aluminum Touring All Rounder

Typical of style seen on most French mixte bikes. Palm of hand faces forward when in position. This promotes a forward lean and is therefore a more energy efficient bend than the

other model. Center bulge type: 23.8mm dia. Rise: 48mm (171/8") Width: 508mm (20") Weight: 180 gr (6.3 oz)



age Mercury F-29 has "Ohio Gothic" fender,

twin forksprings.

Regular Bar

H-SRAR \$5.88

Pro Handlebars SR World



Shipping Weight 1 lb. 10 oz. All Aluminum Models

The World series is a copy of Cinelli and is the finest aluminum bar made in Japan. The entire bar is anodized. The center section is made by the double tube method and is beautifully engraved on both sides of the stem area. Two comfortable bends are available: Randonneur for touring and Maes (custom model) for racing and/or touring. At these low prices they are unequivocally the best buy obtainable. Stem diameter is 25.4mm on both models.

World Randonneur

Weight: 305 gr (10.7 oz) Center section length: 95mm Width: 42cm (16½") Reach: 97mm *H-SRWR* S.W. 1 lb 10 oz Only **\$6.88/7.88**

World Custom SL

Bend is similar to Cinelli #64 Weight: 300 gr Center section length: 135mm Width: 40 cm Reach: 96mm Drop: 130cm *H-SRWC* S.W. 1 lb 10 oz Only **\$7.49/8.49**

Prices in this catalog: \$3.95/4.50 mail order/stores

Cinelli S.W. 1 lb. 10 oz.

Long the international standard of beauty and quality, these superb aluminum bars deserve their reputation. Several different bends are available. They rank 64, 63, 66 and 65 in order of popularity. Numbers 64, 63 and 66 are very similar and enjoy fairly even popularity. The 65 is similar to a track bend. Stem diameter is 26.4mm. Weight is 310 grams.

#64 Giro di Italia

Most popular bend. Comfortable for every use. Recommended for touring! Widths available: 38, 40, 42 cm CIN-64 \$14.88

#63 Campione del Mondo

Short reach, 40cm only CIN-63 **\$14.88**

#66 Campione del Mondo

Longer reach, deeper drop than #63 Widths available: 38, 40, 42cm CIN-66 **\$14.88**

#65

Forward reach curve starts next to center. Resembles track. Width: 40cm *CIN-65 HB* **\$14.88** Specify alternate choices of bend & widths

#67 Aluminum Track CIN-67 SW 21 lbs \$16.88

To order Cinelli bars

Bend Width (40, 42 etc) Orders without specific bend and width will receive #64 in 40cm width. 31

A.W.=Actual Weight/S.W.=Shipping Weight



Seats

Ideale Seats

At the Ideale factory in Normandy, the 3rd and 4th generations of the Berthet family continue the old painstaking methods begun when the business was started in the nineteenth century. Each hide is measured by micrometer in dozens of locations to insure a consistent thickness for each seat. Cutting and shaping by hand creates the famous Ideale fit. All steel parts are chromed well enough to shine for a lifetime. All Bikecology leather seats are pre-conditioned, or

No. 90 "Special" Series

Features Premium Grade French saddle leather of 5mm minimum thickness, copper rivets, treating (pre-conditioning) and extra rugged undercarriage. Available in 4 popular versions. Except for aluminum model, none include clamps.

90/Steel:

Chromed steel rails. Normal rivets. Brown, Tan A/W 563 gr., S.W. 2 Ib 6 oz 1-90 DR

\$19.88

90/Steel "Big Rivets"

Same as above but with double-diameter copper rivets. No performance differencejust for looks. Tan only. A/W 563 gr, S.W. 2 lb, 6 oz . 1-90 GR

\$30.88

90/Titanium:

Undercarriage of lightweight titanium. Fits all seat post clamps. Brown only. A/W 440 gr., S.W. 2 lb 2 oz S-190

\$64.88

90/Aluminum

Special base constructed of aluminum bar. Includes microadjusting seat clamp which only fits plain round-tube seat posts. Won't fit Campy style post! The undercarriage has been completely redesigned to eliminate excess flexing under racing conditions by means of H D aluminum shock absorber spring in nose, and antispreading device for longitudinal rails. Brown, Tan. MICRO-ADJUST A/W 500 gr. DEVICE w/clamp-S/W 2 lb 2 oz SI-90A

ALUMINUM

\$29.88

34

80/Special

Made of #2 grade treated saddle leather with same shape as #90. Chrome rivets, black steel undercarriage. Universal rail fits Campy style posts. Sold without clamp. A good value at this price. Dk. brown only. A/W 750 gr. -S/W 21/2 lbs. SI-80

\$14.88

39:

No. 3 grade, thinner normal leather with black steel undercarriage. Steel rivets. Comfortable and efficient but won't retain original shape as long as 80 and 90. Several steps

superior to leather seats found in typical French production lightweights. No clamp. Brown, Tan. A/W 640 gr.-S/W 2 lbs. SI-39

\$9.88 Wide Leather Models

The last few years have seen a comeback

of this old classic style which many people seem to swear by. #3 grade leather and steel rivets.

TB-14-

Elevated sides, depressed outer canal. Tan. A/W 900 gr.- S/W 3 lbs. **STB-14**

\$19.88

ANTI-SPREADING CLAMP

SPRING SHOCK ABSORBER

Brooks Proofhide leather dressing

Restores, conditions, and preserves leather seats (not intended for suede & cowhide). Use on any smooth leather! S.W. 3 oz. S9 \$1.95

For Fast Break-in!

Bikecology Mail Order, P.O. Box 1880, Santa Monica, CA 90406 Hot line: (213) 829-7681

broken-in by hand stressing-not chemicals. We pay more for this instant comfort because we know our customers desire it. Leather seats are continuing to make a strong comeback for racing and touring. The 90 series is the very finest all-leather seat on the world market. Most models are inventoried in both dark brown and natural tan. There's no difference in performance or quality. Try tan with our brown cable housing and handlebar tape for an elegant appearance!

DEALE 2000 Series

It's regrettable that no catalog can do justice to the beautiful worksmanship and comfort of this fine seat. The nylon shell is shaped differently from all others with the center area a bit wider than most other brands. Many people, especially women, swear by this seat. The padding is unusually comfortable and the leather covers are the thickest and most luxurious obtainable.

2002 Black Smooth:

Basic padded model with black fine grained smooth leather. Without clamp. A/W 518 gr. S/W 24 oz. SI-2002

\$24.88

2003 Suede

(Tan and Black) Same as above but cover is a beautiful tan fine suede. Definitely the prettiest bike seat! Without clamp. A/W 518 gr.-S/W 24 oz. SI-2003

\$27.88

2004 Tourist Tan Suede

A different, slightly wider and shorter base. Full 15mm of foam gives extremely comfortable ride. A real comfort breakthrough for tourists. Without clamp. 270 × 150 mm. Tan only. Looks like an overstuffed 2002. A/W 488 gr.- S/W 24 oz S-2004

\$27.88

02:

This tourist seat, measuring 250 × 155 mm, is primarily designed for women. The fine chromed coll springs, nylon base and 15 take up all un desirable

shock. The cover is super luxuriant smooth lamb's skin in a rich tan color. Without clamp. A/W 518 gr.- S/W 24 oz

S-102 \$21.88

BROOKS

mm foam

ROFIDE

Seat Posts S.W. 13 oz. All SR Posts

Still the value leader. **Proven quality at** reasonable prices. **Check the new ESL** "state of the art" design. All models fit standard 45mm seat frame, and are available in a variety of sizes to fit every good bike.

SR Royal ESL

(Extra Super Light) Forged 14S Super Duraluminum with Titanium adjuster bolts. Seat cradle 45 mm. (standard), length 170 mm. Diameters available: 26.6, 26.8, 27.0, and 27.2. A.W. 190 gr. Most advanced one of its kind! S.W. 11 oz. SR P1ESL _\$29.88

SR Royal Pl

סר

Our biggest seller ...replica of Campy Record. Forged hi-strength light alloy, precision lathe turned finish. engraved, our best buy.

and the second s		AT A REAL TO A REAL PROPERTY OF
Sizes	25.8	27.0
	26.0	27.2
	26.2	
	26.4	
	26.6	
	26.6	Length-170 mm
	26.8	Contraction of the second s
A.W. :	310 gr.	/ S.W. 11 oz.
and a		and the second second second second

\$13.88 SR-RY-P1



Campagnolo seat posts

New for 1978 is the one-bolt type Super Record which will be available about April.

Extra light forged aluminum and beautiful satin finish. Diameters available: 25.0, 25.8 thru 27.4 mm. C4051-78 Price approx \$35.00 write for quote

Nuovo Record

Familiar two-bolt design. Diameters: 25.0, 25.8 thru 27.4 mm. C1044 \$20.89/23.97

Old Super Record

Close out of remaining stock of 2-bolt type. Same sizes as others. C4051-77 \$29.49

Ordering instructions page 37

Order form page 63 **Guaranteed Lowest Price** Policy Explained Page 69

SR Laprade seat post

SR has purchased the license to manufacture this extremely popular French design in its economical melt-forging technique, resulting in a savings of a huge 65% from what you would pay for the original item. This post has revolutionized the market because of its simplicity and resulting ease of adjustment. It's no longer necessary to fumble blindly for a half hour because all that's necessary is one 6mm allen wrench (not included) inserted from the underside where you can see exactly what you're doing. It controls a compression bolt atop the seat rail clamps. The clamps rotate in a concave, serrated area of the post resulting in hundreds of different angles of adjustment. It's made of lightweight, attractively finished forged aluminum and weighs only 270 grams (9.5 oz). Sizes: 25.8, 26.0, 26.2, 26.4, 26.6, 26.8, 27.0, 27.2 millimeters. Rail width 43mm. 6mm allen

wrench

50¢

for above

SR-CTP5 \$8.98

Aluminum plain tube seat post

Bare minimum weight and cost. #7075 aircraft aluminum; weight only 56.6 gr. length 160 mm. Diameters available: 25.8 26.4 27.0 26.0 26.6 27.2 26.2 26.8 S.W. 6 oz.

\$3.99

Prices in this catalog: \$3.95/4.50

Artisan Offset **Combination Wrench**

Special offset wrench designed to adjust hard to reach seat post clamp bolts on Campy and other posts. 10 mm. SW 4 oz. ART-SP \$2.65

English

French

Italian

Japan

Campy Saddle Spanner C 771 \$7.50

Typical--but not definite --seat post sizes Reprinted from Sutherland's Handbook for

Common Tubing

(25.4)

(25.8)

(26.2)

25.0 25.5

25.8 26.0

25.0

25.8

28

25.8

Bicycle Mechanics 2nd Edition

Quality Tubing Plain

Butteo

27.0 27.2

26.4

26.8

27 27.2

26.4 26.6 26.8 27.0

Gauge

26,4

26.6

26.2

26.0

26.2

Order correct size!

Note: We measure all seat post lengths in effective lengths only: i.e., the widest area only and not the clamp section. The effective length is generally about 25 mm. shorter than the actual length to the top of the clamp.

REMEMBER! Grease before insertion

We cannot be responsible for customer errors in seat post orders. But we're sympathetic so we'll exchange an incorrectly ordered post if:

- 1) it is umblemished and Easy Way for bears no evidence of deep insertion; and
- 2) it is accompanied by correct return postage to your address plus \$1.00 handling.

Correct Size Post

- 1) Cut off last 1/4" from old post and send it to us with order.
- 2) State make, model and tubing of bike.



Seat Posts S.W. 13 oz. All SR Posts

Still the value leader. Proven quality at reasonable prices. Check the new ESL "state of the art" design. All models fit standard 45mm seat frame, and are available in a variety of sizes to fit every good bike.

SR Royal ESL

(Extra Super Light) Forged 14S Super Duraluminum with Titanium adjuster bolts. Seat cradle 45 mm. (standard), length 170 mm. Diameters available: 26.6, 26.8, 27.0, and 27.2. A.W. 190 gr. Most advanced one of its kind! S.W. 11 oz. SR P1ESL _**\$29.88**

SR Royal PI

Our biggest seller ...replica of Campy Record. Forged hi-strength light alloy, precision lathe turned finish, engraved, our best buy.

zes	25.8	27.0
	26.0	27.2
	26.2	
-	26.4	
	26.6	
	26.6	Length-170 mi
	26.8	THE PART OF THE PARTY OF THE PARTY OF
W. 3	310 gr.	S.W. 11 oz.
	1000	TAPE DATES AND DESTRICT STATES

\$13.88 SR-RY-P1



Campagnolo seat posts

New for 1978 is the one-bolt type Super Record which will be available about April.

Extra light forged aluminum and beautiful satin finish. Diameters available: 25.0, 25.8 thru 27.4 mm. C4051-78 Price approx \$35.00 write for guote

Nuovo Record

Familiar two-bolt design. Diameters: 25.0, 25.8 thru 27.4 mm. C1044 **\$20.89/23.97**

Old Super Record Close out of remaining stock of 2-bolt type. Same sizes as others. C4051-77 \$29.49 Ordering instructions page 37

Order form page 63 Guaranteed Lowest Price Policy Explained Page 69

SR Laprade seat post

SR has purchased the license to manufacture this extremely popular French design in its economical melt-forging technique, resulting in a savings of a huge 65% from what you would pay for the original item. This post has revolutionized the market because of its simplicity and resulting ease of adjustment. It's no longer necessary to fumble blindly for a half hour because all that's necessary is one 6mm allen wrench (not included) inserted from the underside where you can see exactly what you're doing. It controls a compression bolt atop the seat rail clamps. The clamps rotate in a concave, serrated area of the post resulting in hundreds of different angles of adjustment. It's made of lightweight, attractively finished forged aluminum and weighs only 270 grams (9.5 oz). Sizes: 25.8, 26.0, 26.2, 26.4, 26.6, 26.8, 27.0, 27.2 millimeters. Rail width 43mm. 6mm allen

wrench

50¢

for above

SR-CTP5 \$8.98

Aluminum plain tube seat post

Bare minimum weight and cost. #7075 aircraft aluminum; weight only 56.6 gr. length 160 mm. Diameters available: 25.8 26.4 27.0 26.0 26.6 27.2 26.2 26.8 S.W. 6 oz.

\$3.99

Prices in this catalog \$3,95/4,50 wai order/stores

Artisan Offset Combination Wrench

Special offset wrench designed to adjust hard to reach seat post clamp bolts on Campy and other posts. 10 mm. SW 4 oz. ART—SP \$2.65

Campy Saddle Spanner © 771 \$7.50

Typical--but not definite --seat post sizes

Order correct size! Reprinted from Sutherland's Handbook for

Note: We measure all seat post lengths in effective lengths only: i.e., the widest area only and not the clamp section. The effective length is generally about 25 mm. shorter than the actual length to the top of the clamp.

REMEMBER! Grease before insertion

We cannot be responsible for customer errors in seat post orders. But we're sympathetic so we'll exchange an incorrectly ordered post if:

- 1) it is umblemished and bears no evidence of deep insertion; and
- 2) it is accompanied by correct return postage to your address plus \$1.00 handling.

for customer errors re're sympathetic so ly Easy Way for Correct Size Post

- Correct Size Post
 Cut off last ¼" from old post and send it to us with order.
 State make, model
- State make, model and tubing of bike.

Bicycle Mechanics 2nd Edition Quality Tubing Common Plain Tubing Gauge Buttea English (25.4) (25.8) 26.4 26.6 27.0 (26.2) French 25.0 26.2 26.4 25.5 25.8 26.0 Italian 25.0 25.8 26.0 26.8 27 27.2 26 Japan 25.8 26.2 26.4 26.6 26.8 27.0

Derailleurs

Sun Tour has consistently been our best buy for 5 years and with the addition of the new Superbe and complete VX lines, '78 will be no exception.

As America's #1 Sun Tour dealer, we always have a big stock of derailleurs and spares to satisfy your needs.

Ordering instructions page 37

Superbe Series

Only about 2,000 Superbe sets are produced each month. Most go to Sun Tour equipped pro teams around the world. But we are lucky enough to have a small quantity for our own customers. The many important extra steps and superior materials used in Superbe items result in a performance and durability superior to any other Japanese component. If you demand the ultimate and appreciate fine differences that others might not even notice, Superbe is worth the extra cost.

Superbe Rear Derailleur

Fr: 54T - 42T = 12T Rr: 13T - 23T = 10T Silver only Cap. 22T Fits forged dropouts only ST-2100 A/W 198 gr (7 oz)
\$22.39/25.89

Superbe Front Derailleur Parallelogram/Low Normal

Clamp Ø 28.6mm (1¼") Alloy body/Spring steel cage Silver only Cap. 18T or less ST-1500 A/W 100 gr (3½ oz) **\$14.69/16.89**

Superbe Levers

Universal type—works with any derailleurs Alloy levers, Stainless Steel clamp @ 28.6mm Incl. cables, near housing A/W 65 gr (2¼ oz) ST-2000 \$12.49

All 3 above \$48.99/54.89

Prices in this catalog: \$3.95/4.50

mail order/stores

Cyclone Series

Best all-around forged lite alloy derailleurs on the market today. Actually lighter than Superbe. Completely reliable and beautiful, our #1 seller three straight years. Best buy is silver.

Rear derailleurs

Includes Hex wrench and frame mounting plate. Slant parallelogram. 31mm stroke. Top normal.

Short reach (pictured) Cap. 24T 175 gr S/W 12 oz

Silver ST-5902-S Black ST-5902-B

\$17.69/19.98

GT—Touring (not pictured) Cap. 34T with a Sun Tour forged dropout or mounting plate. Cap. 32T with other makes of forged dropout. 185gr S/W 12 oz

Silver ST-5903-S \$19.69/22.69



\$18.69/21.98

Cyclone front ultra-low adapter Ultra-low gear adapter for 36T and below. S.W. 2 oz. STC-FZ \$1.30

Front derailleurs

95 gr, pantograph with low normal, light tempered steel cage for solid shift, hinge type frame mount, non-fouling covered main spring. S/W 10 oz. Low normal

Silver ST-3704-S \$11.77/13.77

Black ST-3704-B

Frame levers

World's lightest—60 gr. Stainless steel integral clamp. Includes special thick braided cables, SS housing and ferrules. S/W 8 oz.

Silver ST-CL-S \$10.27/12.77 Black ST-CL-B \$11.77/13.77

Barcon ratcheted handlebar end "fingertips" control lever kit*

Includes: Shifters, special heavy duty braided inner wires, all necessary stainless steel cable housing, upper downtube double cable housing stops. Our best selling shifter—easy to install it. Priced well below other brands. ST-3090 \$10.99/13.99

A.W. 91 gr/S.W. 1 lb mail o 6 mm hex wrench for all Barcons. ST-1135 S.W. 2 oz.

50¢



"Quick change cage" featured on Sun Tour VX series. Permits chain removal from derailleur without chain or derailleur disassembly.

Pantograph mechanism:


XV

The distance between the sprocket teeth and the derailleur guide pulley remains practically identical no matter how the sprockets are assembled or their size, and 2. the pulley moves in a diagonal plane corresponding to that formed by the teeth on the cluster. Result: smooth shifts through all gears.



Recommended for use only with Sun Tour or Shimano shift levers.

Indicates Sun Tour quick chain release cage. Requires lower downtube cable housing stop. Housing fits into front derailleur.





Rear derailleur pulley assembly (Rear) Includes pulleys (2), bushings (2), side plates (4). Fits all models. S.W. 2 oz ST-224 \$3.50

Cable anchor bolt set (Rear) Cyclone ST5559-72 S.W. 1 oz \$1.50 All others ST-710-1 S.W. 1 oz \$1.50

Sun Tour double downtube cable stop For use with BARCON or stem shift. S.W. 3 oz $\frac{5.85}{1.20}$ ST-1831

Downtube cable stop/guide S.W. 3 oz. ST-1036 \$.85/1.20

Cable anchor bolt set (front) Cyclone. S.W. 1 oz ST-8902-5560 \$1.50 SL, Compe V, Spirt S.W. 1 oz ST-FDAB \$1.50

Order form page 63

Miscellaneous spares

Bullseye pulley

The only precision sealed ball-bearing derailleur pulleys made. They are red anodized light aluminum and lubricated to eliminate frequent cleaning and lubing commonly associated with ordinary pulleys. Easily installed, using existing pins. They replace any pulley, fit 5 or 6 mm pins, and can be moved from one derailleur to another. using extra spacers supplied. The manufacturer claims that they have only 1/6 the friction and far longer life than ordinary types. In its own testing, the manufacturer documents a drag saving equal to a "free" 17 feet per mile of riding. Report available on request. A/W 14 gr/S.W. 3 oz. BLS-2

\$11.39/13.50 /pair



See Cable Section for other related parts.

One Inch Diameter Adapter

Mounts ALL 1%" Ø front derailleurs to bikes with 1" Ø seat tube.

S.W. 2 oz. 1-ADPT

VX Series

Famous Sun Tour performance and quality at a popular price. All light alloy. Similar to well known VGT Luxe series but with racier appearance. Silver only.

Rear derailleurs

4 models to give you exact cage fit necessary. Slant parallelogram. 31mm stroke. Bracket included. Cable tension adjuster.

VX

Cap. 24T. A/W 200 gr. Fr. 52T - 40T = 12T. Rr. 14T - 30T = 16T VX-2200

\$8.39/9.89

VX-T

Cap. 28T. A/W 210 gr. Fr. 52T - 40T = 12T. Rr. 14T - 30T = 16T. VX-2300

\$9.98

VX-S

Cap. 30T. A/W 210 gr. Fr. 52T - 38T = 14T. Rr. 14T - 30T = 16T. Quick change cage. VX-2500 \$9.98

VX-GT


Prices in this catalog: \$3.95/4.50

mail order/stores

Cap. 34T. A/W 210 gr. Fr. 52T - 36T = 16T. Rr. 14T - 34T = 20T. Quick change cage. VX-2400 \$8.39/9.89

Front derailleurs

Aluminum body, spring steel cage. Parallelogram, Low normal. Clamp Ø 28.6mm. Cap. 15T or less. A/W 105 gr. VX-1600



Shift levers

VX Levers

Aluminum levers, stainless steel clamp. Same wing nut friction plate tension adjustment. A/W 80 gr. VX-1900

\$5.98


Ratchet Levers

Aluminum levers, steel clamp. Popular ratchet mechanism maintains correct lever position. A/W 125 gr. PDLM

\$1.00

Derailleurs DURA-ACE EX

Lighter weight, 100% Allen bolts, better location of adjustments, Micra alloy, and better finish than '77 models.



Each Dura Ace part is cold-forged from Shimano's exclusive "Micra alloy" and beautifully finished in silver or black under strict standards of quality control.

EX Rear

Synchro-line device keeps adjusting barrel and cable fixing bolt constantly aligned during shifting. New pulley bushings of Q-Sintered alloy, heattreated nylon-coated steel pins and pivot bolts. Converts to 10mm by changing pulleys and cage plates. For racing. Cap. 24T, 31mm stroke

D-3EX A/W 174 gr

\$26.95 SW 14 oz

EX Front:

Spring steel cage plates. All Allen bolts on right side. New trapezoidal design with arms of unequal length. Lighter overall than previous model. D-1EX \$16.50 SW 8 oz.

Downtube levers

Weight 75 gr. inner wires and housing included S.W. 9 oz. \$11.79/13.79 LA-100-S Silver

LA-100-B Black

\$12.59/14.19

Handlebar end controls


Weight 80 gr. non-ratchet type, with balance spring, includes Teflon coated inner wires, stainless steel cable housing. Cable guides. Silver only. S.W. 9 oz. LD-500

\$14.19/17.49

Original style Dura Ace se		not pictured)
Crane Silver	D3-S	S.W. 14 oz. \$16.88/18.95
Crane GS Silver	D4-S	S.W. 1 lb. \$17.29/19.95
Dura Ace Fr Silver	D1-S	
AL	A CONTRACT	ANT A CALL AND AND A

Shimano Spares

Rear Derailleur Pulley Assembly
Includes pulleys (2), bushings (2), side
plates (4)
Dura Ace Model All others
DA-1800 S.W. 2 oz. D-Sh-9067 S.W. 2 oz.
\$3.00/set \$2.50/set
Cable Anchor Bolt & Clamp p 5
For Dura Ace (rear)
D-DA-9068 S.W. 1 oz. \$1.50
Front Cable Anchor Bolt & Clamp
For Dura Ace
DA-9005 S.W. 1 oz. \$1.50 Д
Cable Guide
For downtube near bottom bracket.
Features pulley on left and guide on right
side, S.W. 4 oz.
KA100 \$3.30
Chain Stay Cable Stop
For rear changer. To stop cable housing
on frames without integral stop. S.W. 4 oz.
KB110 \$1.25 kg
Upper Downtube Double Cable
Housing Stop
For use with BAR CON or stem shift.
S.W. 4 oz.
KB110 \$1.50
Arnold Superlight Bolt Set
Fits Crane and Crane GS
SW 2 07. \$10.00/set




Our front derailleurs fit seat tube outside diameter (O.D.) 28.6mm (11/8") on all Engl. It. and Japan.

Warning-French bikes with standard tubing are 28mm. We are not responsible for damage caused by overtightening the clamp on French bike. Use a shim

Low normal = front gear cable relaxed when low sprocket engaged. Tension cable to upshift; e.g. Cyclone, Campy, Dura Ace. High normal = front gear cable relaxed when high sprocket engaged. Tension cable to downshift.

Frames with this type dropout do not require mounting plate.



This famous French maker needs no introduction. This year we offer you two very unusual models which deserve your consideration, offered only in complete sets consisting of changers, levers cables and clips.

Jubilee: Racing

Forged light alloy and polished to the shiniest, mirror-like finish of any changer on the market. And at only Rr. 136 gr (4.12 oz) the world's lightest. Don't be fooled by simple appearance-it works great.

Specify make of dropout, if unknown bike make & model.

Fr. 80 gr. (2.13 oz) with aluminum cage. Set includes shift lever of same alloy. Low introductory price \$54.88 HUR-J

Duopar Tourist: Titanium

We're proud to be the world's 1st catalog to feature this revolutionary new patented design. The rear changer has double parallelograms instead of the usual singe. Unfortunately no better illustration was available by our publishing date. The changer is composed of two main parts: the Cage and the Body. The body moves in and out in the normal way according to which cog is engaged. The cage moves clockwise and counter-clockwise according to how much slack chain must be tightened. Up to this point, the Duopar is not unlike other brands. What's new is an extension arm connecting the main body and the pulley cage. This arm pivots from 12 to 6 o'clock in 2 places giving the entire cage the ability to move up and down according to gear engagement.

The result is greater elimination of sloppy, rough shifting among large cogs around the 30T to 34T level. Workmanship and material is meticulous. The rear is made of Titanium and aluminum and weighs only 264 gr (9.5 oz). Front is 140 gr (4.15 oz) with spring steel cage.

Low introductory price \$69.88 HUR-D

40

0			
Campy spares		Ordering instructions page	³⁷ Derailleurs
Chain stay cable housing stop For use on bikes without integral stop.	C	P	Derameurs
C 636 S.W. 3 oz. Double downtube cable guide	\$1.9		annala
For use with Campy controls. C 626(A) S.W. 4 oz. \$3.89/4.75	SI MA		
Double downtube cable	M	the gen Terray and the set of the	0
housing stop For use with C1012/3.	A construction	4	
C 629 S.W. 4 oz Vith built in pump clip (umbrella typ	.19/3.15		
0 000 0.11. 4 02	^{e)} \$4.30		
Campy rear			Restor
derailleur spares			1. 1-1
Cable clamp washer and bolt (NR, SR, R) S.W. 1 oz. 88, 124	1.50/set	Prince in	this catalog:
Pulleys, bushings side plates			5/4.50
(NR, SR, R) set of two 930/a(2), 931/ 932/a(H) CAMP-PBP S.W. 2 oz	a(2), \$6.95/set		der/stores
Upper pivot bolt (NR) S.W. 1 oz 166/A	\$5.50		
Lower tension spring, gear	\$0.00		A A
S.W. 1 oz 98/A, 813/a			
CAMP-SPG Derailleur fixing plate	\$3.00/set		
(NR, SR) w/nut and holt 80/2 124			
125 S.W. 1 oz CAMP-80CMP	\$2.00/set	1380	
Gear spring bolt (NR, R) S.W. 1 oz			en e
811/A Cage plates for rear	\$6.85		
(NR, SR) S.W. 1 oz 815/A, 814/A CAMP-CL			
Campy front	\$12.77		- CEB
derailleur spares		G	Oplan .
Cable anchor bolt & washer		Rear derailleurs	
S.W. 1 oz 779-80 Cage assembly	1.50/set	- And - Contract of the second s	
S.W. 2 oz 784	\$7.95	Nuovo Record rear Fixing plate for frame attachment not	
Upper and lower arm S.W. 2 oz 778, 782	\$9.95	included. Cap. 28T A/W 230 gr S.W. 14 oz C1020 \$27.88/31.88	
Body		Super Record rear	
S.W. 2 oz. 773 Spring	\$11.50	Substantially changed. New cage with more cog wrap, improved cosmetic. Old	
S.W. 1 oz 787	\$1.35	Sup. Rec. is discontinued. 4001/1 \$52.95/55.00	
Lever spares	the second second	Rally rear	
R.H. lever only S.W. 1 oz 601	64.00	The Rally is an ultra wide ratio (Cap. 36T) adaptation of the Record and shows the	
L.H. lever only	\$4.29	same quality and workmanship. Includes fixing plate. A/W 310 gr	Shift levers
S.W. 1 oz 602 Wingnut & washer set	\$4.29	S.W. 14 oz. 3450 \$34.29/39.88	Record double
for cover plate-friction adjustment S.W.		Front derailleurs	downtube levers
Rubber lever cover	2.50/set	New style Nuovo Record	S.W. 9 oz 1014 A/W 82 gr \$9.39/10.59
choice of black, blue, green, gray, red, w yellow. Fits wheel skewers also. S.W. 1	hite	front derailleur	Braze-on lever kit (downtube) Incl. braze-on studs, consists of:
	1 50/04	Replaces Record 1052. Same design except for holes in cage and slightly better finish.	600/2, 611/2, 661(2), $603(2), 604/1(2), 660(2), 600/2, 611/2, 661(2)$
Arnold Superlight	-	enter our stock in Spring 78, 1052-1	S.W. 4 oz. \$12.95
bolt set		\$17.39/19.99 Note: Super Record front project was	Handlebar shift controls W/o wires, hsng., etc. A/W 55 gr per lever.
Two main bolts for Campy 1020/A S.W. 2 oz \$8.69/10.00/set		dropped by Campy. The top front model is Nuovo Record (above).	C1012/3 mail order \$9.00 ea - 17.89 pr/
3.w. 2 oz		adoro necoro (above).	store \$11.25 ea - 21.95 pr

e

)

ire

as

e I O

to

ie ns 1

Cranksets

This set is made with Shimano's cold forged Micra alloy and displays the same distinctive and beautiful appearance which is typical of the Dura Ace line. The set includes a crank arm removing tool which is optional with most other sets. Our sets include your choice of English or French threads with 112 (68) mm spindle, or Italian threads with 113 (70) mm spindle. Be sure to specify which option you desire.

Touring model

Racing/general use model w/o guard

Silver, 39/52T, 170mm arms, 9/16 x 20 pedal thread, with guard, choice of BB assemblies listed above.

SDA 90020 Silver \$65.00

Silver. 42/52T, 170mm arms, 9/16 x 20 pedal thread, without guard, choice of BB assembly. Silver SDA 90060 \$63.00

39T LOW

Comes with crank extractor, chainwheel spanner and 5 mm. allen key S.W. 3 lb.

Chainring options Sizes 39 thru 53 are available in black and silver. Change of either ring to any size except 39, 42, and 52 add \$3.00

Introducing the all-new Dura Ace EX crankset

This is the crankset for Shimano's new EX series which is designed to be lighter, more easily serviced, and more rugged than the early Dura Ace. The chainwheels have been relieved of their inner bridge and are now made of 75-S alloy with a new high-polish finish. These rings still interchange with early DA crankarms for the low gear capacity of 39 teeth—lowest of all racing cranks. Until production enters the pipeline, we will offer only the complete crankset. No black.

Stock size: 42/53T, 170 mm, English, silver **\$75.00**

Shimano Schwinn bottom bracket conversion kit

This spindle will enable all Schwinns with Ashtabula onepiece crank bottom bracket shells to accept lighter weight, medium-priced 3-piece cotterless cranksets. This spindle fits the following crank arms only: Shimano Tourney, SR Apex, Sprint, and Custom.

Includes spindle, bolts, washers. (utilizes existing bearings) A.W. 10 oz./ S.W. 13 oz. SH07420030 \$10.95 46



Close Out Sugino Maxy 3-pin

chainwheels More than half-off these aluminum chainrings. Hurry; offer ends when supply exhausted. Sizes: 33 - 52 teeth, one low price. S.W. 4 oz. \$1.98 /ea

SHIMANO

DURA-ACE



Over the years, our customers have never stopped asking whether Campy really deserves its incredible reputation. Actually, the more experience one gets with bike parts, the more one becomes convinced that the reputation is correct. There is just so much intelligent design and fine workmanship and materials in every part that it's hard to find fault with anything made by Campy. We stock all of the most popular items and naturally, their spare parts. However these are just a portion of the huge selection Campy offers With a January 1978 Campy factory increase of 15%, we invite you to compare our cheap prices for 1978.

Lampagno

UNDERSTANDING CAMPAGNOLO TERMINOLOGY:

Some confusion exists among the public as to the exact meaning of the different names containing the word "record". Generally, Super Record refers to the very newest and lightest racing items. Nuovo Record is the best class below Super, and Record is the basic level but of the finest Campy quality. In many items, Record is the only level. Examples are: front changer, all the chrome hardware, and crank arms. Most so-called "full Campy" bikes contain the Record ensemble. As for cranksets, the Nuovo Record crankset only refers to cup and spindle difference. Several years ago, when frame builders began favoring holes in the BB shells, Campy felt it necessary to alter its BB set accordingly. The difference is this: Nuovo Record cups are thicker around the spindle aperture, and they are threaded or "knurled" on the aperture surface facing the spindle in order to dispel water which accumulates in the BB shell as a result of the holes. This "threading" makes them visibly different from Record cups. The Nuovo Record spindle is also different from the Record model due to the fact that the bearings fit slightly farther toward the axle center than is the case with the Record spindle. Last, the Nuovo Record bottom bracket set is supplied with a plastic protective sleeve for the bottom bracket shell. There is no quality difference.

Important:

1. Record cups fit only the Record spindle. Nuovo Record cups fit only the Nuovo Record spindle. Super Record cups fit only the Super Record spindle. If parts are mismatched the adjustable cup will not tighten. 2.Campy makes only one fivepin crank arm--Record--it fits all three spindles: Super, Nuovo Record, and Record. 3. Track spindles are made only

in Record and Super Record.

Record Track Crankset

Single 1/2 x 1/8" chainring, size 42 to 52T. Your choice arm length 165mm-180mm. \$116.75 SW 2 lb. 1050 For size 53-56T chainring

add \$4.00

Campy BB sets see p. 46

4. The triple spindle is available in Record only.

See p. 48 (crankset parts) for more information on compatability and for complete bottom bracket sets.

Note all "Cranksets" include bottom brackets, while "chain-wheel sets" do not.

Sugino Mighty Series bottom brackets are interchangeable

w/Campagnolo Nuovo Record bottom brackets only.

Super Record Track **Chainwheel Set**

Single 1/2 x 1/8" chainring. Your choice crank arm length 165mm. -180mm. Chainwheel 42-52T SW 2 lb. 4151 \$99.00

For chainring 53-56T \$103.00

Ordering instructions page 37 A.W.=Actual Weight S.W.=Shipping Weight

Bikecology Mail Order, P.O. Box 1880, Santa Monica, CA 90406 Hot line: (213) 829-7681

Guaranteed Lowest Price!

Cranksets

Nuovo Record Complete Crankset

(double) Includes bottom bracket.

Stock size: 42/52, 170mm arms, any BB thread. 9/16 x 20 pedal thread. SW 3 lb. 1048

Record Road Chain-

wheel Set (double) Same as above but without bottom bracket. Stock size: 42/52. 170mm. arms, 9/16 x 20 pedal thread. \$69.25 SW 2 lb. 1049

Changes

Chainring sizes: 43, 4, 5, 6, 7, 8, 9, 50, 51, 53, 4, 5, 6, 7t and/or arms length 165mm, 167.5, 172.5, 175, 177.5, 180.

Add \$2.00 to above items.

Super Record Road **Chainwheel Set**

This model has the lightweight, relieved Super Record chainrings. Your choice crank arm length 165 mm. - 180mm., chainwheels 42-57T SW 2 lb. 1049/A \$99.95

Tandem crossover

For the exotically minded, includes bottom bracket 170 mm. arms only, your choice BB thread and spindle length. Direct drive chainrings 42T and above only. SW 6 lb. CAMTAN

\$89.90

Record triple chainwheel set

For 36T lowest gear.

Very rare model. Identical in quality, appearance, etc., to other Record except for specially machined spider drilled for 36T ring attachment. Your choice of rings 36, 42-57T, 170mm. arm length only. Triple Record bottom bracket required. S.W. 3 lb. 1049/5 \$124.88

Record Triple Chainwheel Set

For 42T lowest gear

This model accommodates any assortment from 42 to 57 teeth in the standard manner, through use of special long chainring fixing bolts. Uses Record arm. Requires use of Record triple bottom bracket. Your choice arm length 165mm. - 180mm., any three chainrings 42-57T. SW 3 lb. 1049/3 \$120.00

crankset

Double (w/Nuovo Record or Record BB), 42-57T rings.

\$335.00 Triple (w/Record BB) 36T, 42-57T chainrings. \$360.00

Hubs

Phil Wood Sealed Bearing Hubs

Phil hubs have been widely accepted by racers and others who require a top quality, maintenance-free hub with novel design. Note: Phil does not offer a skewer, recommending instead a skewer by Campy, Dura Ace, or other quality brand. Thread, English \$49.88/pair

only Std. Flange Standard Flange Front

185 gr. HPW-1 \$21.89/24.50

Standard Flange Rear 5-speed 215 gr. HPW-2 \$25.89/29.50

Hi/low Flange Rear 5-speed 235 gr. HPW-3

\$29.89/31.00

ship wf See top of p. 54 for shipping weights.

Rear Tandem Hub (Double threaded)

Accepts cluster on right and disc or drum on left. Solid (non QR) axie only. Choice of axle widths - 120, 125, 130, 135 and 140 mm., plus various brake and cluster widths (see chart below to order correct size). 36, 40, or 48 H, holed for 14 (standard) or 12 g. (H.D.) spokes. Recommended especially for use with Phil Wood tandem brake. Choose front hub from standard Phil Wood selection. Payment in full must accompany order. No COD's. Allow 3 weeks for delivery. For

complete info., send SASE to us marked "PHIL". PW-TANH S.W. 11/2 lb.

\$48.00

54 (2%") 64 (2%") Axle Length

Cluster	Axle Length							
Space A	120mm (4-3/4")	125mm (4-15/16")	130mm (5-1/8")	135mm (5-5/16")	140mm (5-1/2")			
31mm (1-7/32")	21mm (27/32")	26mm (1-1/32'')	21mm	26mm	av <u>Sett</u>			
36mm (1-13/32")	-	21mm	26mm	21mm	26mm			

Brake Space

Track Hubs Shimano Dura Ace

Track Hub Set

Available in matched set only in 28, 32, or 36H Large flange. A.W. 540 gr. \$52.88/pair

Phil Wood Track

Same Phil quality and sealed bearings.

Front A.W. 220 gr. HPW4 \$36.00

Rear A.W. 326 gr. HWP5 \$47.00

Track Set \$77.50 52

Prices in this catalog: \$3.95/4.50 mail order/stores

Campy Record Road

Used by more great champions than any other. While there are different designs on the market, none is better!

Campagno

Small flange - Fr. C1034A \$26.30 Small flange - Rr. C1034P* \$30.50 Pair Small flange C1034* \$51.88 Large flange - Fr. C1035A \$27.60 Large flange - Rr.

C1035P* \$31.60 Pair Large flange C1035* \$54.88

*6 Speed Rear add: \$7.00 Important! Separates are offered in 36H only.



flange pair C1034* \$44.79/51.88

See top of p. 54 for shipping weights

Record Spare Parts

Skewer Assembly - Fr. 1001/3 \$9.45

Skewer Assembly - rr. 1006/8 \$9.45

QR Conical Adjustor 59 \$4.75/ea

QR Skewer cap 60 \$2.50/ea

Front Skewer rod only 64 \$2.85

Rear Skewer rod only 65 \$2.95

Conical Spring

18 \$.60/ea

QR lever w/domed nut and grower washer 61, 61/1, 61/2 \$4.50

Front axle set complete 1001/4S \$7.75

Rear 5-Speed axle set complete 1006/5S \$9.25

Rear 6-Speed axle set complete 1006/6S \$9.95

Set of Balls, races, dust covers for Front Hub nos. 737 (2). 739 (2), 2104 \$9.95/set

Same as above for Rear Hub nos. 738 (2), 740 (2), 2106 (2) \$9.95/set

Sugino Cone wrenches

Finest quality tempered steel, chrome plated and extra thin. Professional shop quality from this famous maker. Sizes:

13-14mm } fit almost every make hub

15-16mm/ 14-17mm required for Sunshine and other cheapo models.

> Cat # is M5 \$1.75 each

SW 4 oz. ea.

\$2.49 pair (any 2)

Campagnolo Track Hubs

Threading: Engl., Ital., Fr. Drilling: 24, 28, 32, 36, 40.


 Small flange - Front
 Large flange - Front

 1036/2A
 \$23.88/26.00
 1036/A
 \$24.39

 Mail/Store
 Large flange - Rear
 Large flange - Rear

 1036/2P
 \$23.88/27.00
 1036/P
 \$24.39/32.50

Pair - Small flange 1036/2 \$43.88/47.88 Pair - Large flange 1036 \$44.89



Campy Hi/Lo flange hub

Specially ordered, this model is not even in the Campy catalog. Originally used by the German Olympic team. First time available in the USA. A stiff, strong large flange on cluster side where torque (and spoke breakage) is greatest. Design eliminates wheel dish problem, gives even spoke tension to both sides. Hurry . supply limited on this special offer. May never be available again. Note we do not offer spokes in sets of 18. 36-hole drilling only. Pair with: Low flange front, Hi/Lo rear \$74.25

Front QR axle only 19

\$4.40

Rear 5-Speed QR axle only 29/P

\$4.50

Rear 6-Speed QR axle only 29/6 \$4.75

Oil Hole Spring cover 741 \$.75/ea: Hi/Lo rear only \$50.00

Track Spare Parts

Front axle assembly complete (incl. end nuts)

1001/4P **\$10.95** Rear axle assembly complete (incl. end nuts) 1006/5P **\$12.50**

Set of bearings, races & dust covers. Front Nos. 739 (2), 2104 (2) and 737 (2) \$10.95

Same for Rear Nos. 740 (2), 738 (2), and 2106 (2) \$10.95

Lock ring for sprocket 743 \$1.90

Economy cone wrench set

For home mechanic. 2 wrenches. Sizes: 13-14 and 15-16 Plastic case. S.W. 5 oz. M11 \$2.49 pair

See tool section for more cone wrenches and hub tools.

SHIMANO 600 QR

The aluminum shell is styled exactly the same as Dura Ace. Quality and finish are far superior to standard alloy hubs but below that of Dura Ace. We stock a specially anodized better finished model used on high priced bicycles. The difference is obvious. Check our cheap price!

5-Speed, Eng	lish th	readed, 36	H, silver o	only.	
Small flange Large flange	Overla size	ocknut Or Front s Imm	verlocknut lize Rear 120mm 120mm	Trinking States	340 g
Small flange I H600SF \$	Front 9.50	Large fla H600LF	nge Front \$10.25		
Small flange F H600SR \$10			nge Rear \$11.50		
Pair Small flar H600S \$16.49/11 Mail order/Sto	8.95	Pair Larg H600L	e flange \$19.95	63	

Ordering instructions page 37 Order form page 63



Hubs

\$16.49 Small Flange

See top of p. 54 for shipping weights.

Great European Thread Mystery Explained!

Hard to believe but true—these systems actually created by human minds! British and Italian can coexist in a class-B fit but both are incompatible with French.

	THREAD	plus ».	n - burber of d- hub friend BR		d'all trees	hub diameter heet dawaad yoor d	liameter	A A A A A A A A A A A A A A A A A A A	READ
-	P	egen	10000	-	P		Y		
Type		d d. P	d di n	d.	. d.	d d o	d'.	INCT	
Туре	mm	THE REAL PROPERTY.	Long and the	d. A mm	, der mm	CONTRACTOR OF	A 12 10 1 20	α	d- d-
Type Italian British French	in the second	P	n	The second se	-	d	ď*:	ant to	d. d. r 0,14 0,17

IMPORTANT:

Quick release.

Silver

Pr Sm fla

La fla:

Lg flg:

Pr lg fig

1.) Every hub we sell includes a matching skewer unless stated otherwise.

2.) Be sure to speficy all pertinent

Sanshin Pro Am

Sm flg: Fr. HPA 101 \$18.00

Fr. HPA 103

Rr. HPA 104

HPA 10

HPA 30

Front Skewer Assembly HPA-F \$6.50

Sm flg: Rr. HPA 102

Pro Am Spare Parts

Our best hub value! Professional quality and appearance

\$32.49/36.88 Pr sm flg

\$35.49/39.89 Pr lg flg

Black

Sm flg:

Sm flg:

Ig flg:

Lg flg:

at a reasonable cost. Beautiful pearlescent finish. Cold

forged aluminum. Precision machined races, cones,

nail orderistors

\$19.00

\$19.00

\$21.00

balls. Drilling 36 x 36 only. Threading: English only.

Information with order: Threading: Eng., Fr., Ital., (Where available. Flange size: Small - Large Color: Silver - Black (where available) front or rear

Fr. HPA 105

HPA 50

HPA 70

Fr. HPA 107 \$21.88

Rr. HPA 108 \$23.88

Silver

Rr. HPA 106

\$20.88

\$21.88

\$39.88

\$42.88

Shipping Weight 1 hub – 1 lb 2 hubs – 1 lb 9 oz. Axle Set 1–5 oz. 2–10 oz. Skewer Assembly 1–5 oz. 2–10 oz. ORDER A PAIR AND SAVE!

Shimano Dura Ace

Shimano is particularly proud of these hubs which are truly unsurpassed by any other brand. 36 hole only.


Matched Sets

matorica octo	
Silver small flange* HDA 30 \$41	1.69/\$49.95
Silver large flange* HDA 40	\$52.95
Black small flange* HDA 50	\$52.95
Black large flange* HDA 60	\$55.95
Individual Hub	
Silver small flange front HDA 301	\$27.50
Silver small flange rear HDA 302	\$29.95
Silver large flange front HDA 303	\$ \$28.50
Silver large flange rear* HDA 304	\$31.50
*for 6-speed option H6 add:	\$7.00

Dura Ace Spare Parts

Hubs

Skewer Assembly - front HDA 233-2 \$11.50 Skewer Asembly - rear 5 Sp HDA 243-2 \$11.75 Skewer Assembly - rear 6 sp HDA-243-2 (6) \$12.50 AR Axle Set complete - Fr. HAD 243-3 \$10.95 QR Axle set complete - Rr/5 HDA 243-4 \$11.25 QR Axle set complete - Rr/6 HDA 243-6 \$11.95



O.M.A.S Hub

Here's another outstanding component from the factory that's becoming famous for its technically advanced designs and meticulous quality. The unusual aluminum body houses huge sealed precision bearings, steel or titanium axle, and two different skewers with aluminum end cones. Since most of OMAS' production goes into pro team racing bikes, we can't assure you of a continuous supply of these hubs. Therefore, when available, they will be offered primarily through our stores. Customers desiring to place a firm "On Arrival" non-cancellable order good for at least 4 months may do so by paying in full with the order. Or, you may ask us for a current stock report in which case we'll reserve the pair of your choice (if available) until your payment is received. Italy.

Front & Rear Hub Set With skewers, countersunk 14-gauge spoke holes Front 100mm Rear 125mm (6-speed)

Art. 101/S Act. Wt. 475 gr Front aluminum axle, Rear steel axle QR Skewer steel \$55.00 Art. 101/T Act. Wt. 465 gr Front and Rear axle of Titanium QR Skewer of special alloy

\$75.00

Bikecology Mail Order, P.O. Box 1880, Santa Monica, CA 90406 Hot line: (213) 829-7681

Rims

ts

Sp

sp

/5

/6

Clincher Rims

Now that one year has passed since the introduction of extra-narrow rims by most of the major manufacturers, some of the past confusion over tire/rim compatability (see p. 58) and brand differences can be clarified. During the same period the most popular tires have changed from 31-34mm to 25-28mm in width. It is now universally recognized that the tubular

Tubular Type Construction Clinchers

Mavic Module Series 3 and E

This new design revolutionized rim theory because it offers improved rigidity at reduced weight. Inside and outside widths for the E and 3 are 13-19.7mm and 16-22mm respectively. Overall section height is 27.5mm. The E weighs 410 grams and fits 25 and 28mm tires while the 3 weighs 480 grams and fits standard 11/4 and 11/6 (32mm+) tires. Won't fit Schwinn Super Record tire. Both are available in 27" and 700C sizes. Finish and appearance is dull-unpolished with smooth side.

Each \$11.90/12.90 Pair \$23.70/25.50

Super Champion box construction clincher

This year this category dropped from 5 to only one selection. It's due partly to the take-over by tubular construction because of the poplarity of the tubular types above. These Super Champion rims have always

Inside Outside Model Width Width E 13 19.7mm 3 16 22 mm Mod E 27" RME-27 Mod E 700C RME-700 Mod 3 27" RM3-27 Mod 3 700C RM3-700

been the most popular aluminum rims and with the new high Japanese yen, they are now reasonably priced compared with rims from other countries.

Super Champion Clincher

Originator of box construction design. Beautiful finish with pebbled side surfaces. Ferruled holes, 27 inch weighs 495 grams,

700C weighs 480 grams. Inside width:

Tubular Tire Rims Featuring Super Champion and Nisi

In our continuing efforts to provide you with the finest and most popular products in every category, we have selected these five rims from the two leading factories. Nisi is a member of the Campagnolo-Ultima Group of Italian racing parts manufacturers and is used as original equipment on such leading bikes as Cinelli, Colnago, Rossin, De Rosa, and Pogliaghi.

Fiamme **Red Label Track**


One of the only genuine track rims available, this 310 gram rim features a 'V' section for extra rigidity needed in banked turns. Fully ferruled, 19mm width. Drilling: 28, 32 and 36 hole.



Guaranteed Lowest Price! Explanation page 69

Super Champion Tubulars

These popular French rims can be trusted for great reliability and performance. Fully ferruled, smooth sided and highly polished. All models are 36 hole only.



Each \$12.39/14.39 Pair \$24.69/27.89



Shipping Weights 1 Rim = 5 lbs. for All Rims -2 Rims = 6 lbs. any make 3 Rims = 7 lbs.

type construction pioneered by Mavic in 1975 with its Module type rims is the strongest and lightest design available.

Super Champion 20mm Extra Narrow

One of the most widely accepted brands in the industry today. Although sometimes difficult to obtain, Super Champion is known for excellent quality and the best finish and beauty in Europe. Since the Mavic Modular leaves something to be desired in beauty (but not strength) the Super Champ would be a wise choice for those who desire concourse appearance. Tubular construction. Height: 13.5mm, Inside Width 14.6mm, Outside Width 20mm, 36 holes. Fits all extra-narrow tires from 25-28mm.

27-Inch R-SC2027 700C R-SC20700

Each \$11.90/12.90 Pair \$23.70/25.50



18mm; outside width: 22.2mm. Fits normal 28mm+ tires. Because this is never continuously available, we reserve the right to substitute Rigida Alu

700C R3F Each \$10.88 27" R3G Pair \$21.50



\$39.00

Pair

Nisi Sludi Road Racing

The top of the line model, made of very exotic aluminum alloy not used by other makers, extremely strong. Darker gray finish, smooth sides, with spoke hole washer affixed to hole. A raised casting is embossed with the Nisi logo. 36 hole only.

290 gram Recommended for racers under 160 lbs. For time trial, track, criterium, good roads. Each \$25.00

320 gram NI 320	Racers over 160	Pair \$4 Ibs. Road rac	9.00 ing.
	INIS		an ci
Nisi Co			

ountach 350 Excellent quality all-purpose model of normal aluminum. Familiar falcon logo. Hole washers affixed to hole. 20.0mm width, 350 grams, 36H, silver smooth sides. Each \$20.00

Rims

Clincher Rims

Now that one year has passed since the introduction of extra-narrow rims by most of the major manufacturers, some of the past confusion over tire/rim compatability (see p. 58) and brand differences can be clarified. During the same period the most popular tires have changed from 31-34mm to 25-28mm in width. It is now universally recognized that the tubular

Tubular Type Construction Clinchers

Mavic Module Series 3 and E

This new design revolutionized rim theory because it offers improved rigidity at reduced weight. Inside and outside widths for the E and 3 are 13-19.7mm and 16-22mm respectively. Overall section height is 27.5mm. The E weighs 410 grams and fits 25 and 28mm tires while the 3 weighs 480 grams and fits standard 11/4 and 11/6 (32mm+) tires. Won't fit Schwinn Super Record tire. Both are available in 27" and 700C sizes. Finish and appearance is dull-unpolished with smooth side.

Each \$11.90/12.90 Pair \$23.70/25.50

Super Champion box construction clincher

This year this category dropped from 5 to only one selection. It's due partly to the take-over by tubular construction because of the poplarity of the tubular types above. These Super Champion rims have always

27-Inch R-SC2027 Mod 3 700C RM3-700 700C R-SC20700 Each \$11.90/12.90 Pair \$23.70/25.50 been the most popular aluminum rims and with the new high Japanese yen, they are now reasonably priced compared with rims from other countries.

RM3-27

Inside Outside

Width

19.7mm

22 mm

Model Width

13

16

Mod E 27" RME-27

Mod E 700C RME-700

E

3

Mod 3 27"

Super Champion Clincher

Originator of box construction design. Beautiful finish with pebbled side surfaces. Ferruled holes, 27 inch weighs 495 grams,

uously available, we reserve the right to substitute Rigida Alu

700C R3F Each \$10.88 R3G Pair \$21.50

27"

Shipping Weights

for All Rims -


any make



Tubular Tire Rims Featuring Super Champion and Nisi

In our continuing efforts to provide you with the finest and most popular products in every category, we have selected these five rims from the two leading factories. Nisi is a member of the Campagnolo-Ultima Group of Italian racing parts manufacturers and is used as original equipment on such leading bikes as Cinelli, Colnago, Rossin, De Rosa, and Pogliaghi.

Fiamme Red Label Track



RI-T \$10.50/ea. \$19.88/pr.

Guaranteed Lowest Price!

Explanation page 69

Super Champion Tubulars

These popular French rims can be trusted for great reliability and performance. Fully ferruled, smooth sided and highly polished. All models are 36 hole only.

Arc en Ciel (Rainbow)

At 330 grams, the Rainbow is suitable for both road racing and touring. 20mm width. Each \$10.89/12.88

R3C

SUPER

MAPION

R3D

Pair \$21.75/25.50

Record du Monde (World Record)

For light road and Criterium. Width - 19.5mm, 310 gr. Each \$10.89/12.88

Pair \$21.75/25.50

Medaille d'Or (Gold Medal)

Despite its light weight of only 260 grams, this tests out (below) to be extremely strong for all types of racing where lightness is crucial.

Breaking point: 36 Tube thickness: .8mm Elasticity: 30 Height: 11.5mm Elongation: 8% Width: 19.5mm

Each \$12.39/14.39 Pair \$24.69/27.89



width, 350 grams, 36H, silver smooth sides. Each \$20.00 Pair \$39.00



700C weighs 480 grams. Inside width: 18mm; outside width: 22.2mm. Fits normal 28mm+ tires. Because this is never contin-

Nisi Sludi Road Racing



1 Rim = 5 lbs.

2 Rims = 6 lbs.

3 Rims = 7 lbs.

type construction pioneered by Mavic in 1975 with its

Module type rims is the strongest and lightest design

Super Champion 20mm Extra Narrow

Although sometimes difficult to obtain, Super Champion is known

Since the Mavic Modular leaves something to be desired in beauty

One of the most widely accepted brands in the industry today.

for excellent quality and the best finish and beauty in Europe.

(but not strength) the Super Champ would be a wise choice for

those who desire concourse appearance. Tubular construction.

Height: 13.5mm, Inside Width 14.6mm, Outside Width 20mm,

36 holes. Fits all extra-narrow tires from 25-28mm.

Tubular Tires

Tubular tire manufacturing recently underwent major changes as a result of new technology. In 1976, Clement introduced its new latex rubber inner tube on all but a few models. Unfortunately some of our overzealous competitors' early publicity created the erroneous impression that the tires were "puncture proof" and that was not quite true as they are puncture resistant rather than puncture proof. The extremely pliable Clement latex tube simply yields against penetration by sharp pointed objects such as nails and thorns. No system is very effective against slashing or skidding (abrasive) leaks.

Despite increasing sales of ultra light clinchers, the demand for high quality tubulars has never been greater. There are evidently enough die-hard tubular users to keep the few Italian, French and others perennially oversold.

Prices

Clement and Hutchinson are fairly even in quality and performance. Clement prices are higher now due to a new and less efficient distribution system which adds 2 new layers of middlemen profit to the price you pay. WARNING: There is quite a difference in quality, performance and durability between low priced vulcanized and high priced handmade tubulars.

Ordering instructions page 37 Order form page 63

Quality:

It is common knowledge that a top quality hand made slik tubular like the Clement Campionato del Mondo can last 3 times longer than one of low priced vulcanized cotton. Our last comment on this issue is that a large part of the anti-tubular dogma is unfounded and unfair. In our experience operating 4 prooriented stores, the overwhelming majority of tubular owners have expressed contentment with tubulars.

V = Vulcanized • CP = Cold Processed

Substitutions:

Although we maintain a huge inventory of tubulars, the very nature of this product and the small factories which produce it have made seasonal shortages inevitable. If we are out of one of the ordinary tires, we will substitute one of like weight, quality, and cost. We will not substitute for exotics such as the silks and fine cottons. If you are not satisfied with such an action, simply return the tire, unused, and your payment and postage will be refunded immediately. You may prefer to instruct: "No substitutes."

Heavy Duty Economy - For durability, rough roads and touring. Cyclocross models. Low profile.

	Gram Weight	Casing Fabric	Tire Width n mm	Tread Pattern	Tube Material	bloN	Catalog No. Price	Shipping Weight	nices in the device service
Clement Gran Sport 65 Clement's heaviest. Popular among tourists. 85-95 psi. Replaces Elvizia as heavy model.	420	Thick Cotton	28	Rib and Medium File	Butyl	۷	Art 22VU \$11.88/12.88	17 oz. each 35 oz. pair	TEMENT Core Front &
Clement Veltro Great all-around tire. Faster, narrower than Gran Sport. Listed as "Extra-Fine" in Clement catalog. 90-105 psi.	370	Thick Cotton	26	Chevron Twill	Latex	۷	Art 21BVU \$12.88/13.88	15 oz. each 28 oz. pair	LÉMENT Veltra Sana
Clement Ruota 24 24" for midget racer.	305	Standard Cotton	26	Chevron	Butyl	V	Art 24VU305 \$11.88/13.88	12 oz. each 22 oz. pair	
Hutchinson Cross TR Ideal for diverse surfaces, long wear and good puncture resistance, very "solid" steering (85-105 psi)	380	Thick Cotton	28	very coarse file center, ribbed outer	Butyl	v	xtr \$10.88	15 oz. each 28 oz. pair	
Clement Compestre Strictly Cyclocross. For wet or muddy course.	340	Standard Cotton	28	Sculptured Studs	Latex	CP	Art 185E \$16.88/17.88	1 lb. each 31 oz. pair	
Hutchinson Supersprint Fast tread, high pressure long wearing. Tour/train/general purpose 85-105 psi.	320	Cotton	28	Narrow profile, ribbed	Butyl	V	s-320 \$10.88	15 oz. each 22 oz. pair	

Middleweight - Good wearing, higher performance. General use/training/touring.

Description	Gram Weight	Casing Fabric	Tire Width In mm	Tread Pattern	Tube Material	Mold	Catalog No. Price	Shipping Weight	The contraction of the second
Hutchinson GTX-80 Unique tread design, fast, high pressure, versatile. The best buy for a low weight tire. 90-110 psi.	290	Cotton	24	Medium file & ribs	Butyl	v	GTX80 \$11.88	12 oz. each 24 oz. pair	Autchinson SWID Coupe
Clement "50" Extremely popular for touring and training. Fast tread. Superior cotton and workman- ship. 90-105 psi.	290	No. 2 Cotton	27	Ribbed	Latex	CP	Art. 19SE \$16.88	12 oz. each 24 oz. pair	
Clement Campoinato del Mondo World's most popular touring tire. Outwears most cot- tons by 3 to 1. Fantastic handling. Well worth extra money for the distance rider. 100-120 psi.	290	Standard Silk	29	Ribbed	Latex	CP	Art. 1355 \$31.88	12 oz. each 24 oz. pair	CLEMENT SETTOSSES SETA

Lightweight Cotton -	Gram	Gasing	Tire Widt	h Tread	Tube	Mole		Shipping	
Clement "70"	Heigh	nt Fabric	In mm	Pattern	Materia		Price	Weight	an when and i an
High performance, fast tread, high pressure, low profile. For road race/training/touring. 85-115 psi.	260	No. 2 Cotton	25	Rib/ Medium File	Latex	СР	Art 16SE \$19.88	12 oz. each 24 oz. pair	CLEMENT 70
Clement Criterium 280 Road/Criterium. Hand made with best materials. 100-120 psi.	280	No. 1 Finest Cotton	25	Chevron/ Rib Center	Latex	СР	Art 12BSC280 \$27.88	12 oz. each 24 oz. pair	
Clement Criterium 260 Road/Criterium. Hand made with best materials. Known as "Red label". 100-120 psi.	260	No. 1 Finest Cotton	25	Chevron	Latex	СР	Art 12BSC260 \$27.88	12 oz. each 24 oz. pair	CLEMENT CRITERIU
Clement Strada 66 Very popular racing model. Best quality. 100-120 psi.	250	No. 1 Finest Cotton	24	Fine File	Latex	СР	Art 6SS250 \$31.88	11 oz. each 21 oz. pair	CLÉMENT STRADA 66
V = Vulcanized $CP = Cold I$	Proces	sed H	andma	de	10,101	The lot	anir all	des m	THE REAL POINT OF THE PARTY OF
Racing Silks - Fastest possible					-				and the second of the second
escription	Gram Weight	Casing Fabric	Tire Width	Tread Pattern	Tube Material	Mold	Catalog No.	Shipping	g. And a ment of the second
Clement Criterium Seta		0		Contraction of the	atorial		Price	Weight	animiting office strength and
lement's biggest selling silk. Outstanding erformance, wear. 100-120 psi.	250	Standard Silk	24	Chevron/ 4 Ribs	Latex	CP	Art 12BSC250 \$27.88	11 oz. each 21 oz. pair	CLEMENT CRITERIUM J.
Hement Criterium Seta Extra Il-out racing over good roads. Special, ght silk casing. 105-120 psi.	230	Extra Light Silk	24	Chevron/ 4 Ribs	Latex	СР	Art 1BSS230 \$34.88	10 oz. each 20 oz.	
lement Criterium Seta riterium/light road race. Good roads. 05-120 psi.	220	Standard Silk	24.5	Very Fine File	Latex	CP	Art 6SS220 \$31.88	10 oz. each	CLEMENT CRITERIUM THE
lement Criterium Seta Extra iterium track. Very rugged for its ight. 105-120 psi.	195	Extra Light Silk	24	Very Fine File	Latex	UF	Art 1BSS195 \$34.88	9 oz. each 18 oz. pair	
lement No. 3 Pista Seta ack 0-140 psi	175	Silk	20 5	Flat Smooth	Latex	CP	Art 3PS \$31.88	8 oz. each 16 oz. pair	LÉMENT CRITERIUM 2.
ement Pista Seta Extra #1 ack D-140 psi	145	Extra Light Silk	20 5	Flat Smooth	Latex (XP	Art 1PS \$34.88	8 oz. each 16 oz. pair	
tton or silk. Fast and hard-riding, ars better than cotton. proximately 105 psi maximum. Same evron/rib tread all 3 models. Butyl e, vulcanized. Japan.	ully zipp ars plus Nylon at	your bike ered, easil tools and ttach strap	y holds other incl. ×3",	detailed pro MK1011 T comp.has	tit tightu tessiona ire com flap w d st. pos r heavie tools. Re ls ird	p.ope /elcro st w V st tut	k. Colors p. en at top. To close. Attac elcro. Lge pular	8. ol ch Mini (47 g way tubu tube new folda	imal weight gr) and space to carry ulars, as, or able thers

d

Clincher Tires


Here's one of the international specification messes which has been cleared up. The following information should be read in conjunction with the introduction to rims. A standardization committee called the European Tire and Rim Technical Organization (ETRTO) has prepared a simplified system of tire designations. The designation 27 x 1¹/₄ indicates that the outer diameter is 27 inches and that the height and width are both 1¹/₄ inches. Another variation is a mark like 27 x 1 x 1¹/₄" which indicates that the width and height are both 1 inch and that the tire fits a 1¹/₄ inch rim.

25 mm Superlight Skinwall Clinchers

In 1977 this design surpassed the original $27 \times 1\%''$ skinwall in popularity. We have now sold thousands with an equal number of happy customers. The chevron/rib tread design, fine silk-like nylon casing and top grade rubber assures low rolling resistance, tremendous wear and traction plus very easy installation. A rugged steel bead insures that the tire will stay on the rim. The translucent "skin" sidewall derives its beauty from the thin layer of natural gum rubber and the shiny black tread. The appearance from a few inches away is that of a fine tubular tire. Don't be confused by the many imitations on the market.

We supply only genuine Panasonic RRE under the Cycle Pro label and IRC Roadlite Z. At 100 psi and 270 grams, these are outfront leaders in this new technology.

We offer 2 important widths (as distinguished from diameters): 25 mm and 28 mm in these skinwalls. The 25 mm is best for flat-out performance and minimum weight. The casing of the 28 mm is a bit wider and therefore more stable under heavy loads and more forgiving in turning. Japan.



U.S.	ETRTO	ACTUAL WIDTH	PSI	WT (gr)	DESCRIP.	CAT #	PRICE
27 x 1¼ x 1	25-630	22mm	90 psi		Super Narrow and Light	RRE-25-630	\$7.88
27 x 11/8	28-630	27mm	90 psi	300	Medium Width	RRE-28-630	\$7.88
25 x 700C	25-622	22mm	85 psi		Super Narrow and Light	RRE-25-622	\$7.88
28 × 700C	28-622	27mm	75 psi	the second se	Medium Width	RRE-28-622	\$7.88

IRC Tires Japan. Over the years, we've sold tens of thousands of IRC tires and tubes as a result of our volume buying. We're happy to continue bringing you bargain prices on these fine products in spite of the sliding U.S. dollar and inflation.


25-630 Roadlite Gumwall

This is an unusual model which deserves serious consideration by anyone desiring maximum performance without the compromise in durability involved in tires of less than 300 grams. Even though the 27×1×1¼ size means that it is the narrow, low-profile 25mm-type, the weight of 480 grams comes from thicker tread, gumwalls,

32-630 Skinwall (Hi Racer)

Our all-time biggest seller, this famous 27×1½×1½, 90 psi tire has slightly thicker gauge nylon casing and slightly more sidewall rubber than the Roadlite model. Rugged, fast tread of medium file/ribs. Actual width: 30mm; weight 340 grams.

752 \$5.00/5.90 ea \$9.60/11.75 pr



751 \$5.88 ea/ \$11.69 pr



32-630 Hi Press. Gumwall

Serious tourists swear by this popular model for its fantastic wear and comfortable handling even with 85 psi. Quality and appearance are as good as on our highest priced models. Chevron tread, 32 mm actual width, fits 27 × 1½ inch rims

7-32 \$4.40/5.00 ea \$8.69/10.00 pr mail order/store

Shipping weights: 1 lb. ea., 2 lbs. pair

WE:	ETRTO	CONVENTIONAL
A	25-630	27 x 1¼ x l
B	25-622	28 x 15/8* x 1 (*700C)

This methodology has been dropped by ETRTO in favor of metric designations.

Thus, in A, tire width and height are 25 mm each and rim diameter is 629.6 mm (rounded off to 630) or the better known 27 inch. Example B refers to "700C". Ordering the right tire is easy if you know the rim designations and vice versa. But what out! Actual widths when inflated are another matter. Check our listings carefully.

Tire Life

This versatile compound breathes new life. into old rubber. A little applied to a gumwall gives a prettier shine than new rubber. It protects sensitive rubber from attack by smog, pollution and road hazards of all kinds. Recommended for any rubber application, not just bikes. lize Life Waterproofs sidewalls; used for repair of sew ups. Does not have adverse features of the other rubber product, Armor-All. Four ounce jar with applicator cap. S.W. 6 oz. T-TL

\$1.98

NEW — Aluminum tire levers

With everything else so light, why carry heavy steel levers? Excellent quality, Japan. S.W. 2 oz. \$1.99/pr

New Michelin TS foldable clincher 25mm

Extra-narrow 90 psi tire with fiberglass bead. Fits only the extra-narrow type clincher rims. Tested . . . it works! Must be used with special TS tube. One size only: 25C - 622 (700C).

Tire: AW 185 gr/SW 10 oz T-TS Tube: AW 85 gr/SW 6 oz \$10.00 ea \$ 3.50 ea

Tire-Rim Gum Compatability Roadlite Gum Hi Racer Skin Pressure Roadlite Z Chart 25mm RRE 28mm Recommended I OK: Less than optimum fit RRE RC RC RC RC **NO:** Dangerous **Extra-Narrow Rims** V V V V NO NO Sup Chmp 20, Rig 13-19, Mavic E, Wein 124, Ukai & Araya 19.7, etc. Narrow Rims NO OK OK OK OK V Araya 16(A)2N 22mm, Ukai Alum, Sup Chmp 22.5, **Rigida** Alu **Standard Hi-Pressure** NO NO NO NO OK Araya 16A2, Fiamme, Rigida steel, Araya 27" H.P.

air

One of the most critical, and frequently overlooked, components is the chain. It's a waste to

change crank, freewheel, etc. without also improving the chain. This year we're concentrating only on those chains which offer true performance and value. If you want the best chain on the market, try the new Regina Record Oro.

Shipping weight all chains 1 lb. U **Regina chains**

The most demanded by cyclists, Regina continues

to be the performance leader. All models exceed the I.S.O. minimum breaking load of 1000 kg. and work properly with all popular components regardless of country.

\$14.88

Record Oro

A new improved outer plate is tapered narrower in the area around the hole. This plus precision bevelling of all plate edges and a pin which fits flush with the plate surface gives it remarkable performance. In past years this model was merely the Oro with holes but this is no longer the case. 1/2×3/32×114L only. A.W. 336 gr

Spare link S.W. 2 oz. \$1.50

Supercorsa Oro

снв \$6.19/8.19 Familiar black and gold chain. '77 model is identical to Supercorsa black except for gold plating on outer link plates. 1/2×3/32×116L only. A.W. 343 gr Spare Link S.W. 2 oz. \$1.00

Supercorsa Black

CH5 \$4.95 Very high quality steel

chain without gold plating. But don't be fooled by fancy plating. This chain is superior to most of the "special" models in the world today. 1/2×3/32×116 only. Spare link S.W. 2 oz. 50¢

Sun Tour Trans Z chain

Revolutionary new design with bevels milled on the inside edge of the link plate. Beautiful shifting! Flat link plate can't stretch

like bulged Uniglide. Black & gold only. 116L

2 versions:

Regular: For use on all 3, 4, 5, and 6-speed multiple freewheels except Sun Tour Ultra 6. CHZ

Extra narrow outside width designed to fit new Sun Ultra 6: Tour Ultra 6 freewheel, but fits all other freewheels also. CHZ6

See pages 48-49 for more information.

Shimano Uniglide сня \$6.19/7.19



New concept which expands the outer link plates to improve chain pickup and permit faster, quieter shifting. Black and gold finish. 120L Excellent performance — amazing improvement

Sedis with Delta Process CH2 \$4.88

Made in France. Good quality regular chain used as O.E. on many French Bikes. 116L, Black

Renold track chain CH4T \$6.95

1/2 x 1/8" designed for the extra stress of racing. Top quality 112L, Black

1/2×1/8 Chain снл \$3.95

For coaster, 3 speed, and track use. Black 68

Handlebar

HT33

Cotton handlebar tape

Finest quality available. Thick 100% cotton with chevron pattern. New transparent glue prevents that white mess. Rolled on individual spool enough for half of handlebar. Black, red, gray, dark blue, emerald green, light blue, orange, burgundy, lemon yellow, chocolate brown. One handlebar needs two rolls. Per roll: AW 1 oz./SW 2 oz. HT30

80¢/90¢/roll



on page 8

Grab On handlebar padding

Eliminates road shop through soft yet durable foam whigh lasts for years. Absorbs sweat and washes to like-new condition. Dries instantly. Maxi Kit consists of 4 pieces: 2 tops, 2 drops. AW 7 oz./SW 12 oz.

\$6.69/7.95/set

The Tape by Skethia

Suede finished, cushioned, vinyl-backed. Totally different from the others and very popular. Eight beautiful colors: dark and light blue, green, bone white, gray, wheat, red, black. 2 rolls cover one bar. AW 3 oz./SW 4 oz. HT36 \$1.99/2 rolls

Genuine leather handlebar tape

By Cyclegrip, Genuine 100% top grain leather set off by attractive accent stitch. Weatherproof tested. Top rated by Bicycling 11/75. Black, natural brown, dark blue.

\$5.89/6.95

HT35 New improved edges won't curl up as on previous production.

Handlebar Plugs Superlight Plastic Plugs

Screw and expander cone type. This is your best bet for lightness and reliability. Colors: black, white, blue, green, red. AW 1/40z./SW 1 oz. HP40

50¢/pair

Rubber Plugs

By Velox. Screw and expander cone type. France. Colors: black, white, red, blue. HP41 AW 1 oz./pr./SW 2 oz.



95¢/pair

\$6.95

\$7.95

0

AW 5 oz./SW 6 oz.

Water Bottles

The bottle is one of the simpler items to consider. It should be relatively leak proof. If it's made of virgin plastic, it should be odorless. Most important, it should look good! Cages, of either aluminum or steel, should hold the bottle snugly in place, preventing it from annoying bouncing.

Bikecology Water Bottle by AL-E of Italy

You cannot obtain a better quality bottle than our virgin plastic regulation-size bottle. It has the popular skirt cap and ridges for positive grasping. Color is dyed rather than painted. Used on Colnago and most other Italian pro bikes. Imprinted with our logo. Italy. White, Black, Blue,Red, Yellow. A/W 3½ oz—S/W 5 oz

TA bottle cages

Over the years, TA has remained the most asked-for of all cages. Steel models have excellent chrome plate and nicely finished hardware. The popular anodized aluminum model makes an attractive accessory for all bikes.

TA steel cages

Model 215: Best Downtube Cage. Good chrome plating. Includes two metal straps for mounting. A.W. 5 oz/S.W. 8 oz.

TA215

ies

Ke

on

n.

ble

the

stiff

ts.

vith

lers

oth

and

/ou

me

val

77

d

\$3.59

Model 213: De lux Handlebar Cage. A.W. 5 oz/S.W. 8 oz.

\$3.59

\$2.59

\$3.95

TA aluminum cages

Aluminum downtube cage mounts directly to frames with brazed bosses on downtube. Also includes 2 aluminum mounting straps for frames without braze-ons.

	TA-417-S	\$9.25
Plack	TA 447.0	CO 05

lack TA-417-B \$9.95

Bottle & cage sets

& cage set

White plastic bottle with squirt cap and chrome frame.

A.W. 6 oz/S.W. 11 oz. (set) A19

Economy set with thermic bottle

Actually maintains temperature of contents for several hours without unreasonable extra weight.

A.W. 11 oz/S.W. 14 oz A197

Bikecology Roller

We really tested a lot of rollers—American, European and Japanese, before we decided upon the winner that bears the Bikecology label. Our criteria are: low price, silence, simplicity and overall quality. Since a roller is a sort of off-beat item, even for genuine cycling aficionados, we know that many people buy pretty junky, noisy ones without ever knowing the difference. By putting our label on it, we put our credibility on the line. Therefore, if you are not satisfied with our roller—for whatever reason, you may return it within 10 days for a full refund or credit.

Features:

T 195 7

Rollers: Precision round nylon surfaces. Front roller has painted wheel guide stripes that indicate safe riding zone. End plates are special noise absorbing natural fibre. Adjustable for any wheelbase 37½-43", any fork rake.

Bearings: Large precision sealed transmission ball bearings. No bearing noise. 2 per roller.

Drive: Dual rubber-type belts mean ½ the stress imposed on single belt brands. Can't pop out of groove.

Frame: 4" extruded aluminum bar.

Warranty: 5 year unconditional all parts.

A.W. 18 lb/S.W. 20 lb.

Accessories (Optional)

Stewart Warner resettable speedo. Friction roller-type drive mechanism, works off front roller.

Extra \$14.00

Side steps. Full 24" long so that they are where you need them regardless of where on pedal rotation you dismount. Non-slip surface. Aluminum. A.W. 22 lb/S.W. 23 lb.

Extra \$39.00 Spare drive belt \$4.89/ea.

Monorulio by Olmo

Cross between roller and exercycle. Fork tips fit axle with quick release skewer. Bottom bracket rests on concave platform. Pressure clamp fits where kickstand would be. Rear wheel rolls against precision chrome drum with fabric braking pad for friction. The bike holding part detaches from floor base via two hand knobs. The great advantage of this device is that you can ride your own, properly fitted bicycle for the most efficient exercise. Unlike a roller, there is no problem with balance and safety.

\$75.00

S.W. 20 lbs OLMO-1

OLMO

71

OMAS Titanium BB assembly


Completely original design. This is a titanium axle with aluminum cups and shielded ball bearing cartridges. When the bearing cartridges snap into position in the specially machined cups, they are perfectly adjusted, thus requiring no "feel". Each cup has a lock ring. The spindle is meticulously machined titanium and fits Sugino and Campagnolo arms. With this quality, and only 185 grams complete, this is an outstanding value compared to anything like it on the market. Available Eng/68, Fren/68 and Ital/70 double only. S.W. 12 oz.

омаз-130 **\$74.88**

> Fits Campy & Sugino

OMAS Brake bolt kit

Less than half the weight of comparable Campagnolo parts! Titanium center bolts and light alloy brake shoe nuts. Fits Campagnolo and Dura Ace. Italy. SW 2 oz.



Important: Specify make of bicycle!

Guaranteed Lowest Price Policy Explained Page 69

SUPERLIGHT replacement items

OMAS Complete bolt kit

Less than half the weight of counterpart Campagnolo and Cinelli items. Kit includes:

- Two 15mm crank arm fixing bolts and washers
- Derailleur upper pivot bolt and tension spring (fits Campag. only)
- Stop plates for Campag. downtube controls
- Brake shoe nuts and brake center bolt nuts (fits Campy, Dura Ace and Gran Compe)
- Double chainwheel fixing bolts (fits Campag., Sugino)
- Stem expander bolt and cone (fits TTT Record and Cinelli)
- 8mm seat binder bolt
- Seat cradle bolts and bushings (fits Campag., SR)
- All parts made of light alloy. Italy. AW 100 gr. SW 5 oz. OM-160

Distant Co

\$ STORE OF STORE

\$27.95 Superlight conversion kit

Arnold seat tube binder bolts

Ultralight alloy. These bolts will equal or exceed the strength of most factory bolts. Their black anodized finish and neat shape will enhance the appearance of any bike. Allen bolt type. Measure outside width frame hole to determine proper bolt length. SW 2 oz. Sizes: 25mm, 28.5 mm,



To fit Campy, Sugino. 15mm.

748 ARN \$5.50

32mm.

S-M25A

\$4.50

Arnold Superlight derailleur bolt set

Two main bolts for Campy 1020/A S.W. 2 oz. \$10.00/set

Fits Crane and Crane GS S.W. 2 oz. **\$10.00**/set

Arnold Stem bolt kit

Arnold is a specialist in superlight alloy hardware. It has fabricated alloy replacements for many steel parts without any sacrifice in overall strength. Black anodized finish.

AS

11

U

C

in

IK

S.

A.S.

 For Cin 1/A
 For TTT Record (non-fluted)

 STB-NC
 STB-OT

 \$9.88
 \$10.95

SW 4 oz. ROB-ALNP \$2.50/set

15 gauge Robergel

aluminum nipples

Fits only 3-Star, 15g spoke, No

trade-in of brass nipples. Set of 37.



This headset has been our biggest seller in the Super Record series because its superior appearance and lighter weight make it a bargain for the price. Made of duraluminum with hardened steel bearing surface Ball sizes: Road - 3/16"; Track - 5/32' Specify: English, Italian, French

Super Record Road 4041 S.W. 9 oz. \$36.88

Super Record Trk 4141 S.W. 9 oz. \$36.88

Record Road 1039 S.W. 12 oz. \$25.88

Record Track 1040 S.W. 12 oz. \$25.88

Campag. Headset **Bearings for Record** and Super Record

3/16" Road Retainers (2) S.W. 1 oz.

5/32" track balls (loose) S.W. 1 oz. C2102 \$2.00

Jasik Headset Parts

Designed expressly to replace the lower head tube cup, crown cone and bearing of Campy Road and Track headsets. Strange as it may seem, the corresponding Campy parts just don't hold up as well as most perfectionists demand. Made of high strength aluminum and polished to a beautiful lustre. Precision sealed bearings won't pit race and cone like Campy. S.W. 4 oz. JASIK-1

\$24.88

C2101

\$2.00

For more information on headsets, we recommend Sutherland's Handbook for Bicycle Mechanics, 2nd Ed. (available from us @ \$10.75, postage 35¢).

1. Those familiar with our past catalogs may wonder why we have neglected so many of the interesting new headsets now on the market. Well, we've tested them all and we are amazed to discover that each one contains some design factor which makes it incapable of installation on our customers' bikes. The variety of headset measurements is astounding. Headsets differ in the following areas:

Steer Tube Diameter - may be 22.2 mm., .833", or 21.85 mm.

Threading - may be one of the following: English, Japanese 1" × 24 TPI BSC French 25 × 1M Italian 25.4 × 24F

Head Tube Diameter, Fork Crown Race Diameter - If headset varies just .1 mm. from actual tube inside diameter, improper fit will result, since headsets are pressed fit into tubes.

Stacking - The height of the headset, when installed and stacked on frame, will affect where the locknut will engage with the steer tube threads and just how long the steer tube will have to be.

If you are buying a replacement headset, 82

Tange-Levin

Our #1 seller restyled with name engraved on bearing covers like Campy bearing and larger oscillating angle of 43 30'. Can't distinguish from Campy at 2 feet distance. Precision ground, forged heat-treated races. 8 pieces. Micro adjusting, deep chrome plating. English thread only. S/W 12 oz Locknut inside diameter: 22.4mm Crown race diameter: 26.4mm

Head tube races diameter: 30.0mm A/W 8 oz - S/W 11 oz HS-TL

\$8.95

DURAACE Headsets with Bearings

Our best buy for quality, beauty and value. Appearance is identical to Campy. Black is available but so far Shimano has not introduced a light alloy version. Ball sizes: Road - 3/16"

Track - 5/32"

Dura Ace Road English or French Silver HS21-S

\$16.88

Dura Ace Road

English or French Black HS21-B \$17.88

Dura Ace Track English only

Silver HS22 ^{\$16.88}

For Replacement Dura Ace Bearings: order Campagnolo

we suggest that you buy an exact replacement, unless you are sure that a different headset matches your old one in the above dimensions.

2. Note that Campagnolo and DuraAce are equal to each other in head tube and fork crown race diameters, and fit the better English and Italian frames (Reynolds DB and Columbus DB). Stronglight's crown race is larger than Campy-DuraAce and fits most French, Swiss and Belgian plus Raleigh's with Stronglight original equipment. Once milled for Stronglight, a bike cannot take Campy-DuraAce, but not the vice-versa. The popular Tange-Levin is identical to Campy-DuraAce.

3. You will note that there is virtually no difference between English and Italian threads. Many mechanics achieve a forced fit of mismatched parts without ever noticing the difference. Actually, even though the diameters of the two are the same, the threads are cut at a pitch difference of 5°. The difference is considered so slight that some companies do not even make Italian.

4. Regarding the Steer Tube Inside Diameter (I.D.), English threaded headsets

O.M.A.S. Headset

Used on more and more top Italian racing bikes. Top quality in every respect. Made of superlight anodized aluminum. Ball races are forged, heat treated and precision ground. Large number of 1/8" balls of < 2 micron tolerance provide more contact points than fewer larger balls and thereby spread the load better. Large, gracefully rounded ball cups create an unusually distinctive appearance. S/W 9 oz Available in Silver and Black -Pod and Gold avail-

Ivian Oruei	. neu ant	a Gold ava
able throu	gh our st	ores only.
English	HS-01	\$25.00
Italian	HS-02	\$25.00
French	HS-03	\$25.00

Stronglight model **V4** Competition

This excellent set is popular among racers the world over, yet the price is still very reasonable. Includes 5/32 loose bearings. Available in English and French only. Made in France.

\$12.50

Stronglight model P3 Competition

Same dimensions as V4, but slightly less expensive. Includes 5/32 loose bearings. \$7.95

Replacement Headset Bearings

Set of 50 (plus spares) 5/32" ball bearings - loose. Fits most original equipment headsets. \$1.50 HS-100 S.W. 2 oz

A.W.=Actual Weight S.W.=Shipping Weight

may be supplied with either a 22.2 mm. (Engl. & Ital.) or .833" (non-531 Schwinns and some Japanese) lock nut An .833" lock nut will not accept 22.2 mm. stems such as those shown in our catalog. Most Japanese bikes have the stem diameter engraved on the lower part of the stem. The headset you order must match this measurement.

5. Most lock washers contain some sort of key or eccentric surface on the inside circumference. This area is designed to match a corresponding "female" surface on the fork steerer tube. If the headset you order does not match your steerer tube, it is acceptable practice to modify the lock washer by carefully filing it.

In Doubt? Have a good metric caliper? Let us help you.

Send with order:

1) Crown race inside diameter (of headset, not crown).

Head tube inside diameter at opening.

3) Lock nut inside diameter.

With 40 years of trend setting design and quality building, Bob Jackson of Leeds, England is one of the world's most famous names in custom cycles. Each year, importers in over 15 countries bid for an allocation of Bob Jackson's small production. Contrary to the practice of most famous builders who gear almost their entire production to one model, Bob Jackson takes great pride in being 100% flexible-ready and willing to tackle any custom design the customer desires. With 2 tandems, mixte, racing trike, 2 tracks, touring and several racing designs, Bob Jackson is one of the most versatile builders in the business. The Jackson factory is adjacent to its retail shop; certainly one of the nicest and best stocked in England. There are six master craftsmen and their own understudies working under the direct personal supervision of Mr. Jackson himself. Following traditional English procedures an entire frame is built by one artisan. Bob Jackson's painting (referred to an enamelling there) is archaic by U.S. standards but superb. Each frame is sprayed and pin striped by hand in several separate stages. It is then placed in an iron and brick oven and baked until it becomes extremely hard. When combined with the superior English paints, this method creates one of the hardest finishes we have ever seen on a bicycle. Another important point is that we rarely stock the same model/size in the same color-a maximum effort is made to create some difference through pin-striping, etc. There are many new brands on the market now. But when you compare the low prices of these bikes from Bob Jackson with those of obscure competitors, you can appreciate the value even more. Our '78 prices have not even risen enough to reflect the adverse U.S. dollar exchange rate.

Bikecology Stock Models

In order to have a selection available for immediate delivery, we stock the two largest selling models - one racing and one touring. Each is specially designed for us and is not available from any other dealer in the U.S. For the customer who desires extra features, we have added an impressive list of options to this year's catalog

DUD Jackson mut	our o catalog.	
Gran Prix-Rake 16 Prix	options	
Super Tourist	\$235.00	
Tandem-Race	\$245.00	6
Tandem—Tour	\$540.00	
Nuovo Olympiad Limited Edition	500.00	
All prices include based Edition	350.00	

include headset listed in specifications, downtube water bottle mounts with Allen bolts and hex wrench, chromed Allen seat lug bolt, rear tip adjusters, eyelet screws where applicable. **Optional Equipment** T.A. tanc

Special Mafac bridge to seat stays Criterium brake bosses (cantilever) Campagnolo shift lever bosses (left and right) Allen key seat boss with key Mafac cantilever brakes installed: w/Campy-type levers	\$197.00 11.25 ea 11.25 pr 11.25 ea 11.25
w/reg. lever	29.95
Optional Chrome Plating Fork ends, half front	19.95
Fork tips, front (dropouts only) New 531 Superlight tubing, fully silver soldered	20.00 17.00 62.50

Optional Messina style

Bob Jackson Gran Prix Rake 16 and Super Tourist may be special ordered with a "fastback" seat cluster and Cinelli-type full sloping forged, integral, fork crown.


Bob Jackson cycles

Special Nuovo Olympus Limited Edition

Last year we offered only 10 of these outstanding racing machines and they were sold out before they arrived. The design is identical to our Gran Prix model but the Olympus contains every desirable option-including Reynolds 531 super light tubingplus extra attention to filing and finish. Some of the important features are:

- · Haden cast crown and bottom bracket shell
- · Haden cut-away de luxe thin lugs and brake bridge
- · Campy Super Record dropouts and cable guides Low temperature silver soldering · New imported Italian silver metallic painting with special black lacquer Jackson decals. Last year's
- 100% chrome plating was discontinued due to cost consideration. · OMAS Superlight Black Headset

If you always wanted a Bob Jackson but with something extra special and unusual, this is the bike for you. We guarantee that only seven will be offered in the entire USA during 1978. Available for inspection in our Santa Monica store March 1978. Sizes: 21, 221/2, 23, 231/2, 24, 25



Distinctive Haden lugs are extra-thin with perfect edges.

Elegant Haden crown with contrasting black trim

Reinforcing tangs on seat tube and down tubes designed to stiffen bottom bracket. Round-oval-round stay.

Fastback Seat Cluster

Forged

Integral Crown

Bob Jackson cycles

Seat 19

Top 21

WB

Stay 161/4

381/2

20

211/2

161/4

381/2

21

211/2

161/4

23

24

221/2 23

161/2

LEEDS

BB height: 10%"

391/2 393/4

25

161/2

Rake 16 fork on Racing model. Gradual

bend and slight rake

offer very nimble,

responsive steering

Bottom bracket of

full appearance.

Rake 16 is pinstriped

and not relieved. Chain stays are non-indented

round-oval-round tubing

for extra stiffness and a

ideal for criterium

22

381/2 381/2 39

211/2 22

161/4 161/2

For 1978 we continue our two all-time best sellers, one for racing, the other for touring, from Bob Jackson of Leeds, England.

B th ir

N bit w p p

SSS

Gran Prix special features

Gran Prix - Rake 16

This is a very light, short wheelbase, stiff

design with highly responsive steering and maneuverability. It is ideally suited to the

many criteriums, time trials, and short road

races which are so popular in America. For

the serious racer who desires a famous

brand and great looks with his

performance.

- New Semi-sloping streamlined crown.
 Campy Super Record dropouts without eyelets.
- Jackson Rake-16 fork of 18/21 taper gauge 531.
- Non-indented round-oval-round stays for maximum stiffness.
- 700C wheel size. Brake hole to axle distance 360mm Rr/362 Fr. Fits 500 side pull brakes

\$235.00

Common specifications for Jacksor^{Sup}

- Reynolds 531 double-butted tubes, stays. Taper 18/21 gauge fork and butted steerer tube.
- Closed pressed steel bottom bracket shell
- TA water bottle bosses on downtube.
- · Forged dropouts and tips.
- Tange Levin headset with precisionground races.
- · Cro-Moly allen seat lug bolt.
- Shift lever bracket stopper braze-on under side of downtube.

Campy dropouts on Rake 16 frame.

> Semi Wrap-Over seat stays are 9/16" dia. in sizes 19-22 and %" dia. in sizes 23-25. Note hand pinstriping on stays and tubes.

Long point Italia style head lugs with pin striping tomatch the contrasting head tube.

Bob Jackson cycles

Both are recognized everywhere; road and track, as finely handmade thoroughbreds from England's most famous builder. Each model offers important features for its design purpose.

Seat

Top

Stay

WB

19

21

17

401/2

20

21

173%

401/2

21

22

173%

401/2

23

221/2

171/2

41

24

221/2

171/2

41

25

223/4

171/2

41

Super Tourist

Never conceived as a hybrid or general bike, the Super Tourist is designed for all touring from a day to a summer. Its long wheelbase and comfortable angles make prolonged riding as painless as it is pleasurable. The classic Jackson.


Super Tourist special features

- New precision long point crown
- Fluted/indented chainstays for maximum clearance for triple crank and large tires
 72/72 degree angles
- 531 18/21 taper gauge fork with 2¹/₄" rake and extra rack eyelets
- 27" wheel clearance. Side pull brake clearance with fenders. Brake hole to axle distance: 368mm Rr/370mm Fr

\$245.00

Super Tourist and Gran Prix

- Steer tube: 22.2 I.D. English thread. Bottom bracket: 68mm English. Seat tube: I.D. 27.2mm, O.D. 28.6mm.
- Paint & Finish: Primer and clear coat plus one or two color coats, depending on whether metallic, flambouyant or enamel. Pin-striping around lugs, crown, etc.
- Italian style tapered long-point lugs.
 Closed bottom bracket.
- Semi wrap-over seat stays of sizecoordinated diameter.
 19"-22": 9/16", 23"-26": %".
- Sizes: 19, 20, 21, 22, 23, 24, 25, 26



Double eyelets. 2" fork rake. New Tourist Crown

87

Bob Jackson cycles

Bob Jackson Tandems

Important note—Tandems

In 1977 tandem touring reached a new high in popularity. Many people sadly discovered that they could not just run down to their local shop and buy one on impulse. There are only about four top-quality tour tandem builders in existence and this catalog contains two of them. If you desire to own a handmade tandem, we urge you to book your order with us at once as our allotments are limited.

Construction-both models

- **Reynolds 531** double butted standard tubing throughout. 531 plain gauge twin laterals.
- · Campy adjustable dropouts.
- Long taper Italian style lugs standard, Haden optional
- Racing crown: forged, full sloping type
 Touring crown: box type.
- Elliptical front, plain rear BB shell. Accepts any crankset.
 Seat tubes supplied with aluminum
- Seat tubes supplied with aluminum 27.2mm posts.
- Steerer tube I.D. 22.2mm Engl threaded.
- Dura Ace silver headset fitted standard.
- Braking system: All Bob Jackson tandems are fitted with Mafac cantilever bosses —the brake unit is an extra option unless specified otherwise.

We strongly recommend the purchase of Shimano's new, improved E type disc brake and we have accordingly increased the rear axle spacing to 125mm to accommodate it. Any size you desire can be specially ordered. Preferred braking system: (minimum)

- 2 cantilever rim brakes
- 1 disc hub brake.

EEDS

Touring Model With the addition of an extra set of twin laterals this year, this is one of the stiffest and strongest touring tandems on the market. Bottom tube

is oval. Mud guard and 27-inch clincher clearance is standard.

Prices, basic equipped

Short base Racing tandem

Tourist tandem

Standard Equipment included: Includes Mafac cantilever bosses (not complete brake) Dura Ace Headset 2 alloy seat post, 1 rear stem Front bottle mounts, seat binder bolt, tip adjusters

\$540

\$500

Popular Tandem Options

Mafac cantilever brakes with gum	
hooded levers. One lever has 2	
cable pulls	\$29.95
Same, with normal levers	\$19.95
TA 5 pin professional tandem dou	ible
crankset, 170mm, 28T left, your	
choice rings	\$197.00
Same as above, but triple	\$215.00
Rear bottle cage mounts	\$7.50
No chrome For other options see	D 85

Inventory, Ordering

Racing model. Front BB shell (both models) adjusts externally to permit tightening of left chain. Bottom tube of both models is oval. Front set of twin laterals provides necessary

We try to maintain a store stock but tandems usually sell the minute they go on display. A six month wait is required for new orders. But stock frames arrive all year long so by calling to check on upcoming arrivals you may be able to secure one much sooner. Only Man/Man is available and unless the halves are the same size, e.g. 23"/23", the rear must be at least 1½" smaller than the front. Example: Fr. 24" Rr. 22%"



	-				14	nuem	opecs				
its an	Size	Front TT	Rear TT	Chain Stay	BB to BB	Head Tube OA	Fork Rake	Wheel Base	Wt	Angle Angle	Seat Angle Fr/Rr
Race	23/23	221/4	221/2	15%	22%	6"	1%	61%		73°	73°/72°
	21/21	22	21%	15¾	21%	5"	1%	59½	12 lb 11 oz	73°	73°/72°
	24/22	22%	21½	15%	22	7"	1½	60¾	12 lb 11 oz	73°	73°/72°
	23/21	221/2	21¾	15%	21½	6"	1%	60%	12 lb 11 oz	73°	73°/74°
ur	23/21	22%	21%	17%	22	6"	2"	621/2	12 lb 11 oz	71°	72%°/72°
P	23/19	221/2	21½	17¼	21¾	6"	2"	62½	12 lb	71°	72½°

In ALL cases, Front & Rear top tubes were parallel at 180°

Racing Model

Features curved rear seat wheelbase and increase

tube to shorten stiffness. The bottom tube is oval.

X

Note Rake 16 fork bend, double twin laterals, and acing curved seat tube. r M

Massive %" Ø seat stavs

for strength

Mafac

brake

pictured.

Forged, integral crown for maximum strength and rigidity.

stiffness for racing.

Also works fine with chain rings

on front half. Both laterals flare

out near hub to permit plenty of chain and disc brake clearance.

Bob Jackson Colors

These beautiful finishes are the Bob Jackson "trademark" and are available on all of our models. Due to the large number of colors and even larger quantity of combinations, it is impossible to stock everything at any one time. We intentionally order color and decal combinations, with a few exceptions, in a way that makes it very unlikely for there ever to be two identical looking, same size/model bikes. When ordering your Bob Jackson frame, refer to the standard stock colors in each section. Please be sure to list a second preference. We will immediately notify you of every color then or soon available in your size/model choice. The combinations shown here are not manditory but are merely offered as possible suggestions for attractive styles. Any colors may be ordered "solid" or in combination with any other color on this page. Some variation between actual paint and the printer's ink on this page should be expected.

FLAMBOUYANT OR CANDY APPLE

The primered frame is painted with a highly reflective silver or gold depending on the final color. Several coats of flambouyant lacquer are applied over the under base color resulting in a very deep and translucent appearance. This procedure is sometimes referred to as "candy apple".

POLYCHROMATIC or METALLIC

The finish coat is also deep clear gloss but the silver is seen as tiny iridescent specs in the color. This is very popular on new cars and motorcycles.

GLOSS ENAMEL

These are basic or solid colors without any silver element. One advantage is easier matching when repainting damaged parts.



Bob Jackson colors are limited to those shown here.

10 00

95

95

00

50

ait ck

be

4''

iys gth

Mercian cycles

Flambouyants

*Ruby (Vincitore standard)

*Caribbean blue

*Emerald green

"Red

*Purple

Mercian is a small family-owned manufacturer of custom cycles in the village of Derby in the English midlands. It is very well known for design originality, excellent craftsmanship and beautiful enamelling. In fact, cycle shops all over England send bikes to Mercian for reworking and painting. For these reasons, we were quite pleased to receive an appointment as California's exclusive store and America's exclusive catalog representative. This is another example of how we try to supply our customers with quality brands of international repute.

For 1978 Mercian has created a completely new tandem design which we feel is the most advanced concept in the industry (see page 92). The Vincitore Tour is a limited production exotic machine for the

sophisticated rider who desires art with his transportation. The King of Mercia Tour is identical to the Vincitore except for a lower price due to the simpler lugs and other details. Either can be specially ordered in a road racing version.

All Mercians exhibit the highest level of meticulous artisanship available in the world today. We feel that a Mercian is as much a collector's piece as a bicycle.



'Champagne

Smoke blue

*Gunmetal gray

*Purple

'Silver

*White

Yellow

Purple

*Fire engine red

Dark blue

Cherry

Canary

Orange

Chocolate

Roval blue

British racing green

Magenta *Dark blue (Vincitore standard) Gold Light brown Coffee Bronze Maroon Turquoise Golden Bronze Magenta Notes 1) Since it is impossible to stock every size Rust in every color, you should specify multiple Gold color choices when you order a stock frame. 2) The Vincitore may be ordered in any of the above. REYNOLDS TUBE CO. LTD. Smoke blue Magenta Purple Golden Caribbean Coffee Champagne Silver Bronze Bronze blue Gold Gunmetal Purple Dark blue Ruby Emerald (Vincitore (Vincitore Rust Red areen Gold standard) standard) Turquoise British racing Sky Blue areen Chocolate Canary Light Magenta Purple Cherry Maroon brown Dark blue Fire engine Royal blue Yellow Orange Black White red

Materials

- Reynolds 531 double butted throughout
- 18/21 taper gauge forks with Mercian bending
- Vincitore Mercian custom lugs, bottom bracket and crown
- · King of Mercia Prugnat lugs
- · Campagnolo Record or Shimano SF dropouts with eyelets

Fittings of Vincitore and

King of Mercia · Campy bottom bracket cable guides and

- chainstay housing stop
- · Eyelet screws · Water bottle cage screws
- · Chromolly Allen seat lug bolt with
- wrench
- Tange Levin headset

Specifications of Vincitore and King of Mercia

Axle space: Br 120mm Fr 100mm Seat tube ID: 27.2mm Steerer Tube ID: 22.2mm Bottom Bracket: 68mm, English Brake hole to axle distance: Front: 368mm Rear: 370mm. Made for 27" wheel and mudguards with 500 side pull brake Headset milling: 26.4mm Stock sizes: 19, 20, 21, 22, 23, 24, 25. Others available on special order.

Stock Colors Vincitore:

Ruby flambouyant with gold metallic seat and head panels, ivory pin-striping. Candy apple royal blue flambouyant with silver metallic seat and head panels, white pin-striping

King of Mercia:

See stock color list, and color photos for additional colors by special order.

Custom Orders

Any color and/or specification change you desire may be ordered provided that: 1) You agree to wait up to 6 months and 2) A non-refundable down payment of 50%3 accompanies order.

You may inspect over 50 standard Mercian colors in our Santa Monica store.

Prices Vincitore	\$325.00
King of Mercia	\$275.00 \$270.00
Mixte Tandem	\$695.00
Tanacin	

Optional Equipment

Campy shift lever bosses on downtube	\$13.5
Mafac Criterium cantilever brake bosses (4)	\$20.0
For Vincitore, King and mixte Rear centerpull brake bridge on seat stays.	\$8.0
Chrome is not offered.	
531 special lightweight tubing	\$75.0
Continental section fork blades w/special semi sloping crown	\$22.0
Top tube cable housing guides (3)	\$8.0



The Vincitore Tour For the small band of traditionalists who

reject the Italian-style look so popular today, we present the 100% old English style Vincitore. Only a small quantity is made each year and the actual frame is far more beautiful than our catalog can depict. But the Vincitore is not strictly an art object; it rides as well as it looks. All 3 lugs and the BB shell begin as plain blanks without the slightest ornamentation. The incredibly beautiful, elegant patterns in the photos are actually cut and filed by hand, individually. Two entire normal frames can be made just in the time required to create these lugs. Artistry like this is more a product of a bygone era than of today's stereotyped world. Another special feature of our Vincitore is the exclusive color combinations which will give it instantaneous recognition. The "candy apple" burgundy has a gold metallic head tube and seat tube panel. The royal blue, also a "candy apple" finish, has contrasting panels of silver metallic. Both colors feature clean, precise lug outlining in white. It's truly one of the most distinctive bikes we have ever sold.

King of Mercia

The King is Mercian's biggest seller in England because it offers Vincitore features like the wrap-over stays, fancy crown, and fine workmanship at a more competitive price. The tubing is Reynolds 531 Double Butted throughout with Campy or Shimano dropouts. The King is ideal for riders who want a bike which is technically flawless and very beautiful without being overly fancy and therefore costly.

Vincitore and King of Mercia Tour

Seat Tube	191/2	20	21	22	23	24	25
Top Tube CC	19¾	20½	21%	22	22%	22¾	231/2
Seat Angle	74°	73°	72°	72.5°	72.5°	72.5°	72.5°
Head Angle	71°	72°	71°	72°	72°	72°	72.5°
Wheel Base	38½	39½	40	40%	401/2	40½	40¾
Chain Stay CC	17	17	17	17	17	17	17
Head Tube OA	31/4	3¾	4	4%	5¾	6¾	7¾
BB (mm)	68	68	68	68	68	68	68
Fork Rake	13/4	134	13%	1%	13/4	1¾	134

.50

.00

.00

6.00

0.00

8.00









Mercian cycles

Ms. Mercian

Now beautiful Mercian workmanship is available in a mixte design with Reynolds 531 double butted tubes that weighs only 6 lbs 8 oz. with headset.

With a wheelbase of only $39^{1/6"}$ this tourist offers excellent response. The 2" fork rake makes turning nimble yet forgiving. Finish is typical Mercian perfection.

Specifications Seat tube: 19"



Wheelbase: 39%" Rake: 2" 18/21 gauge taper Chain stays: 17%" Round-oval-round Bottom Bracket: 68mm English Brake: 368mm Front; 370mm Rear For 500 side pull, 27" mudguards Crown race: 27.0mm Head tube I.D.: 30.0mm Steer tube: 22.2mm English Seat tube: 27.2mm 531 Double butted throughout Weight: 6 lb 8 oz

Fittings

- Campy Road dropouts with screws, eyelets
- · Campy BB cable tunnels
- One pump peg on seat tube
- · Water bottle bosses with screws
- Chromolly Allen seat lug bolt
- Cable housing guides top left lateral for side pull brake. Brake hole on middle stays.
- Cable housing stop-Chain stay
- · Clip stopper boss underside of downtube
- Tange Levin headset installed

Stock colors and sizes

19. 20. 21

\$270.00

Colors: Champagne, Lavender, Burgundy, Royal blue.



Mercian's own custom seat lug and matching reinforcement on joins at twin laterals and seat tube. Brake mounts on middle stays. A top pump peg on seat tube permits use of Silca or Zefal. Actual production model has bottle bosses on downtube and pump on seat tube.

Very clean attachment of laterais to head tube, and tight head lugs on this 19".

Mercian cycles The Bikecology Tourist Tandem

After two years of planning and testing, we offer you the finest tandem frame ever produced. Nothing else in the world can compare with this machine's handling, workmanship, and beauty-at any price. The design is extremely responsive yet comfortable, making it suitable for racing as well as touring. The entire frame is made by Mercian's top builder, a man with over twenty years of experience. All of the specifications are exclusive to the Bikecology version but can be changed to a customer's requirements provided that sufficient time and deposit are allowed. The bike pictured was a prototype with a few very minor differences from the final version. Therefore, the written descriptions control over the pictures.

Reynolds 531 tubing

- · Plain gauge head tube 11/4" O.D./30.0mm ID
- Double-butted downtube 1¼" O.D
- Double-butted diagonal tube 1%" O.D.
- · Single-butted seat tube 11/4" O.D.
- Taper gauge %" O.D. seat stays and 9/16" laterals.
- Taper gauge chain stays; tip end 13.2mm BB 19.6 × 24.6
- Oval tandem tube
- · Special large-section Tandem taper gauge fork blades; tip end, 15mm; crown end, 19.7 × 28mm. Forged Cinelli crown.

Major fittings brazed

- · Mafac Criterium cantilever bosses and seat stay bridge
- Top tube cable housing guides, front and rear
- Bottle cage bosses, front & rear
- · Integral seat lug Allen bolts
- · Elliptical front bottom-bracket shell
- Pump pegs
- · Rear caliper brake hole in stay bridge
- · Double cable tunnels on front & rear
- bottom brackets · Downtube (fr.) double housing stops for Barcon levers

Important specifications

Crown race: 26.4mm BSA thread BB width: 68mm, BSA Axle space: Front 100mm, rear 125mm, clearance for Shimano or Phil Wood disc brakes Wneei size: 27", mudguard clearance Caliper brake size: 730 Pump length: 18" Seat tube I.D.: 27.3mm Crankset capabilities: Triple OK-chainrings on rear-primary chain either side. **Freewheel Capability:** With disc brake: normal 5-speed or Sun Tour Ultra 6. W/O disc brake: any 5 or 6-speed. 15 or 18-speed use: recommend thin chain such as Ultra-6 or Regina Record. Rear

stem and 2 aluminum seat posts included

Completely original invisible lug

Integral seat lug bolt threads into frame.

Rear cable guide is at 10 o'clock for smoother cable line. Pump peg relocated on oval

Tandem specifications

Seat tubes: 23/21 Top tubes: 21%" 22%" BB to BB Center: 221/2" Angles: Head 73° Seats 71° Chain stays: 17" Head tube: 61/4" Fork rake: 2%" Weight: 13 lb 2 oz BB height: 10%" Length overall: 893/4" Wheelbase: 63' Rear brake to axle distance: 368mm Rear axle space: 125mm Front axle space: 100mm

Frame: \$695.00





\$1395 Package Deal

Frame and fork with all braze-ons and fittings.

Wheels: Phil Wood 40H tandem front & rear. QR front double-threaded in rear. TD 14g spokes 4X. Super Champion 27" 40H clincher rim. 28C-630 90 psi skinwall tires. Brakes: Shimano E disc. Mafac cantilever front & rear. All front rider controlled. Crank: TA Professional triple crossover.

Any arms, rings. Freewheel: Sun Tour Ultra 6-any size. Derailleurs: Sun Tour Cyclone GT. Shifter: Sun Tour handlebar end control. Chain: Sun Tour Ultra 6. Pedal: Sun Tour VX, straps & clips Seat: Selle Milano Anatomic Touring, lady or man, or Ideale 90 steel. Post: Aluminum. Stem: SR New Royal. Bar: SR choice of Maes or Randonneur. Tape, plugs to match.

Bottle (2): Bikecology-AL-E with cages. Pump: Silca to fit frame.

\$2000 Package Deal

- Campy rear caliper brake with lever on rear handlebar (total 4 brakes)
- Phil Wood disc brake rear
- Choice of any derailleur & levers by Campy, Shim, Sun Tour, Huret
- Campy seat posts
 Cinelli Record stem and handlebars
- Campy Record Superleggero pedals (4)
- TA aluminum bottle cages
- Mafac Professional brake levers-front Campy Super Record headset with special Jasik bearings and races

Extra stiffness comes from 11/8" Øtop tube Brake hanger can be used with calipers or cantilevers Bridge hole accepts reverse mounted caliper if desired.

Shimano SF dropouts for extra strength and 34T capacity. 9/16"0 diagonals flare out for chain and disc brake clearance. 5/e" Ø seat stays. Special orders may specify bracket for Phil or Shimano disc

looking diagonals belie incredible stiffness and strength. Massive chain stays with sound-oval-round shape (see specifications) Seat tube lug is another Mercian original. MERCIAN

Graceful-

Front elliptical bottom bracket joined to oversized downtube with immaculate lugless weld. Production version has double cable tunnels on both BB's, no stops on oval tube.

Massive tandem fork blades and Cinelli forged crown for maximum stiffness. Diagonal welded to head. Head and down tubes both 11/4"0.0 for 33% greater rigidity than standard design. Invisible lugs on top and downtubes. Cable housing stops on downtub intended for Barcons.

n

