

National Cycle Archive



# This document is brought to you by courtesy of the National Cycle Archive

### in partnership with the Veteran-Cycle Club Online Library

## Please acknowledge this source if you refer to this material.

Find out more about the National Cycle Archive at:

http://nationalcyclearchive.org/Index.html





National Cycle Archive

#### HSS. 328/NE/ C/1/1

1 0

1 6

2 6 3 0

THE CANTILEVER CYCLE Co.


#### ORDER FORM.

| LEG MEASUREMENT (fron ork to ground at heel   | High-class throughout, extremely strong<br>and rigid, and recommended with confidence.  |  |  |  |  |
|---|---|--|--|--|--|
| when standing upright)  |   |  |  |  |  |
| SIZE. Suitable for an inside leg measurement, fork to Ground  | TA.   |  |  |  |  |
| fitted with 7 inch crank as under -   |   |  |  |  |  |
| Nos. <u>1</u> <u>2</u> <u>3</u> <u>4</u> , <u>5</u> . <u>6</u> . <u>7</u> . <u>8</u> .  |   |  |  |  |  |
| Inches $27\frac{1}{2}$ $29\frac{1}{2}$ $31$ $32\frac{1}{4}$ , $33\frac{1}{2}$ , $34\frac{1}{2}$ $35\frac{1}{2}$ $37\frac{1}{2}$   |   |  |  |  |  |
| FINISH. (Black or Green)  |   |  |  |  |  |
| SIZE FRAME  | SPECIFICATION AND PRICE.  |  |  |  |  |
| SIZE FRAME  | Frame. Of finest quality weidless steel tubing.   |  |  |  |  |
| WHEELS OT   | Finish. Enamelled green, black or chocolate, with usual parts plated.<br>Stres, Nos   |  |  |  |  |
| TYRES   | Wheels Front and Back 24 26 1 23   Tyres Dunlop or Palmer 1 <th1< th=""> 1 <th1< th=""> 1</th1<></th1<> |  |  |  |  |
|   | <b>Cranks.</b> . , , . $6\frac{1}{2}$ 7 7   |  |  |  |  |
| CRANKS  | Rims. Ster. Gear. 3-Speed, Pedals Rubber.<br>Brakes. Hand applied, front and rear rims.   |  |  |  |  |
| GEAB  | Chain. Hans Renold, 1/1 Pitch x 1/1   |  |  |  |  |
|   | ROADSTER MODEL - £12 12 0   |  |  |  |  |
| PEDALS  | Dursley PARTS & ACCESSORIES.  |  |  |  |  |
|   | s. d  |  |  |  |  |
| REMARKS :   | Woven Hammock Saddle 10 6 Tool Bag - 4<br>Re-stringing Saddle 8 0 Pedals, divided Rubber 5  |  |  |  |  |
|   | Set of 7 Springs for ditto 4.6 Adjusting Bolt and Nut   |  |  |  |  |
|   | Strap for Saddle 2 6 for Saddle 1<br>Leather Saddle Cover 2 6 Tension Rod and Nipple 1  |  |  |  |  |
| to purchase the second of the second s | Curved Bolt and Nut for Front Mudguard and Stays  |  |  |  |  |
|   | Saddle - 9 Enamelled 2<br>Saddle Pillar 5 0 Back, ditto - 3   |  |  |  |  |
|   |   |  |  |  |  |

17, Hercules Road, Holloway, N. 7.

#### THE CANTILEVER CYCLE CO.

# • \* • \* • \* High-class throughout, extremely strong and rigid, and recommended with confidence.



ORIGINAL MODEL

#### SPECIFICATION AND PRICE.

Frame. Of finest quality weldless steel tubing. Finish. Enamelled green, black or chocolate, with usual parts plated. Sizes. Nos. . . . 22 23 24 25 Wheels Front and Back 24 26 28 Tyres Dunlop or Palmer . 11 11 11 Cranks. . . . . 61 7 7 Rims. Steel. Gear. 3-Speed. Pedals Rubber. Brakes. Hand applied, front and rear rims. Chain. Hans Renold, 11 Pitch x 11

#### ORIGINAL MODEL - £12 12 0



We have much pleasure in introducing The HAMMOCK SADDLE with its patent Girder frame work, which now allows it to be fitted to ordinary Ladies and Gents cycles. Praised by medical men, to entirely prevent perineal pressure. Its net work construction affords perfect ventilation and keeps soft and comfortable; all tendancy to saddle soreness being eliminated, thus allowing a greater distance to be covered on this saddle than any other. 17, Hercules Road, Holloway, N.7

\* • \* • \*

High-class throughout, extremely strong and rigid, and recommended with confidence.



#### SPECIFICATION AND PRICE.

| Frame.                                     | Of finest | quality we  | Idless | steel tul | bing.     |            |              |
|--|-----------|-------------|--------|-----------|-----------|------------|--------------|
| Finish.                                    | Enamelle  | d green, bl | ack or | chocol    | ate, with | h usual pa | arts plated. |
| Sizes,                                     | Nos.      |             |        | 22        | 23        | 24 25      |              |
| Wheels                                     | Front and | d Back      |        | 24        | 26        | 28         |              |
| Tyres                                      | Dunlop o  | r Palmer    |        | 11        | 11        | 11         |              |
| Cranks.                                    |           | , ,         |        | 61        | 7         | 7          |              |
| Rims. S                                    | Steel.    | Gear.       | 3-S    | peed,     | P         | edals      | Rubber.      |
| Brakes. Hand applied, front and rear rims. |           |             |        |           |           |            |              |
| Chain. Hans Renold, 1/1 Pitch x 1/1        |           |             |        |           |           |            |              |
| Oil Bath                                   | and G     | ear Cas     | e.     |           |           |            |              |

#### DIAMOND STANDARD - £10 10 0

#### Conditions of Guarantee.

If a defective part should be found in any of our machines it must be sent to us by passenger train, carriage paid, and accompanied by an intimation from the sender that he desires to have it repaired free of charge under our guarantee, and he must also furnish us at the same time with the number of the machine, the name of the agent from whom he purchased, and the date of the purchase.

Failing compliance with the above no notice will be taken of anything which may arrive but such articles will lie here at the risk of senders.

We guarantee only those machines which are bought either direct from us or from one of duly authorised agents, and under no other conditions.

We have arranged to give the same guarantee to our customers for tyres, saddles, chains, gear cases, lamps, bells, and any parts of the cycle not made by ourselves, as is given to us by the respective makers of these articles,

PRICE - £1 - 2 - 6