

National Cycle Archive



# This document is brought to you by courtesy of the National Cycle Archive

# in partnership with the Veteran-Cycle Club Online Library

# Please acknowledge this source if you refer to this material.

Find out more about the National Cycle Archive at:

http://nationalcyclearchive.org/Index.html





**National Cycle Archive** 



# **PROOF OF "DAYTON" SUPREMACY**

Excerpts from unsolicited letters lying at our office

### AT HOME.

" I feel it is my duty to acknowledge the splendid performance of the Super Club machine I purchased last year.

Frankly, when I took delivery of the machine I was not at all certain how it would compare with the more expensive individually produced machines.

However, these doubts were quickly dispelled when I took a triple award in the Club's open "50," my first and fastest time at this distance.

This was my first year of cycle racing and am therefore very proud of the following :--

Distance				Time.
25 miles		 	 	1- 5-49
30 "		 	 	1-21-52
50 "		 	 	2-15-40
100 "	5	 	 	5- 1-45"

### ABROAD.

"About six weeks ago, the rental Agency asked me to try a new bicycle just received from England. This turned out to be one of your manufacture, the Dayton. Upon returning to the Agency, I was so enthused over the performance of the Dayton Bicycle that I immediately asked to have it reserved for me the following weekend. On each successive ride, the Dayton has appealed to me more and more. Its effortless pedalling on the straightaway and its wonderful flexibility and ease of handling in traffic, has instilled in me the desire to own a Dayton."

### GUARANTEE

### THE ALL TIME GUARANTEE

This guarantee means that should a defect show itself in one of our Bicycles at any time, we replace the defective part gratis.

### CONDITIONS OF GUARANTEE

With all Bicycles and component parts sold by us, we give a special guarantee instead of the guarantee implied by Statute or otherwise, as to performance, quality or fitness for the purpose of cycling, of goods supplied by us, any implied guarantee in all cases excluded. In the case of Bicycles which have been used for hiring out purposes, or in respect of which our manufacturing number has been removed, no guarantee of any kind is given or is to be implied.

No statement, either verbal or written, by any person whatsoever, shall be construed as enlarging or varying the terms of this guarantee.

Should any defect be alleged in workmanship or material, we agree, on the return of the alleged defective part to our Works, carriage paid, that, should any defect be found on inspection to be solely due to defective workmanship or material, we will replace or repair such part, free of charge, but this does not include the cost of fitting such part, and we take no responsibility for any contingent or resulting liability or loss through any defects. This guarantee shall not apply to defects caused by wear and tear, crystallisation, misuse, neglect or accident ; nor to any enamelling or plating, nor to any parts of a Bicycle which are not manufactured by us, and all conditions, warranties and liabilities whatsoever, implied, either by common law, statute or otherwise, relating to such parts, are hereby excluded, but we will assist the purchaser by any guarantee given to any person by the manufacturer of such parts as shall not have been made by us.

We do not appoint agents for the sale of our bicycles or other goods. We assign to Bicycle Dealers who carry on business on their own account areas in which they have the right to sell goods purchased from us. A Dealer purchasing from us may, on our behalf (as our agent for this purpose only), give the guarantee printed above.

Any such Dealer is not authorised to advertise, incur any debts, or transact any business whatsoever on our account; nor is he authorised, so as to bind us, to give any warranty or make any representation on our behalf save as aforesaid.

We guarantee only those machines which are bought either direct from us or from a dealer and under no other conditions. If a defective part should be found in our bicycles it must be sent to us carriage paid, and accompanied by an intimation from the sender that he desires to have it repaired free of charge under our guarantee and he must also furnish us at the same time with the number of the machine, the name of the Dealer from whom he purchased and the date of purchase.


Failing compliance with the above, no notice will be taken of anything which may arrive, but such articles will lie here at the risk of the sender, and this guarantee, and any implied guarantee, warranty or condition shall not be enforceable.

# LIGHTWEIGHT TOURIST AND ROADSTER



Frame	Modern design. Sizes 21", 22", 23". Tubing of high- grade British steel, brazed-up tapered seat and chain stays, brazed-on pump pegs. Low ground clearance, cut-away and fishtailed head lugs.
Forks	Steel crown, reinforced steering column, tapered fork blades, with brazed-on mudguard eyes.
Tyres	Dunlop Sports, $26'' \times 1\frac{3}{8}''$ .
Wheels	Narrow barrel front hub. Dunlop rims, chromium plated.
Gear	Sturmey Archer 3-speed in detachable oil bath gearcase.
Bars	North Road raised skeleton, chromium finish.
Chain	Coventry.
Brakes	Front and rear Monitor "Climax" cable calliper, chromium finish.
Saddle	Wright's or Dayton spring seat.
Pedals	Full rubber.
Guards	Lightweight metal streamline spearpoint front.
Finish	The frame is treated with the patent Bonderite process and beautifully enamelled in black, producing a lustrous lasting finish and artistically lined.
Equip-	Bluemel's pump, tourist bag, tools and Fairvlite

**Equip-** Bluemel's pump, tourist bag, tools and Fairylite **ment** prismatic reflector.



With expanding Hub Brakes, 13/6 extra



- Guards Lightweight metal, spearpoint streamline front.
- **Finish** The frame is treated with the patent Bonderite rustproof process and beautifully enamelled in black, producing a lustrous and lasting finish, and artistically lined.
- **Equip-** Bluemel's pump, tourist bag, tools and prismatic **ment** Fairylite reflector.


GENTS' MODEL ST. LADIES' MODEL STL. **£659 £659** 

Lucas 6-volt Dynamo Lighting set fitted as equipment 18/6 extra.

# SPEED TOURIST

### DESIGNED FOR SAFE RIDING IN MODERN TRAFFIC CONDITIONS

Frame	Modern design. Sizes 21", 22", 23". Tubing of high-grade British steel, brazed-up tapered seat and chain stays, brazed-on pump pegs. Low ground clearance. Cut- away and fishtailed head lugs.
Forks	Laminated steel crown, reinforced steering column, tapered fork blades with brazed-on mudguard eyes.
Tyres	Dunlop Sports, $26'' \times 1\frac{3}{8}''$ .
Gear	Sturmey Archer 3-speed in detachable oil bath.
Wheels	Narrow barrel front hub, Dunlop rims, chromium plated centred and lined.
Bars	North Road raised, chromium plated with forged levers.
Brakes	Front and rear roller lever, pin fulcrum.
Chain	Coventry.
Saddle	Wright's or Dayton spring seat.





# SPEED ROADSTER

### DESIGNED FOR SAFE RIDING IN MODERN TRAFFIC CONDITIONS.

- **Frame** Modern design. Sizes 21", 22", 23". Tubing of high-grade British steel, brazed-up tapered seat and chain stays, low ground clearance, cut-away head lugs, brazed-on pump pegs.
- **Forks** Steel crown, reinforced steering column, tapered fork blades with brazed-on mudguard eyes.
- **Tyres** Dunlop Sports,  $26'' \times 1\frac{3}{8}''$ .
- **Wheels** Narrow barrel front hub, Dunlop rims, chromium plated, centre and lined.
- Gear Villiers freewheel 18T.
- **Bars** North Road raised, chromium plated, with forged levers.
- Brakes Front and rear roller lever, pin fulcrum.
- Saddle Wright's or Dayton spring seat.
- Pedals Full rubber.
- Chain Coventry.





Guards Light metal streamline spearpo
---------------------------------------

- **Finish** The frame is treated with the patent Bonderite rustproof process and beautifully enamelled in black, and artistically lined.
- **Equip-** Bluemel's pump, tourist bag, tools, and prismatic **ment** Fairylite reflector.

GENTS' MODEL SR.

### LADIES' MODEL SRL.

# £4126 £4146

Sturmey Archer 3-speed Gear 21/- extra.



### GENTS' MODEL B2.

### LADIES' MODEL BL.

(Two brakes, freewheel and cog, Bluemel's Featherweight guards).

£4 19 6 £4 19 6

Gents' model B. rear brake only and two fixed cogs, £4/13/6.

GENTS' MODEL BM2. LADIES' MODEL BML. (NOT ILLUSTRATED)

(Two brakes, freewheel and cog, white metal guards).

£4 15 6 £4 15 6

Gents' Model BM. Rear brake only and two fixed cogs, £4/10/0.

# **BAT SPORTS**

Frame	Size 21". Tubing of high grade British steel, cut-away and fishtailed head lugs, tapered chain stays, quick release fork ends.
Forks	Laminated steel crown, reinforced steering column, tapered fork blades, with brazed-on mudguard eyes.
Wheels	Lightweight double cog hubs with chrome steel cones. Dunlop rims, chromium plated.
Tyres	Palmer black sports. $26'' \times 14''$ .
Handle- bars	Lauterwasser type, black finish with adjustable chromium stem, Shockstop grips. Ladies' model fitted with Comfort dropped handlebars.
Brakes	Monitor Side pull Calliper, chromium finish.
Saddle	Leather Race.
Pedals	Adjustable Racing rat-trap. Ladies' model rubber.
Chain	Coventry.
Guards	Bluemel's Featherweight ivory celluloid.
Finish	The frame is treated with the patent Bonderite process, and beautifully enamelled in black, producing a lustrous lasting finish.
Equip-	Kit bag, Bluemel's pump, tools and prismatic Fairvlite

**Equip-** Kit bag, Bluemel's pump, tools and prismatic Fairylite **ment** reflector.





- **Finish** The frame is treated with the patent Bonderite process and beautifully enamelled in black, producing a lustrous lasting finish.
- **Equip-** Large kit bag, Bluemel's pump, tools and prismatic **ment** Fairylite reflector.

GENTS'	MOI	DEL	KM2.	LADIES'	MC	DEL	KML.
		(Two	brakes,	freewheel and co	og)		
		-			0.0		•

# £5 14 6

£5 14 6

GENTS' MODEL KM. Rear brake only and two fixed cogs £5 8 6

### GEARS EXTRA

Sturmey Archer A.M. Medium ratio, 3-speed	Gear	21/-
Cyclo Derailleur 3-speed Gear		21/-
Trivelox B. 3-speed Gear		25/-
Simplex "Champion of the World" 3-speed	Gear	30/-

# MARTIN SPORTS

### THE FREE-RUNNING SPORTS MODEL

- **Frame** Semi-upright. Size 21". Tubing of high-grade British steel, brazed-up tapered chain and seat stays, quick release fork ends, cut-away and fishtailed head lugs, brazed-on pump pegs.
- **Forks** Russ Type, all chromium finish, solid fork ends, brazedon guard eyes, and Chater-Lea lamp bracket, reinforced steering column.
- **Wheels** Lightweight narrow barrel hubs with chrome steel cones, double cog fitting. Chromium plated Dunlop rims.
- Pedals Racing rat-trap; Lady's model, full rubber.
- **Tyres** Dunlop Sprite or John Bull Firefly,  $26'' \times 1\frac{1}{4}''$ .
- **Handle-** Lauterwasser type or Shallow Highgate, chromium **bars** finish, adjustable chromium stem with Shockstop Pneumatic grips; Lady's model fitted with Comfort dropped handlebars.
- Brakes Monitor side-pull Calfiper, all chromium finish.
- Saddle Mansfield Leather Race.
- **Guards** Bluemel's Featherweight ivory celluloid, spearpoint front.





# HAWK SPORTS

THIS MODEL IS FITTED WITH A CHOICE OF CYCLO, TRIVELOX B, OR SIMPLEX 3-SPEED GEAR.

# **531 SNIPI**

The Snipe Upright angle machine is built of " as sp

**Frame:** 20", 21", 22". Reynold's "531" Cut-away and fishtailed lugs,  $10\frac{1}{2}$ " ground cleara ends. Brazed-on guard eyes and Chater-Lea p Dayton, all chromium finish, reinforced steeri and guard eyes. **Chain wheel:** Williams' weight ivory celluloid with moulded prismatic Bailey or Lauterwasser, chromium finish with 2 grips. **Wheels:** Bayliss Wiley lightweight lightweight rims, chromium plated. Black do  $26" \times 1\frac{1}{4}$ ". **Brakes:** Resilion "A" Cantile Vittesse racing, chromium finish. **Chain:** Chain: The frame is treated with the patent Bonderit producing a lustrous and lasting finish. **Equ** bag, tools and prismatic reflector.

GENTS MODEL



Weight approxi-

mately (less ac-

cessories), 25 lbs.

Wheelbase 414"

nominal. Angles

seat.

head and

**Frame** Semi-upright size 21". Tubing of high-grade British steel, brazed-up, tapered chain and seat stays, quick release fork ends, cut-away and fishtailed head lugs, brazed-on pump pegs.

**Forks** Russ type, all chromium finish, Chater - Lea adjustable lamp bracket, solid fork ends with brazed-on guard eyes.

Wheels Narrow barrel lightweight hubs with chrome steel cones.

**Tyres** Dunlop Sports or J.B. Firefly,  $26'' \times 1\frac{1}{4}''$ .

**Handle-** Lauterwasser, Shallow Highgate or Bailey, all-chrome finish, adjustable chromium **bars** stem, Shockstop pneumatic grips. Ladies' model, Comfort dropped bend.

- Brakes Monitor front and rear "Climax" Calliper, chromium finish.
- Gear Cyclo, Trivelox B, and Simplex 3-speed gear.
- Saddle Mansfield Leather Race.
- Pedals Racing rat-trap. Ladies' model, rubber.
- **Chain** Coventry,  $\frac{1}{8}'' \times \frac{1}{2}''$ .
- Guards Bluemel's Featherweight ivory celluloid.
- **Finish** The frame is treated with the patent Bonderite process and beautifully enamelled in black, producing a lustrous lasting finish.
- Equip- Large kit bag, Bluemel's pump, tools, and prismatic Fairylite reflector.

### ment

GENTS' MODEL CH. LADIES' MODEL CHL. (Cyclo 3-speed). Cyclo 3-s

GENTS' MODEL SH. LADIES' MODEL SHL. (Simplex 3-speed). GENTS' MODEL TH. LADIES' MODEL THL. (Trivelox 3-speed). E 6 12 6

£6126 £6176

# SPORTS

531 "Reynold's tubing and Chater-Lea fittings ecified.

tubing.  $\frac{3}{4}$ " chain stays and pencil seat stays. nce, wheel base  $41\frac{1}{2}$ " nominal, quick release fork ump pegs. **Forks**: Russ type, A. & P. or ng column, brazed-on Chater-Lea lamp bracket C.34 set. **Guards**: Bluemel's Duplex Noreflector. **Handlebars**: Shallow Highgate, "girder extension, taped, or Shockstop Speeder racing hubs, Villier's cogs 15T and 17T, Dunlop uble butted spokes. **Tyres**: Dunlop Sprite, rer rear chromium finish. **Pedals**: Grande Coventry. **Saddle**: Brooks B.15. **Finish**: process and beautifully enamelled in black, **ipment**: Bluemel's pump, Tecalemit gun, kit

# v £7 12 0



Two Resilion brakes, freewheel and cog, 13/6 extra.

Two Super Cam brakes instead of o n e Resilion "A" brake 2/extra.

# FLAMINGO SPORTS

FINISHED IN THE NEW DAYTON, FLAMBOYANT ENA-MEL. CHOICE OF SIX COLOURS : BLUE, RED, GREEN, GOLD, SILVER, AMBER.



Frame	Size 21". British tubing, upright frame, cut-away and fishtailed lugs, cotterless
	bracket, $10\frac{1}{2}$ " ground clearance, $41\frac{1}{2}$ " nominal wheel base, quick release fork ends,
	brazed-on guard eyes, pump pegs.
Forks	Russ type, all chromium finish, quick-release solid forged fork ends, brazed-on
1.1	guard eyes and Chater-Lea lamp bracket, narrow steel crown.
Guards	Bluemel's Duplex No-weight ivory celluloid with moulded reflector.
Brakes	
and the second se	Monitor front and rear cable Callipers.
Wheels	Dunlop Lightweight rims, chromium plated, Bayliss Wiley Lightweight hubs fitted
	with Villier's freewheel and cog, black double butted spokes.
Tyres	Dunlop Sprite or J.B. Firefly, $26'' \times 14''$ .
Handle-	Shallow Highgate or Bailey type chromium finish, 2" girder stem. Shockstop
bars	cushion speeder grips or coloured tape to match frame.
Pedals	Racing rat-trap.
Chain	Coventry.
Saddle	Mansfield Leather Race.
Finish	
rmisn	The frame is treated with the patent Bonderite process and finished in a choice of
	six flamboyant colours, gold silver, amber, blue, red and green.
Equip-	Large kit bag, Bluemel's ivory pump, Tecalemit gun, and prismatic reflector, tools.
ment	

# S RIDDEN FOR OVER 30 YEARS

### **£660 £660** With Cyclo 3-speed, **21**/- extra. With Trivelox B 3-speed gear, **25**/- extra.

GENTS' MODEL J2. LADIES' MODEL JL.



## HAWK SPORTS

THIS MODEL IS FITTED WITH A CHOICE OF CYCLO. TRIVELOX B, OR SIMPLEX 3-SPEED GEAR.

- Frame Semi-upright size 21". Tubing of high-grade British steel, brazed-up, tapered chain and seat stays, quick release fork ends, cut-away and fishtailed head lugs, brazed-on pump pegs Russ type, all chromium finish, Chater - Lea adjustable lamp bracket, solid fork Forks ends with brazed-on guard eyes. **Wheels** Narrow barrel lightweight hubs with chrome steel cones. **Tyres** Dunlop Sports or J.B. Firefly,  $26'' \times 1\frac{1}{4}''$ .
- Handle- Lauterwasser, Shallow Highgate or Bailey, all-chrome finish, adjustable chromium bars
  Brakes
  Gear
  Cyclo, Trivelox B, and Simplex 3-speed gear.

- Saddle Mansfield Leather Race.
- Pedals<br/>ChainRacing rat-trap.<br/>Coventry,  $\frac{1}{8}'' \times \frac{1}{2}''$ .
- Guards Bluemel's Featherweight ivory celluloid.
- Finish The frame is treated with the patent Bonderite process and beautifully enamelled in black, producing a lustrous lasting finish.
- Equip- Large kit bag, Bluemel's pump, tools, and prismatic Fairylite reflector. ment

£6176

GENTS' MODEL CH. GENTS' MODEL TH. LADIES' MODEL CHL. LADIES' MODEL THL. (Cyclo 3-speed). (Trivelox 3-speed). £6 12 6

£6126

GENTS' MODEL SH. LADIES' MODEL SHL. (Simplex 3-speed)

# **531 SNIPE SPORTS**

The Snipe Upright angle machine is built of "531" Reynold's tubing and Chater-Lea fittings as specified.

Frame: 20", 21", 22". Revnold's "531" tubing. 3" chain stays and pencil seat stays. Cut-away and fishtailed lugs, 10<sup>1</sup>/<sub>2</sub> ground clearance, wheel base 41<sup>1</sup>/<sub>2</sub> nominal, quick release fork ends. Brazed-on guard eyes and Chater-Lea pump pegs. Forks: Russ type, A. & P. or Dayton, all chromium finish, reinforced steering column, brazed-on Chater-Lea lamp bracket and guard eyes. Chain wheel: Williams' C.34 set. Guards: Bluemel's Duplex Noweight ivory celluloid with moulded prismatic reflector. Handlebars : Shallow Highgate, Bailey or Lauterwasser, chromium finish with 2" girder extension, taped, or Shockstop Speeder grips. **Wheels:** Bayliss Wiley lightweight racing hubs, Villier's cogs 15T and 17T, Dunlop lightweight rims, chromium plated. Black double butted spokes. **Tyres:** Dunlop Sprite,  $26'' \times 1\frac{1}{4}''$ . **Brakes:** Resilion "A" Cantilever rear chromium finish. **Pedals:** Grande Vittesse racing, chromium finish. **Chain:** Coventry. **Saddle:** Brooks B.15. **Finish:** The frame is treated with the patent Bonderite process and beautifully enamelled in black, producing a lustrous and lasting finish. Equipment : Bluemel's pump, Tecalemit gun, kit bag, tools and prismatic reflector.

GENTS MODEL V £7 12 0

Weight approximately (less accessories), 25 lbs. Wheelbase 414" nominal. Angles 73° head and seat.

extra.

extra.

Two Resilion brakes, freewheel and cog, 13/6

Two Super Cam brakes instead of one Resilion "A" brake 2/-

## **FLAMINGO** SPORTS

FINISHED IN THE NEW DAYTON. FLAMBOYANT ENA-MEL. CHOICE OF SIX COLOURS : BLUE, RED. GREEN, GOLD. SILVER, AMBER.



Frame	Size 21". British tubing, upright frame, cut-away and fishtailed lugs, cotterless
	bracket, 10 <sup>1</sup> / <sub>2</sub> " ground clearance, 41 <sup>1</sup> / <sub>2</sub> " nominal wheel base, quick release fork ends,
	brazed-on guard eyes, pump pegs.
Forks	Russ type, all chromium finish, quick-release solid forged fork ends, brazed-on
	guard eyes and Chater-Lea lamp bracket, narrow steel crown.
Guards	Bluemel's Duplex No-weight ivory celluloid with moulded reflector.
Brakes	Monitor front and rear cable Callipers.
Wheels	Dunlop Lightweight rims, chromium plated, Bayliss Wiley Lightweight hubs fitted
	with Villier's freewheel and cog, black double butted spokes.
Tyres	Dunlop Sprite or J.B. Firefly, $26'' \times 1\frac{1}{4}''$ .
Handle-	Shallow Highgate or Bailey type chromium finish, 2" girder stem. Shockstop
bars	cushion speeder grips or coloured tape to match frame.
Pedals	Racing rat-trap.
Chain	Coventry.
Saddle	Mansfield Leather Race.
Finish	The frame is treated with the patent Bonderite process and finished in a choice of
	six flamboyant colours, gold silver, amber, blue, red and green.
Equip-	Large kit bag, Bluemel's ivory pump, Tecalemit gun, and prismatic reflector, tools.
ment	

**RIDDEN FOR OVER 30 YEARS** 

### GENTS' MODEL J2. LADIES' MODEL JL. £660 £660

With Cyclo 3-speed, 21/- extra. With Trivelox B 3-speed gear, 25/- extra.



# TANDEM DE LUXE

AS SPECIFIED BELOW AND FITTED WITH :--TRIVELOX "A" TANDEM 3-SPEED GEAR. LUCAS DYNAMO LIGHTING SET. WEBB'S SOLID CENTRE RACING PEDALS. WRIGHT'S GENUINE LEATHER SPRING SEAT. SHOCKSTOP SUPER SPONGE GRIPS.

DOUBLE GENTS' MODEL MMTD. £16 16 0

Ladyback tandem 10/- extra.

Brampton or Phillips adjustable Rat-trap or rubber.

### TANDEM POPULAR

- **Frame** Double Diamond size  $21^{"}$ , rear  $20\frac{1}{2}^{"}$ . Built of "A" quality tubing. Cut-away and fishtailed lugs, brazed-up seat and chain stays, brazed-on pump pegs and guard eyes. Wheel base,  $64^{"}$  or  $60\frac{1}{2}^{"}$ .
- **Forks** Chromium finish tapered blades, "D" to round, reinforced steering column, brazed-on guard eyes and Chater-Lea lamp bracket.
- Tyres Dunlop Tandem Translucent or Sprite.
- **Wheels** Dunlop Endrick Tandem rims, Sturmey Archer 3-speed hub brake, Super Special front hub brake, single butted 12-14-gauge black spokes.
- **Handle-** Lauterwasser, Shallow Highgate or Bailey to choice, **bars** front or rear chromium finished, or North road rear black celluloid covered. Shockstop speeder grips.

Saddle Wright's or Dayton spring seat.Guards Bluemel's White celluloid, Spearpoint front.

- **Finish** The frame is treated with the patent Bonderite rustproof process, and beautifully enamelled in black, producing a lustrous and lasting finish.
- **Equip** Large tandem kit bag, Bluemel's pump, tools, and **ment** prismatic reflector.

Sturmey Archer 3-speed model MX.

£13 13 0

Ladyback tandems, 10/- extra.

**Pedals** 

Chain

Coventry.

Trivelox 3-speed model MT. £14 8 0

Resilion Tandem brakes no extra.

### THE FAMOUS

### 531 SUPER CLUB

### THIS HAND-MADE AND SPECIALIST-BUILT MODEL IS DESIGNED TO MEET THE REQUIREMENTS OF THE FAST CLUB RIDER. BUILT OF REYNOLDS "531" TUBING, AND CHATER - LEA LUGS AND FITTINGS AS SPECIFIED.

- **Frame** 20", 21" and 22". Reynold's 531 tubing and rapid tapered chain and seat stays, with Chater-Lea ends. Chater-Lea lugs, cut-away, fishtailed and feathered. Chater-Lea cotterless bracket, axle and  $\frac{5}{16}$ " ball-bearing fittings. Ground clearance,  $10\frac{1}{2}$ "; wheelbase,  $41\frac{1}{2}$ " nominal. Chater-Lea quick release fork ends, brazed on guard eyes, reflector attachment. Chater-Lea pump pegs. Chromium plated rear fork ends.
- **Forks** All chromium plated, choice of Russ, A. and P. or Dayton Shock absorbing Reg. No. 807,677 with Chater-Lea solid forged quick release fork ends, brazed-on guard eyes and Chater-Lea adjustable lamp bracket, narrow cut-away steel crown.
- **Guards** Bluemel's celluloid or Transparent Duplex No-weight with patent moulded-in Reflector.
- Handle- Reynold's "Hiduminium" Shallow Highgate, Bailey or
- **bars** Lauterwasser type, on "Hiduminium" 2" forward extension, tape to match frame or Shock stop long barrel Super Sponge grips.
- **Wheels** British "Airlite" hubs built into Dunlop High Pressure rims, double butted spokes black, "Hiduminium" wing nuts, Villiers 15T and 17T sprockets slotted type.

**Tyres** Dunlop High Pressure racing,  $26'' \times 1\frac{1}{4}''$ .

- Brakes Rear Resilion "A" Cantilever chromium finish.
- Pedals Boa solid centre racing.
- Chain Revnold's "Elite."
- Saddle Brooks B.17 Flyer.

Seat Pin "Hiduminium" straight 12".

- C.W.&C.Williams C.1000 set.
- **Finish** The frame is treated with patent Bonderite rustproof process and beautifully enamelled in black, producing a lustrous lasting finish.

**Equip**-**Large** kit bag, Bluemel's pump, Tecalemit gun, tools **ment** and prismatic reflector.

Weight Less equipment approximately 21<sup>3</sup>/<sub>4</sub> lbs.

### GENTS' MODEL Z £12 12 0



Can also be finished in attractive contrasting continental colours with international bands above and below colour band on seat tube. Suggested synthetic flamboyant colours : Blue, Green, Amber or Red with Silver or Gold Bands.

Price for colours suggested above, 15/-

For Gears, extra brake, etc., see list of extras on back page.





# THE LIGHT ROADSTER

Gents' 22", 24" with 26" wheels. Ladies' 20", 22" with 26" wheels. Tubing of high-grade British steel. Cotterless bracket, superior quality head and bracket bearings, cut-away head lugs.
Laminated steel crown, reinforced steering column and tapered blades.
Dunlop Roadster on Gents', Dunlop Sports on Ladies.
Wright's or Dayton spring seat.
Dome section with detachable stays and plate fastening.
Oil retaining hubs, with chrome steel cones. Dunlop rims, chromium plated, centred and lined.
Villiers freewheel.
Full rubber.
North Road raised, or North Road dropped, chromium plated.
Front and rear roller levers, pin fulcrum.
The frame is treated with the patent Bonderite rustproof process and beautifully enamelled in black, producing a lustrous and lasting finish, and artistically lined in gold colour. Ladies' model with metal chain guard.

**Equip**-Bluemel's pump, tool bag, tools, pump clips, and prisment matic reflector.




GENTS' MODEL S. LADIES' MODEL SL. **£4100 £4120** 

when fitted with sturmey archer 3-speed gear.GENTS' MODEL SX.LADIES' MODEL SLX.£ 5 11 0£ 5 13 0

Lucas Dynamo Lighting set, 18/6 extra.

# **THE "NEWTON" ROADSTER**

Frame	20" with 26" wheels. 22", 24" with 26" or 28" wheels.
	Tubing of high-grade British steel, cotterless bracket,
	superior quality head and bracket bearings.
Forks	Laminated steel crown, reinforced steering column and
	tapered blades.
Tyres	Dunlop Roadster.
Saddle	Wright's or Dayton spring seat.
	Bonne beenon with detaenable biajo.
Wheels	
-	rims, chromium plated, centred and lined.
Gear	Villiers freewheel.
Pedals	Full rubber.
Bars	Raised, chromium plated.
Brakes	Front and rear roller levers, pin fulcrum.
Finish	The frame is treated with the patent Bonderite rustproof
	process and beautifully enamelled in black and artistically
Territor	lined in gold colour.
Equip-	Bluemel's pump, tool bag, tools, pump clips, and pris-
ment	
	ALL BLACK FINISH OPTIONAL
GENTS'	MODEL N. LADIES' MODEL NL.
12	10 0 £4 15 9
dy "1	





# <image>

# SPECIAL ALLWEATHER

Frame	22", 24", with 28" wheels. Cob model 22", 24" with 26" wheels.
	Tubing of high-grade British steel.
Tyres	Dunlop Roadster.
Saddle	Wright's or Dayton spring seat.
Guards	Valance, detachable stays.
Gear	Sturmey Archer 3-speed fitted into detachable oil bath.
Wheels	Black enamelled Dunlop rims and lined. Oil retaining front hub.
Bars	Raised, all black.
Finish	The frame is treated with patent Bonderite rustproof process and
	enamelled in black, lined in gold colour. Chrome finish optional.
Equip- ment	Bluemel's pump, tool bag, tools, pump clips, prismatic reflector.
	NTS' MODEL A. LADIES' MODEL AL.
GE.	
	£639 £659
	DE LUXE ALLWEATHER
Siz	es and Specification as Special Allweather, but with Dunlop
	Fort Tyres. Terry saddle. Celluloid covered handlebars.
	NTS' MODEL DW. LADIES' MODEL DWL.
GE	
	£6 19 6 £7 1 6
12	Lucas Dynamo Lighting Set 18/6 extra.



BOYS' MODEL G.

BOYS' MODEL GB.

(16" and 18" frame)

(20" frame)

# **BOYS AND GIRLS**

Frame: Sizes: 16" frame, 24" wheels: 18" frame, 24" wheels ; 20" frame, 26" wheels. Tubing of high-grade British steel, Superior quality bearings. Forks : Bevelled steel crown, reinforced steering column. Tyres: DUNLOP JUVENILE. Saddle: 3-coil Leather. Handle-bars: Raised, chromium plated. Pedals: Full rubber, ball bearings. Guards: Dome section, high quality British steel. Brakes: Double roller levers, operating on front and rear rims. Finish: The frame is treated with the patent BONDERITE RUSTPROOF process and beautifully enamelled in black, and artistically lined. Equipment: Tool bag, tools, pump, pump clips, and prismatic reflector.

Sturmey Archer 3-speed gear, 21/- extra.



GIRLS' MODEL GL. £4 11 0 (16" and 18" frame) GIRLS' MODEL GBL. £4 13 0 (20" frame)



£456

£476

### **PRINCE AND PRINCESS**

Frame: Sizes: 16" frame, 18" wheels; 18" frame, 20" wheels. Tubing of high-grade British steel. Tyres: DUNLOP JUNIOR PNEUMATIC. Wheels: Chromium plated. Ball-bearing hubs. Saddle: SPRING SEAT. Mudguards: WHITE METAL. Pedals: Ball bearing, full rubber. Brakes : Front and rear roller lever. Finish: The frame is BONDERITE RUSTPROOFED, and enamelled in BLACK, ROYAL BLUE, or RUBY RED. Equipment : Pump and pump clips, Carrier and Stand.

PRINCE AND PRINCESS JUNIOR CYCLE.



### PRINCE TRICYCLE

Sizes: 14" and 16" wheels. The frame is Bonderised and Enamelled in Turquoise Blue, Ruby Red and Lustrous Black. All ball bearinghead, front wheel, pedals, bracket and rear axle. Tyres: Dunlop Cushion. Brake: Front roller lever. Mudguards: Front and two rear, white metal.

MODEL Y4.  $(14'' \text{ and } 1\frac{1}{8}'' \text{ wheels})$ £336 MODEL Y4P. £3120

MODEL Y6.  $(16'' \times 1\frac{1}{8}'' \text{ wheels})$ £346 MODEL Y6P. (Dunlop Pneumatic tyres).

(Dunlop Pneumatic tyres).

13



MODEL E. £6 5 6 Basket, 7/6 extra.



Large Basket, 11/6 extra. Coloured Carriers to order from 7/6 extra.

### E. CARRIER

FrameSize 22". Tubing heavy gauge British steel. $\frac{3}{16}$ " Head bearings. Front Carrier brazed to frame. Extra strong crown with heavy fork blades. Extra strong cranks and chain wheel.TyresDunlop $26'' \times 1\frac{3}{4}''$	GEARS     Sturmey Archer " K " 3-speed
<b>Wheels</b> Dunlop Carrier rims, Transport hubs. $\frac{1}{4}$ " ball bearings and 13" gauge spokes.	Trivelox A1 3-speed        Trivelox B, 3-speed        Simplex " Champion of the World " 3-speed
BarsCarrier with rubber grips.BrakesCarrier front and rear roller levers.PedalsCarrier. Large size rubber.	Coloured enamel finish on Solo models Coloured Dayton flamboyant finish on Solo models
<b>Free</b> - Villiers De Luxe, $20T \times \frac{3}{16}$ . <b>wheel</b> <b>Finish</b> Frame, forks and name plate	Coloured enamel finish on Tandem models Coloured Dayton flamboyant finish on Tandem mode Genuine flamboyant finish
are Bonderized to effectively prevent rusting, then heavily coated with black enamel. Equip- Pump, bag, tools and reflector. ment	Extra Monitor Super cam brake Extra Resilion "A" front brake Extra Resilion "A" rear brake
LOW GRAVITY C. CARRIER	Lucas or Miller 6-volt Dynamo Lighting Set Smith's Cycle Speedometer and Mileage Recorder
WITH PATENT STRUTTED STAND AND LARGE CARRYING CAPACITY Dunlop Carrier Tyre $20'' \times 2''$ front, Dunlop Clipper Tyre $26'' \times 1\frac{3}{4}''$ rear.	Chromium plated handlebar bend where not standard Chromium plated rear fork ends (solo) Stainless steel Endrick rims Chromium plated spokes (per cycle)
Note Redesigned Tubular Carrier and	Expanding Hub brakes on Model T.T.L. S.T., S.T.L.

MODEL C. £726

stand.

MODEL CL. £7 16 6 (Flat Front Carrier) 14

### LIST OF EXTRAS ON CYCLE MODELS

### GEARS

Sturmey Archer "K" 3-speed	 21/-
Sturmey Archer " AM " medium radio 3-speed	 21/-
Sturmey Archer " AR " Ultra close ratio 3-speed	 25/3
Sturmey Archer "T" 2-speed	 16/9
Cyclo Derailleur 3-speed	 21/-
"Poly" 3-speed Derailleur	 30/-
Trivelox A1 3-speed	 30/-
Trivelox B, 3-speed	 25/-
Simplex " Champion of the World " 3-speed	 30/-
Sumplem Committee of the Party	in a
Coloured enamel finish on Solo models	 5/6
Coloured Dayton flamboyant finish on Solo models	 7/6
Coloured enamel finish on Tandem models	 10/6
Coloured Dayton flamboyant finish on Tandem models	 15/-

Extra Monitor Super cam brake	 	 	6/6
Extra Resilion " A " front brake	 .,	 	13/6
Extra Resilion " A " rear brake	 	 	12/6

.. 20/-

.. 15/-

Lucas or Miller 6-volt Dynamo Lighting Set		18/6
Smith's Cycle Speedometer and Mileage Recorder	·	19/6

Chromium plated handlebar bend where not standard	 2/6
Chromium plated rear fork ends (solo)	 7/6
Stainless steel Endrick rims	 18/6
Chromium plated spokes (per cycle)	 2/6

WE SHALL BE PLEASED TO QUOTE YOU FOR ANY OTHER EXTRAS THAT YOU MAY REQUIRE

Prices and specifications are subject to alteration at any time without notice, and prices are subject to conditions ruling at time of delivery.

# 1938

# DAYTON CYCLE CO., LTD.

DAYTON WORKS, PARK ROYAL ROAD, LONDON, N.W. 10

PRINTED BY HARRISON & SONS, LTD., LONDON, HAYES (MIDDX.), & HIGH WYCOMBE,